

Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.213$, m = 1.555, $R^2 = 0.581$, N = 392

Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




Height vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




y_0 = 1.153, m = 1.563, R^2 = 0.425, N = 392

Height vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = -386.561$, m = 36.525, $R^2 = 0.372$, N = 392

Diameter vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = -3.569$, m = 2.311, $R^2 = 0.707$, N = 392

Diameter vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = -1081.271$, m = 23.05, $R^2 = 0.664$, N = 392

Thickness vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.619$, m = 1.362, $R^2 = 0.408$, N = 392

Thickness vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




y_0 = -226.489, m = 55.361, R^2 =0.356, N = 392

Diameter / Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Log




Diameter / Width $y_0 = 7.255$, m = -0.357, $R^2 = 0.024$, N = 392

Diameter / Width vs. Fresh Weight Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 1223.665$, m = -64.561, $R^2 = 0.029$, N = 392

Width vs. Height Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.961$, m = 0.204, $R^2 = 0.057$, N = 392

Width vs. Height Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 29.027$, m = 0.351, $R^2 = 0.048$, N = 392

Width vs. Diameter Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 3.342$, m = 0.381, $R^2 = 0.264$, N = 392

Width vs. Diameter Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 53.748$, m = 1.769, $R^2 = 0.275$, N = 392

Width vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 2.222$, m = 0.268, $R^2 = 0.079$, N = 392

Width vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 15.745$, m = 0.259, $R^2 = 0.063$, N = 392

Height vs. Diameter Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.662$, m = 0.784, $R^2 = 0.807$, N = 392

Height vs. Diameter Entire Dataset, All AccessionsMode – Double Linear




y_0 = 18.864, m = 1.902, R^2 = 0.808, N = 392

Height vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.997$, m = 0.281, $R^2 = 0.063$, N = 392

Height vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 14.76$, m = 0.162, $R^2 = 0.063$, N = 392

Diameter vs. Thickness Entire Dataset, All AccessionsMode – Double Log




 $y_0 = 1.052$, m = 0.438, $R^2 = 0.115$, N = 392

Diameter vs. Thickness Entire Dataset, All AccessionsMode – Double Linear




 $y_0 = 11.767$, m = 0.101, $R^2 = 0.11$, N = 392

Diameter / Width vs. Dry Weight Entire Dataset, All AccessionsMode – Double Log




Diameter / Width $y_0 = 3.9$, m = -0.349, $R^2 = 0.026$, N = 392

Diameter / Width vs. Dry Weight Entire Dataset, All AccessionsMode – Double Linear




Diameter / Width $y_0 = 42.837$, m = -2.178, $R^2 = 0.02$, N = 392

Width vs. Fresh Weight Entire Dataset, 242Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -554.929$, m = 84.645, $R^2 = 0.764$, N = 24

Height vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = -2.163$, m = 2.281, $R^2 = 0.726$, N = 24

Height vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -567.511$, m = 27.829, $R^2 = 0.686$, N = 24

Diameter vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = -4.889$, m = 2.486, $R^2 = 0.802$, N = 24

Diameter vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -655.695$, m = 13.58, $R^2 = 0.754$, N = 24

Thickness vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 2.181$, m = 1.395, $R^2 = 0.288$, N = 24

Thickness vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = -294.499$, m = 47.297, $R^2 = 0.405$, N = 24

Diameter / Width vs. Fresh Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 6.841$, m = -0.466, $R^2 = 0.021$, N = 24

Diameter / Width vs. Fresh Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = 638.182$, m = -32.072, $R^2 = 0.022$, N = 24


Width vs. Height Entire Dataset, 242Mode – Double Log




Width vs. Height Entire Dataset, 242Mode – Double Linear



Width vs. Diameter Entire Dataset, 242Mode – Double Log




Width vs. Diameter Entire Dataset, 242Mode – Double Linear




 $y_0 = 28.786$, m = 4.369, $R^2 = 0.498$, N = 24

Width vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 1.992$, m = 0.29, $R^2 = 0.1$, N = 24

Width vs. Thickness Entire Dataset, 242Mode – Double Linear




Height vs. Diameter Entire Dataset, 242Mode – Double Log




 $y_0 = 0.957$, m = 0.957, $R^2 = 0.985$, N = 24

Height vs. Diameter Entire Dataset, 242Mode – Double Linear




 $y_0 = 3.48$, m = 2.135, $R^2 = 0.986$, N = 24

Height vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 1.436$, m = 0.355, $R^2 = 0.118$, N = 24

Height vs. Thickness Entire Dataset, 242Mode – Double Linear




 $y_0 = 9.473$, m = 0.157, $R^2 = 0.12$, N = 24

Diameter vs. Thickness Entire Dataset, 242Mode – Double Log




 $y_0 = 1.095$, m = 0.367, $R^2 = 0.118$, N = 24

Diameter vs. Thickness Entire Dataset, 242Mode – Double Linear




 $y_0 = 9.109$, m = 0.075, $R^2 = 0.126$, N = 24

Diameter / Width vs. Dry Weight Entire Dataset, 242Mode – Double Log




 $y_0 = 4.114$, m = -0.466, $R^2 = 0.021$, N = 24

Diameter / Width vs. Dry Weight Entire Dataset, 242Mode – Double Linear




 $y_0 = 41.757$, m = -2.098, $R^2 = 0.022$, N = 24

Width vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 1.306$, m = 1.764, $R^2 = 0.713$, N = 27

Width vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -409.95$, m = 57.264, $R^2 = 0.742$, N = 27

Height vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 0.326$, m = 1.715, $R^2 = 0.505$, N = 27

Height vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -382.815$, m = 29.098, $R^2 = 0.507$, N = 27

Diameter vs. Fresh Weight Entire Dataset, 246Mode – Double Log




Diameter vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = -620.668$, m = 15.262, $R^2 = 0.714$, N = 27

Thickness vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 4.46$, m = 0.618, $R^2 = 0.089$, N = 27

Thickness vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = 255.163$, m = 15.098, $R^2 = 0.051$, N = 27

Diameter / Width vs. Fresh Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 7.13$, m = -0.648, $R^2 = 0.052$, N = 27

Diameter / Width vs. Fresh Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = 823.323$, m = -72.398, $R^2 = 0.061$, N = 27

Width vs. Height Entire Dataset, 246Mode – Double Log




Width vs. Height Entire Dataset, 246Mode – Double Linear




 $y_0 = 16.682$, m = 0.84, $R^2 = 0.266$, N = 27

Width vs. Diameter Entire Dataset, 246Mode – Double Log




 $y_0 = 2.779$, m = 0.547, $R^2 = 0.468$, N = 27

Width vs. Diameter Entire Dataset, 246Mode – Double Linear




y_0 = 31.656, m = 2.609, R^2 = 0.503, N = 27

Width vs. Thickness Entire Dataset, 246Mode – Double Log




Width vs. Thickness Entire Dataset, 246Mode – Double Linear




 $y_0 = 15.61$, m = -0.028, $R^2 = 0.001$, N = 27

Height vs. Diameter Entire Dataset, 246Mode – Double Log




 $y_0 = 1.279$, m = 0.885, $R^2 = 0.918$, N = 27

Height vs. Diameter Entire Dataset, 246Mode – Double Linear




 $y_0 = 7.889$, m = 2.165, $R^2 = 0.916$, N = 27

Height vs. Thickness Entire Dataset, 246Mode – Double Log




 $y_0 = 2.997$, m = -0.085, $R^2 = 0.005$, N = 27


Height vs. Thickness Entire Dataset, 246Mode – Double Linear



Diameter vs. Thickness Entire Dataset, 246Mode – Double Log




Diameter vs. Thickness Entire Dataset, 246Mode – Double Linear




 $y_0 = 16.299$, m = -0.016, $R^2 = 0.003$, N = 27

Diameter / Width vs. Dry Weight Entire Dataset, 246Mode – Double Log




 $y_0 = 4.213$, m = -0.744, $R^2 = 0.036$, N = 27

Diameter / Width vs. Dry Weight Entire Dataset, 246Mode – Double Linear




 $y_0 = 43.495$, m = -4.194, $R^2 = 0.033$, N = 27


Width vs. Fresh Weight Entire Dataset, 319Mode – Double Log



Width vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 5.092$, m = 0.494, $R^2 = 0.166$, N = 29

Height vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = -2.011$, m = 1.938, $R^2 = 0.738$, N = 29

Diameter vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = -834.119$, m = 18.631, $R^2 = 0.71$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 3.982$, m = 0.949, $R^2 = 0.19$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 163.699, m = 39.863, R^2 = 0.199, N = 29$

Diameter / Width vs. Fresh Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 7.006$, m = -0.022, $R^2 = 0$, N = 29


Diameter / Width vs. Fresh Weight Entire Dataset, 319Mode – Double Linear




Width vs. Height Entire Dataset, 319Mode – Double Log




Width vs. Height Entire Dataset, 319Mode – Double Linear




Width vs. Diameter Entire Dataset, 319Mode – Double Log



Width vs. Diameter Entire Dataset, 319Mode – Double Linear




Width vs. Thickness Entire Dataset, 319Mode – Double Log




 $y_0 = 2.664$, m = 0.173, $R^2 = 0.034$, N = 29

Width vs. Thickness Entire Dataset, 319Mode – Double Linear




 $y_0 = 19.613$, m = 0.231, $R^2 = 0.025$, N = 29

Height vs. Diameter Entire Dataset, 319Mode – Double Log




 $y_0 = 3.472$, m = 0.306, $R^2 = 0.324$, N = 29

Height vs. Diameter Entire Dataset, 319Mode – Double Linear




Height vs. Thickness Entire Dataset, 319Mode – Double Log




 $y_0 = 3.066$, m = 0.02, $R^2 = 0.001$, N = 29

Height vs. Thickness Entire Dataset, 319Mode – Double Linear




 $y_0 = 21.792$, m = 0.034, $R^2 = 0.009$, N = 29

Diameter vs. Thickness Entire Dataset, 319Mode – Double Log




 $y_0 = 2.021$, m = 0.242, $R^2 = 0.055$, N = 29

Diameter vs. Thickness Entire Dataset, 319Mode – Double Linear




y_0 = 17.201, m = 0.059, R^2 = 0.057, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 319Mode – Double Log




 $y_0 = 2.281$, m = 0.541, $R^2 = 0.017$, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 319Mode – Double Linear




 $y_0 = 6.447$, m = 3.622, $R^2 = 0.028$, N = 29


Width vs. Fresh Weight Entire Dataset, 325Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 325Mode – Double Log



Height vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = -4.042$, m = 2.458, $R^2 = 0.788$, N = 27

Diameter vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 5.537$, m = 0.576, $R^2 = 0.146$, N = 27

Thickness vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = 841.676$, m = 32.518, $R^2 = 0.126$, N = 27

Diameter / Width vs. Fresh Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 8.438$, m = -0.739, $R^2 = 0.055$, N = 27

Diameter / Width vs. Fresh Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = 2747.474$, m = -260.85, $R^2 = 0.052$, N = 27


Width vs. Height Entire Dataset, 325Mode – Double Log




Width vs. Height Entire Dataset, 325Mode – Double Linear




Width vs. Diameter Entire Dataset, 325Mode – Double Log




Width vs. Diameter Entire Dataset, 325Mode – Double Linear




Width vs. Thickness Entire Dataset, 325Mode – Double Log




Width vs. Thickness Entire Dataset, 325Mode – Double Linear




Height vs. Diameter Entire Dataset, 325Mode – Double Log




Height vs. Diameter Entire Dataset, 325Mode – Double Linear




Height vs. Thickness Entire Dataset, 325Mode – Double Log



Height vs. Thickness Entire Dataset, 325Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 325Mode – Double Log




 $y_0 = 1.796$, m = 0.295, $R^2 = 0.026$, N = 27

Diameter vs. Thickness Entire Dataset, 325Mode – Double Linear




 $y_0 = 17.408$, m = 0.064, $R^2 = 0.018$, N = 27

Diameter / Width vs. Dry Weight Entire Dataset, 325Mode – Double Log




 $y_0 = 4.488$, m = -0.857, $R^2 = 0.022$, N = 27

Diameter / Width vs. Dry Weight Entire Dataset, 325Mode – Double Linear




 $y_0 = 64.095$, m = -8.21, $R^2 = 0.035$, N = 27

Width vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = -0.324$, m = 2.487, $R^2 = 0.857$, N = 26

Width vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = -1211.841$, m = 121.244, $R^2 = 0.819$, N = 26

Height vs. Fresh Weight Entire Dataset, 326Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = -904.657$, m = 56.896, $R^2 = 0.71$, N = 26

Diameter vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = -3.815$, m = 2.435, $R^2 = 0.865$, N = 26

Diameter vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = 3.669$, m = 0.965, $R^2 = 0.229$, N = 26

Thickness vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = 134.384$, m = 30.481, $R^2 = 0.212$, N = 26

Diameter / Width vs. Fresh Weight Entire Dataset, 326Mode – Double Log




 $y_0 = 6.06$, m = 0.474, $R^2 = 0.005$, N = 26

Diameter / Width vs. Fresh Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = 337.166$, m = 125.796, $R^2 = 0.01$, N = 26

Width vs. Height Entire Dataset, 326Mode – Double Log




 $y_0 = 0.819$, m = 0.923, $R^2 = 0.72$, N = 26

Width vs. Height Entire Dataset, 326Mode – Double Linear




 $y_0 = 2.791$, m = 1.66, $R^2 = 0.701$, N = 26

Width vs. Diameter Entire Dataset, 326Mode – Double Log




 $y_0 = 1.649$, m = 0.946, $R^2 = 0.85$, N = 26

Width vs. Diameter Entire Dataset, 326Mode – Double Linear




 $y_0 = 3.865$, m = 4.236, $R^2 = 0.841$, N = 26

Width vs. Thickness Entire Dataset, 326Mode – Double Log




 $y_0 = 2.072$, m = 0.4, $R^2 = 0.09$, N = 26

Width vs. Thickness Entire Dataset, 326Mode – Double Linear




 $y_0 = 15.215$, m = 0.566, $R^2 = 0.078$, N = 26

Height vs. Diameter Entire Dataset, 326Mode – Double Log




 $y_0 = 1.279$, m = 0.889, $R^2 = 0.889$, N = 26

Height vs. Diameter Entire Dataset, 326Mode – Double Linear




 $y_0 = 8.181$, m = 2.19, $R^2 = 0.885$, N = 26

Height vs. Thickness Entire Dataset, 326Mode – Double Log




 $y_0 = 2.479$, m = 0.213, $R^2 = 0.03$, N = 26

Height vs. Thickness Entire Dataset, 326Mode – Double Linear




 $y_0 = 19.988$, m = 0.16, $R^2 = 0.025$, N = 26

Diameter vs. Thickness Entire Dataset, 326Mode – Double Log




 $y_0 = 2.181$, m = 0.237, $R^2 = 0.033$, N = 26

Diameter vs. Thickness Entire Dataset, 326Mode – Double Linear




 $y_0 = 19.65$, m = 0.07, $R^2 = 0.025$, N = 26

Diameter / Width vs. Dry Weight Entire Dataset, 326Mode – Double Log




y_0 = 5.711, m = -1.478, R^2 = 0.018, N = 26

Diameter / Width vs. Dry Weight Entire Dataset, 326Mode – Double Linear




 $y_0 = 117.633$, m = -18.142, $R^2 = 0.028$, N = 26


Width vs. Fresh Weight Entire Dataset, 390Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 390Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 390Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 390Mode – Double Log




 $y_0 = 2.916$, m = 1.354, $R^2 = 0.546$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




 $y_0 = -155.186$, m = 64.933, $R^2 = 0.454$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 390Mode – Double Log




 $y_0 = 8.513$, m = -1.031, $R^2 = 0.036$, N = 30


Diameter / Width vs. Fresh Weight Entire Dataset, 390Mode – Double Linear




Width vs. Height Entire Dataset, 390Mode – Double Log



Width vs. Height Entire Dataset, 390Mode – Double Linear




Width vs. Diameter Entire Dataset, 390Mode – Double Log




 $y_0 = 2.122$, m = 0.745, $R^2 = 0.773$, N = 30

Width vs. Diameter Entire Dataset, 390Mode – Double Linear




Width vs. Thickness Entire Dataset, 390Mode – Double Log




 $y_0 = 1.252$, m = 0.588, $R^2 = 0.174$, N = 30

Width vs. Thickness Entire Dataset, 390Mode – Double Linear




Height vs. Diameter Entire Dataset, 390Mode – Double Log




 $y_0 = 1.669$, m = 0.816, $R^2 = 0.87$, N = 30

Height vs. Diameter Entire Dataset, 390Mode – Double Linear




Height vs. Thickness Entire Dataset, 390Mode – Double Log




 $y_0 = 1.12$, m = 0.58, $R^2 = 0.159$, N = 30


Height vs. Thickness Entire Dataset, 390Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 390Mode – Double Log



Diameter vs. Thickness Entire Dataset, 390Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 390Mode – Double Log




y_0 = 1.978, m = 1.151, R^2 = 0.029, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 390Mode – Double Linear




 $y_0 = -22.926$, m = 16.004, $R^2 = 0.043$, N = 30

Width vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 1.352$, m = 1.822, $R^2 = 0.679$, N = 28

Width vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -754.821$, m = 83.969, $R^2 = 0.66$, N = 28

Height vs. Fresh Weight Entire Dataset, 572Mode – Double Log




Height vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -589.408$, m = 39.057, $R^2 = 0.67$, N = 28

Diameter vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = -2.376$, m = 2.037, $R^2 = 0.759$, N = 28

Diameter vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -882.723$, m = 19.859, $R^2 = 0.752$, N = 28

Thickness vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 5.398$, m = 0.454, $R^2 = 0.107$, N = 28

Thickness vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




y_0 = 497.287, m = 19.061, R^2 = 0.086, N = 28

Diameter / Width vs. Fresh Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 6.725$, m = -0.004, $R^2 = 0$, N = 28

Diameter / Width vs. Fresh Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = 692.927$, m = 34.588, $R^2 = 0.002$, N = 28

Width vs. Height Entire Dataset, 572Mode – Double Log




 $y_0 = 0.801$, m = 0.951, $R^2 = 0.762$, N = 28

Width vs. Height Entire Dataset, 572Mode – Double Linear




 $y_0 = 0.902$, m = 1.881, $R^2 = 0.754$, N = 28

Width vs. Diameter Entire Dataset, 572Mode – Double Log




 $y_0 = 1.985$, m = 0.842, $R^2 = 0.793$, N = 28

Width vs. Diameter Entire Dataset, 572Mode – Double Linear




 $y_0 = 11.45$, m = 3.966, $R^2 = 0.773$, N = 28

Width vs. Thickness Entire Dataset, 572Mode – Double Log




 $y_0 = 2.731$, m = 0.06, $R^2 = 0.001$, N = 28

Width vs. Thickness Entire Dataset, 572Mode – Double Linear




 $y_0 = 17.6$, m = 0.05, $R^2 = 0.001$, N = 28

Height vs. Diameter Entire Dataset, 572Mode – Double Log




Height vs. Diameter Entire Dataset, 572Mode – Double Linear




 $y_0 = 14.649$, m = 1.97, $R^2 = 0.895$, N = 28


Height vs. Thickness Entire Dataset, 572Mode – Double Log



Height vs. Thickness Entire Dataset, 572Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 572Mode – Double Log




 $y_0 = 2.966$, m = -0.013, $R^2 = 0$, N = 28

Diameter vs. Thickness Entire Dataset, 572Mode – Double Linear




 $y_0 = 19.589$, m = -0.012, $R^2 = 0.001$, N = 28

Diameter / Width vs. Dry Weight Entire Dataset, 572Mode – Double Log




 $y_0 = 1.594$, m = 1.078, $R^2 = 0.014$, N = 28

Diameter / Width vs. Dry Weight Entire Dataset, 572Mode – Double Linear




 $y_0 = -8.124$, m = 7.941, $R^2 = 0.016$, N = 28

Width vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 3.246$, m = 1.281, $R^2 = 0.413$, N = 29

Width vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 3.405$, m = 0.9, $R^2 = 0.257$, N = 29

Height vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 66.572$, m = 19.406, $R^2 = 0.26$, N = 29

Diameter vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 1.545$, m = 1.146, $R^2 = 0.325$, N = 29

Diameter vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 4.757$, m = 0.644, $R^2 = 0.23$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 278.411$, m = 26.558, $R^2 = 0.256$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 6.949$, m = -0.125, $R^2 = 0.005$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 938.7$, m = -14.976, $R^2 = 0.004$, N = 29

Width vs. Height Entire Dataset, 580Mode – Double Log




 $y_0 = 2.986$, m = 0.259, $R^2 = 0.053$, N = 29

Width vs. Height Entire Dataset, 580Mode – Double Linear




 $y_0 = 30.007$, m = 0.674, $R^2 = 0.053$, N = 29

Width vs. Diameter Entire Dataset, 580Mode – Double Log




 $y_0 = 3.511$, m = 0.371, $R^2 = 0.14$, N = 29

Width vs. Diameter Entire Dataset, 580Mode – Double Linear




 $y_0 = 60.295$, m = 2.096, $R^2 = 0.123$, N = 29

Width vs. Thickness Entire Dataset, 580Mode – Double Log




 $y_0 = 2.672$, m = 0.141, $R^2 = 0.009$, N = 29

Width vs. Thickness Entire Dataset, 580Mode – Double Linear




 $y_0 = 17.718$, m = 0.244, $R^2 = 0.013$, N = 29

Height vs. Diameter Entire Dataset, 580Mode – Double Log




 $y_0 = 2.168$, m = 0.637, $R^2 = 0.522$, N = 29

Height vs. Diameter Entire Dataset, 580Mode – Double Linear




 $y_0 = 31.253$, m = 1.512, $R^2 = 0.551$, N = 29

Height vs. Thickness Entire Dataset, 580Mode – Double Log




 $y_0 = 4.301$, m = -0.338, $R^2 = 0.066$, N = 29

Height vs. Thickness Entire Dataset, 580Mode – Double Linear




 $y_0 = 28.544$, m = -0.177, $R^2 = 0.06$, N = 29

Diameter vs. Thickness Entire Dataset, 580Mode – Double Log




 $y_0 = 3.089$, m = -0.008, $R^2 = 0$, N = 29

Diameter vs. Thickness Entire Dataset, 580Mode – Double Linear




 $y_0 = 21.24$, m = 0.002, $R^2 = 0$, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 580Mode – Double Log




 $y_0 = 4.462$, m = -0.604, $R^2 = 0.022$, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 580Mode – Double Linear




 $y_0 = 52.956$, m = -3.376, $R^2 = 0.019$, N = 29

Width vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 1.985$, m = 1.76, $R^2 = 0.795$, N = 30

Width vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Height vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = -0.325$, m = 1.913, $R^2 = 0.498$, N = 30


Height vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 582Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 3.033$, m = 1.232, $R^2 = 0.326$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = -203.485$, m = 52.351, $R^2 = 0.349$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 8.565$, m = -0.956, $R^2 = 0.097$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = 1937.443$, m = -161.404, $R^2 = 0.137$, N = 30

Width vs. Height Entire Dataset, 582Mode – Double Log




 $y_0 = 2.499$, m = 0.451, $R^2 = 0.383$, N = 30

Width vs. Height Entire Dataset, 582Mode – Double Linear




Width vs. Diameter Entire Dataset, 582Mode – Double Log




 $y_0 = 2.878$, m = 0.614, $R^2 = 0.586$, N = 30

Width vs. Diameter Entire Dataset, 582Mode – Double Linear




 $y_0 = 42.031$, m = 3.467, $R^2 = 0.569$, N = 30

Width vs. Thickness Entire Dataset, 582Mode – Double Log




 $y_0 = 2.051$, m = 0.375, $R^2 = 0.167$, N = 30

Width vs. Thickness Entire Dataset, 582Mode – Double Linear




Height vs. Diameter Entire Dataset, 582Mode – Double Log




 $y_0 = 1.082$, m = 0.932, $R^2 = 0.716$, N = 30

Height vs. Diameter Entire Dataset, 582Mode – Double Linear




Height vs. Thickness Entire Dataset, 582Mode – Double Log




 $y_0 = 1.911$, m = 0.313, $R^2 = 0.062$, N = 30

Height vs. Thickness Entire Dataset, 582Mode – Double Linear




 $y_0 = 14.57$, m = 0.174, $R^2 = 0.066$, N = 30


Diameter vs. Thickness Entire Dataset, 582Mode – Double Log



Diameter vs. Thickness Entire Dataset, 582Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 582Mode – Double Log




 $y_0 = 6.594$, m = -1.813, $R^2 = 0.077$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 582Mode – Double Linear




 $y_0 = 103.357$, m = -11.874, $R^2 = 0.103$, N = 30

Width vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 1.242$, m = 1.939, $R^2 = 0.692$, N = 31

Width vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = -1050.525$, m = 112.659, $R^2 = 0.743$, N = 31

Height vs. Fresh Weight Entire Dataset, 584Mode – Double Log




y_0 = 0.602, m = 1.794, R^2 = 0.776, N = 31

Height vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = -910.855$, m = 57.99, $R^2 = 0.753$, N = 31

Diameter vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = -2.993$, m = 2.236, $R^2 = 0.892$, N = 31

Diameter vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = -1381.904$, m = 28.916, $R^2 = 0.893$, N = 31

Thickness vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 4.446$, m = 0.792, $R^2 = 0.092$, N = 31

Thickness vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 503.783$, m = 25.851, $R^2 = 0.045$, N = 31

Diameter / Width vs. Fresh Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 6.065$, m = 0.592, $R^2 = 0.025$, N = 31

Diameter / Width vs. Fresh Weight Entire Dataset, 584Mode – Double Linear




 $y_0 = 684.011$, m = 96.99, $R^2 = 0.011$, N = 31

Width vs. Height Entire Dataset, 584Mode – Double Log




 $y_0 = 1.206$, m = 0.792, $R^2 = 0.48$, N = 31

Width vs. Height Entire Dataset, 584Mode – Double Linear




 $y_0 = 8.688$, m = 1.367, $R^2 = 0.489$, N = 31

Width vs. Diameter Entire Dataset, 584Mode – Double Log




 $y_0 = 2.114$, m = 0.792, $R^2 = 0.648$, N = 31

Width vs. Diameter Entire Dataset, 584Mode – Double Linear




 $y_0 = 19.706$, m = 3.468, $R^2 = 0.659$, N = 31

Width vs. Thickness Entire Dataset, 584Mode – Double Log




Width vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 24.592$, m = -0.035, $R^2 = 0.001$, N = 31

Height vs. Diameter Entire Dataset, 584Mode – Double Log




 $y_0 = 1.524$, m = 0.826, $R^2 = 0.922$, N = 31

Height vs. Diameter Entire Dataset, 584Mode – Double Linear




 $y_0 = 13.015$, m = 2.099, $R^2 = 0.924$, N = 31

Height vs. Thickness Entire Dataset, 584Mode – Double Log




 $y_0 = 3.009$, m = 0.044, $R^2 = 0.003$, N = 31

Height vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 23.397$, m = 0.015, $R^2 = 0.001$, N = 31

Diameter vs. Thickness Entire Dataset, 584Mode – Double Log




 $y_0 = 2.894$, m = 0.061, $R^2 = 0.005$, N = 31

Diameter vs. Thickness Entire Dataset, 584Mode – Double Linear




 $y_0 = 23.18$, m = 0.008, $R^2 = 0.001$, N = 31

Diameter / Width vs. Dry Weight Entire Dataset, 584Mode – Double Log




 $y_0 = 3.173$, m = 0.058, $R^2 = 0$, N = 31

Diameter / Width vs. Dry Weight Entire Dataset, 584Mode – Double Linear




y_0 = 11.161, m = 3.961, R^2 = 0.014, N = 31

Width vs. Fresh Weight Entire Dataset, 585Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -693.718$, m = 79.666, $R^2 = 0.597$, N = 29

Height vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 0.523$, m = 1.754, $R^2 = 0.515$, N = 29

Height vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




Diameter vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = -3.387$, m = 2.297, $R^2 = 0.701$, N = 29

Diameter vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -945.983$, m = 22.083, $R^2 = 0.727$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 2.61$, m = 1.321, $R^2 = 0.473$, N = 29

Thickness vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = -127.188$, m = 43.302, $R^2 = 0.404$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 6.177$, m = 0.297, $R^2 = 0.005$, N = 29

Diameter / Width vs. Fresh Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = 597.736$, m = 42.093, $R^2 = 0.004$, N = 29

Width vs. Height Entire Dataset, 585Mode – Double Log




 $y_0 = 0.975$, m = 0.857, $R^2 = 0.61$, N = 29

Width vs. Height Entire Dataset, 585Mode – Double Linear




 $y_0 = 6.562$, m = 1.397, $R^2 = 0.592$, N = 29

Width vs. Diameter Entire Dataset, 585Mode – Double Log




 $y_0 = 2.085$, m = 0.779, $R^2 = 0.635$, N = 29

Width vs. Diameter Entire Dataset, 585Mode – Double Linear




 $y_0 = 20.003$, m = 3.143, $R^2 = 0.623$, N = 29

Width vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 1.722$, m = 0.448, $R^2 = 0.103$, N = 29

Width vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 12.707$, m = 0.442, $R^2 = 0.085$, N = 29

Height vs. Diameter Entire Dataset, 585Mode – Double Log




 $y_0 = 1.455$, m = 0.835, $R^2 = 0.879$, N = 29

Height vs. Diameter Entire Dataset, 585Mode – Double Linear




Height vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 2.63$, m = 0.114, $R^2 = 0.008$, N = 29

Height vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 18.51$, m = 0.073, $R^2 = 0.008$, N = 29

Diameter vs. Thickness Entire Dataset, 585Mode – Double Log




 $y_0 = 1.279$, m = 0.401, $R^2 = 0.079$, N = 29

Diameter vs. Thickness Entire Dataset, 585Mode – Double Linear




 $y_0 = 12.868$, m = 0.103, $R^2 = 0.073$, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 585Mode – Double Log




 $y_0 = 4.765$, m = -0.98, $R^2 = 0.03$, N = 29

Diameter / Width vs. Dry Weight Entire Dataset, 585Mode – Double Linear




 $y_0 = 53.916$, m = -5.27, $R^2 = 0.012$, N = 29

Width vs. Fresh Weight Entire Dataset, 839Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = -1168.254$, m = 88.497, $R^2 = 0.776$, N = 26

Height vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 0.594$, m = 1.754, $R^2 = 0.457$, N = 26

Height vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = -601.593$, m = 44.663, $R^2 = 0.471$, N = 26


Diameter vs. Fresh Weight Entire Dataset, 839Mode – Double Log



Diameter vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




Thickness vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 4.837$, m = 0.707, $R^2 = 0.19$, N = 26

Thickness vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = 405.51$, m = 33.244, $R^2 = 0.15$, N = 26

Diameter / Width vs. Fresh Weight Entire Dataset, 839Mode – Double Log




 $y_0 = 7.938$, m = -0.831, $R^2 = 0.015$, N = 26

Diameter / Width vs. Fresh Weight Entire Dataset, 839Mode – Double Linear




 $y_0 = 1272.709$, m = -80.228, $R^2 = 0.003$, N = 26

Width vs. Height Entire Dataset, 839Mode – Double Log




Width vs. Height Entire Dataset, 839Mode – Double Linear




 $y_0 = 9.502$, m = 1.06, $R^2 = 0.472$, N = 26

Width vs. Diameter Entire Dataset, 839Mode – Double Log




Width vs. Diameter Entire Dataset, 839Mode – Double Linear




 $y_0 = 10.664$, m = 3.411, $R^2 = 0.839$, N = 26

Width vs. Thickness Entire Dataset, 839Mode – Double Log




 $y_0 = 1.729$, m = 0.337, $R^2 = 0.042$, N = 26

Width vs. Thickness Entire Dataset, 839Mode – Double Linear




 $y_0 = 12.145$, m = 0.192, $R^2 = 0.027$, N = 26

Height vs. Diameter Entire Dataset, 839Mode – Double Log




 $y_0 = 1.884$, m = 0.744, $R^2 = 0.676$, N = 26

Height vs. Diameter Entire Dataset, 839Mode – Double Linear




 $y_0 = 22.199$, m = 2.016, $R^2 = 0.698$, N = 26

Height vs. Thickness Entire Dataset, 839Mode – Double Log




 $y_0 = 3.692$, m = -0.252, $R^2 = 0.025$, N = 26


Height vs. Thickness Entire Dataset, 839Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 839Mode – Double Log



Diameter vs. Thickness Entire Dataset, 839Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 839Mode – Double Log




y_0 = 5.707, m = -1.649, R^2 = 0.036, N = 26

Diameter / Width vs. Dry Weight Entire Dataset, 839Mode – Double Linear




Width vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = -0.676$, m = 2.442, $R^2 = 0.887$, N = 26

Width vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -1221.595$, m = 101.258, $R^2 = 0.855$, N = 26

Height vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = -0.339$, m = 2.019, $R^2 = 0.77$, N = 26

Height vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -902.854$, m = 53.794, $R^2 = 0.805$, N = 26

Diameter vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = -3.353$, m = 2.271, $R^2 = 0.884$, N = 26

Diameter vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -1077.895$, m = 23.086, $R^2 = 0.887$, N = 26

Thickness vs. Fresh Weight Entire Dataset, 845Mode – Double Log




y_0 = 4.429, m = 0.768, R^2 = 0.115, N = 26

Thickness vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = 196.546$, m = 34.898, $R^2 = 0.11$, N = 26

Diameter / Width vs. Fresh Weight Entire Dataset, 845Mode – Double Log




 $y_0 = 4.44$, m = 1.566, $R^2 = 0.041$, N = 26

Diameter / Width vs. Fresh Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = -935.06$, m = 431.945, $R^2 = 0.072$, N = 26

Width vs. Height Entire Dataset, 845Mode – Double Log




 $y_0 = 0.52$, m = 0.98, $R^2 = 0.756$, N = 26

Width vs. Height Entire Dataset, 845Mode – Double Linear




Width vs. Diameter Entire Dataset, 845Mode – Double Log




 $y_0 = 1.343$, m = 1.02, $R^2 = 0.903$, N = 26


Width vs. Diameter Entire Dataset, 845Mode – Double Linear




Width vs. Thickness Entire Dataset, 845Mode – Double Log



Width vs. Thickness Entire Dataset, 845Mode – Double Linear




Height vs. Diameter Entire Dataset, 845Mode – Double Log




 $y_0 = 1.229$, m = 0.917, $R^2 = 0.928$, N = 26

Height vs. Diameter Entire Dataset, 845Mode – Double Linear




 $y_0 = 6.198$, m = 2.373, $R^2 = 0.942$, N = 26

Height vs. Thickness Entire Dataset, 845Mode – Double Log




 $y_0 = 2.513$, m = 0.105, $R^2 = 0.011$, N = 26

Height vs. Thickness Entire Dataset, 845Mode – Double Linear




 $y_0 = 16.208$, m = 0.056, $R^2 = 0.01$, N = 26


Diameter vs. Thickness Entire Dataset, 845Mode – Double Log



Diameter vs. Thickness Entire Dataset, 845Mode – Double Linear




Diameter / Width vs. Dry Weight Entire Dataset, 845Mode – Double Log




y_0 = 2.472, m = 0.819, R^2 =0.009, N = 26

Diameter / Width vs. Dry Weight Entire Dataset, 845Mode – Double Linear




 $y_0 = 32.942$, m = 2.144, $R^2 = 0$, N = 26

Width vs. Fresh Weight Entire Dataset, 854Mode – Double Log




Width vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = -283.877$, m = 45.112, $R^2 = 0.642$, N = 30

Height vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 3.264$, m = 0.861, $R^2 = 0.222$, N = 30

Height vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 80.909$, m = 13.805, $R^2 = 0.196$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = -0.243$, m = 1.515, $R^2 = 0.449$, N = 30

Diameter vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = -226.405$, m = 10.328, $R^2 = 0.447$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 4.585$, m = 0.506, $R^2 = 0.167$, N = 30

Thickness vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 210.795$, m = 12.187, $R^2 = 0.157$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 854Mode – Double Log




 $y_0 = 7.407$, m = -0.98, $R^2 = 0.093$, N = 30

Diameter / Width vs. Fresh Weight Entire Dataset, 854Mode – Double Linear




 $y_0 = 842.767$, m = -101.979, $R^2 = 0.089$, N = 30

Width vs. Height Entire Dataset, 854Mode – Double Log




Width vs. Height Entire Dataset, 854Mode – Double Linear




 $y_0 = 8.564$, m = 1.062, $R^2 = 0.346$, N = 30

Width vs. Diameter Entire Dataset, 854Mode – Double Log




 $y_0 = 2.179$, m = 0.714, $R^2 = 0.599$, N = 30

Width vs. Diameter Entire Dataset, 854Mode – Double Linear




 $y_0 = 18.751$, m = 2.835, $R^2 = 0.606$, N = 30

Width vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 2.712$, m = 0.062, $R^2 = 0.001$, N = 30

Width vs. Thickness Entire Dataset, 854Mode – Double Linear




 $y_0 = 16.995$, m = 0.072, $R^2 = 0.002$, N = 30

Height vs. Diameter Entire Dataset, 854Mode – Double Log




 $y_0 = 1.755$, m = 0.742, $R^2 = 0.843$, N = 30

Height vs. Diameter Entire Dataset, 854Mode – Double Linear




 $y_0 = 16.962$, m = 1.84, $R^2 = 0.833$, N = 30

Height vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 4.603$, m = -0.533, $R^2 = 0.131$, N = 30

Height vs. Thickness Entire Dataset, 854Mode – Double Linear




Diameter vs. Thickness Entire Dataset, 854Mode – Double Log




 $y_0 = 4.53$, m = -0.397, $R^2 = 0.047$, N = 30

Diameter vs. Thickness Entire Dataset, 854Mode – Double Linear




 $y_0 = 24.655$, m = -0.102, $R^2 = 0.042$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 854Mode – Double Log



 $y_0 = 3.559$, m = 0.019, $R^2 = 0$, N = 30

Diameter / Width vs. Dry Weight Entire Dataset, 854Mode – Double Linear



 $y_0 = 46.797$, m = -1.681, $R^2 = 0.001$, N = 30