Quantum Algorithms for Portflolio Optimisation in Finance

G. Balarezo^{1,*}

¹School of Physical Sciences and Nanotechnology, Yachay Tech University, Urcuqui, Ecuador

Quantum computing has the promise to address computational problems that are considered intractable with our classical computational models. Nevertheless, due to the current limitations of the available quantum hardware, we are still years away from achieving a universal fault-tolerant quantum computer. In the interim, the development of quantum algorithms for specific problems and their implementation on near-term quantum devices is a promising approach. In this work, we review the most promising quantum algorithms for financial applications, focusing on Portfolio Optimisation and Option Pricing. We describe the ideas behind important quantum algorithms such as Variational Quantum Algorithms (VQAs) and Quantum Amplitude Estimation (QAE) and their theoretical performance. We provide an overview of the hardware available for their implementation and discuss the results obtained by some study cases, comparing them with their classical counterparts. Finally, we discuss the future prospects of these algorithms in the financial industry. **Keywords:** Quantum algorithms, Quantum approximate optimization algorithm, Quantum amplitude estimation, Portfolio optimisation, Quantum computing.

I. INTRODUCTION

Quantum computing has become a rapidly growing field of research in recent years, sparking interest from both academic and industrial sectors, including the financial industry in particular [1]. The potential of quantum computers to address computational problems that are considered intractable with our classical models of computation [2] has driven a considerable amount of research and innovation in the development of Noisy Intermediate-Scale Quantum computers (NISQ) and quantum algorithms capable of leveraging this computational power [3].

These near-term devices, with limited qubit capabilities and high error rates, have shown promising results. Implemented along with classical computers and adequate quantum algorithms, they can offer significant speedups for some important but classically inefficiently solvable problems in areas such as Optimisation [4], Stochastic Modelling [5], and Machine Learning [6]. These advancements are particularly relevant to the financial sector [7], where they could yield substantial speedups in tasks such as portfolio optimisation and option pricing [1]. These tasks have a high computational cost that coupled with growing complexity of the financial markets, the need for real-time analysis of large amounts of data and fast decision-making [8], makes quantum computing an attractive option for financial institutions.

In the Modern Portfolio Theory (MPT) proposed by Markowistz [9], the goal of portfolio optimisation is to find the best combination of assets that maximises the return for a given level of risk and some constraints. This is a highly constrained quadratic optimisation problem, known to be NP-Hard, which can be formulated in several ways depending on the conditions of the investor [10]. Machine Learning based models (ML) such as the one proposed by Mazumdar et al. [11] are widely used for minimising risk contributors and maximising asset diversification.

In particular, quantum approaches to portfolio optimisation are gaining significant attention [12]. In 2019 Kerenidis, Prakash and Szilágyi proposed a quantum algorithm for the constrained portfolio optimisation problem. Based on an interior point method, this algorithm reduces the optimisation problem to a second order cone program (SOCP). The authors suggest that their algorithm could achieve a $\mathcal{O}(n)$ speedup over its classical counterpart.

Other approaches such as the variational quantum algorithms (VQAs) [13–16] work by reformulating the portfolio optimisation problem as a quadratic unconstrained binary optimisation (QUBO) problem. Glover et al. [17] covers some methods to reformulate any optimisation problem as a QUBO problem, and Date et al. [18] proposed an algorithm that allows the efficient embedding of a QUBO problem in a quantum annealer. Using these concepts, Variational Quantum Eigensolver (VQE) [3, 15, 19–21] and Quantum Approximate Optimisation Algorithm (QAOA) [22, 23] have been proposed for portfolio optimisation [24]. Quantum annealers such as those developed by D-Wave Systems [25] are been used for practical implementations of the aforementioned algorithms [26–28]. Nevertheless, it remains unclear whether these quantum algorithms provide any effective speedup over classical methods for these tasks.

Option pricing is another important task in finance where quantum algorithms have been applied. The implementation of the Quantum Amplitude Estimation (QAE) algorithm [29–32] has been proposed for the calculation of the expected value of the option price. This algorithm is

^{*} e-mail: juan.balarezo@yachaytech.edu.ec

Metodology	Application	Algorithm	Hardware
Optimisation		Approximate	
	Portfolio	Optimisation	Gate-based quantum computer
	optimisation	(SOCP, VQE, QAOA)	Quantum Annealer
		[11], [21], [27], [28]	
Monte Carlo	Option pricing	Search and Count	Gate-based quantum computer
		(QAE, QPA, QPE)	
		[29],[30], [31], [32], [33]	

TABLE I. Criteria for the selection of the papers reviewed in this work.

expected to provide a quadratic speedup over the classical Monte Carlo methods used for this task.

The aim of this work is to provide a review of the quantum algorithms for specific financial applications, focusing on Portfolio Optimisation and Option Pricing. Table I provides an overview of the topics covered in this work, as well as the relevant literature reviewed.

In Sec. II we introduce necessary concepts in finance and quantum computing. Then, in Sec. III and Sec. IV we present a review of relevant literature on quantum algorithms proposed for the aforementioned financial applications. We also introduce the classical methods used for these tasks and compare them with their quantum counterparts.

In Sec. V we provide an overview of the hardware implementations of these algorithms. Finally, Sec. VI concludes this work and discusses the future prospects of quantum algorithms in the financial industry.

It is worth mentioning that important surveys have been published on the topic of quantum computing in finance in recent years. Among these, we highlight the works of Orús et al. [34], Egger et al. [7], Albareti et al. [35], Herman et al. [10], and Herman et al. [36], which have been instrumental in the development of this work. We refer the interested readers to these works for a more comprehensive overview of the field.

II. BACKGROUND

A. Some basics concepts

1. Assets and Portfolio Optimisation

In finance, an asset is a financial instrument with economic value. It can be owned by an individual, a corporation, or a country with the expectation that it will provide a future benefit [37]. Financial assets can include stocks, bonds, commodities, derivatives, etc.

On the other hand, a portfolio is a collection of individual investments. These investments can include a wide range of asset classes. Some key components of a portfolio include diversification, risk and return, and asset allocation. The goal of a portfolio is to diversify investments

to achieve some specific objective such as maximising returns, minimising risk, or a balance between them [38]. In order to achieve this, portfolio optimisation is used to find the best allocation of assets that fulfils the investor's objectives.

In the original work by Markowitz [9], a mean-variance portfolio optimisation (MVPO) is proposed, which is widely used used in the financial industry to this day, and whose formulation is presented in this section.

The input for the MVPO is data about the historical prices and return of certain financial assets. An asset range $(1 \le i \le N)$ is considered, and a time range $(0 \le t \le T)$.

Then, the first information we extract from the data is a list P of current prices P_i of the considered assets.

$$P_i = p_i(T) \tag{1}$$

In addition, the historical returns of the assets between time t-1 and t are calculated as:

$$r_i(t) = \frac{p_i(t) - p_i(t-1)}{p_i(t-1)}$$
 (2)

But for inference purposes, we must consider the expected return of the assets. So, given the historical returns, we can calculate the expected return of the assets as:

$$\mu_i = \frac{1}{T} \sum_{t=1}^{T} r_i(t)$$
 (3)

The variance of the returns of each asset and the covariance between returns of different assets over the historical period are given by:

$$\sigma_i^2 = \frac{1}{T - 1} \sum_{t=1}^{T} (r_i(t) - \mu_i)^2 \tag{4}$$

$$\sigma_{ij} = \frac{1}{T-1} \sum_{t=1}^{T} (r_i(t) - \mu_i)(r_j(t) - \mu_j)$$
 (5)

- 2. Option Pricing
- 3. Quantum Computing

III. PORTFOLIO OPTIMISATION

- A. Classical Portfolio Optimisation
- B. Quantum Portfolio Optimisation

IV. OPTION PRICING

- A. Classical Option Pricing
- B. Quantum Option Pricing

V. HARDWARE IMPLEMENTATIONS

VI. DISCUSSION AND CONCLUSION

VII. REFERENCES

- V. Hassija, V. Chamola, V. Saxena, V. Chanana,
 P. Parashari, S. Mumtaz, and M. Guizani, IET Quantum Communication 1, 42 (2020).
- [2] M. A. Nielsen and I. L. Chuang, Quantum Computation and Quantum Information (Cambridge university press, 2010).
- [3] H.-L. Huang, X.-Y. Xu, C. Guo, G. Tian, S.-J. Wei, X. Sun, W.-S. Bao, and G.-L. Long, Science China Physics, Mechanics & Astronomy 66, 250302 (2023), arxiv:2211.08737 [quant-ph].
- [4] B. C. B. Symons, D. Galvin, E. Sahin, V. Alexandrov, and S. Mensa, A Practitioner's Guide to Quantum Algorithms for Optimisation Problems (2023), arxiv:2305.07323 [quant-ph].
- [5] S. Herbert, Quantum 6, 823 (2022).
- [6] A. Zeguendry, Z. Jarir, and M. Quafafou, Entropy 25, 287 (2023).
- [7] D. J. Egger, C. Gambella, J. Marecek, S. McFaddin, M. Mevissen, R. Raymond, A. Simonetto, S. Woerner, and E. Yndurain, IEEE Transactions on Quantum Engineering 1, 1 (2020).
- [8] J. C. Hull, Options, Futures, and Other Derivatives, 10th ed. (Pearson, 2017).
- [9] H. Markowitz, The Journal of Finance 7, 77 (1952), 2975974.
- [10] D. Herman, C. Googin, X. Liu, A. Galda, I. Safro, Y. Sun, M. Pistoia, and Y. Alexeev, A Survey of Quantum Computing for Finance (2022), arxiv:2201.02773 [quant-ph, q-fin].
- [11] K. Mazumdar, D. Zhang, and Y. Guo, Journal of Banking and Financial Technology 4, 1 (2020).
- [12] M. Quarterly, A game plan for quantum computing | McKinsey, https://www.mckinsey.com/capabilities/mckinsey-digital/our-insights/a-game-plan-for-quantum-computing (2020).
- [13] X. Yuan, S. Endo, Q. Zhao, Y. Li, and S. C. Benjamin, Quantum 3, 191 (2019).

- [14] M. Cerezo, A. Arrasmith, R. Babbush, S. C. Benjamin, S. Endo, K. Fujii, J. R. McClean, K. Mitarai, X. Yuan, L. Cincio, and P. J. Coles, Nature Reviews Physics 3, 625 (2021), arxiv:2012.09265 [quant-ph, stat].
- [15] J. R. McClean, J. Romero, R. Babbush, and A. Aspuru-Guzik, New Journal of Physics 18, 023023 (2016).
- [16] D. Amaro, C. Modica, M. Rosenkranz, M. Fiorentini, M. Benedetti, and M. Lubasch, Quantum Science and Technology 7, 015021 (2022).
- [17] F. Glover, G. Kochenberger, and Y. Du, A Tutorial on Formulating and Using QUBO Models (2019), arxiv:1811.11538 [quant-ph].
- [18] P. Date, R. Patton, C. Schuman, and T. Potok, Quantum Information Processing 18, 117 (2019).
- [19] A. Peruzzo, J. McClean, P. Shadbolt, M.-H. Yung, X.-Q. Zhou, P. J. Love, A. Aspuru-Guzik, and J. L. O'Brien, Nature Communications 5, 4213 (2014).
- [20] P. K. Barkoutsos, G. Nannicini, A. Robert, I. Tavernelli, and S. Woerner, Quantum 4, 256 (2020).
- [21] G. Buonaiuto, F. Gargiulo, G. De Pietro, M. Esposito, and M. Pota, Scientific Reports 13, 19434 (2023).
- [22] E. Farhi, J. Goldstone, and S. Gutmann, A Quantum Approximate Optimization Algorithm (2014), arxiv:1411.4028 [quant-ph].
- [23] K. Blekos, D. Brand, A. Ceschini, C.-H. Chou, R.-H. Li, K. Pandya, and A. Summer, Physics Reports 1068, 1 (2024), arxiv:2306.09198 [quant-ph].
- [24] D. J. Egger, C. Gambella, J. Marecek, S. McFaddin, M. Mevissen, R. Raymond, A. Simonetto, S. Woerner, and E. Yndurain, IEEE Transactions on Quantum Engineering 1, 1 (2020).
- [25] A. D. King, J. Raymond, T. Lanting, R. Harris, A. Zucca, F. Altomare, A. J. Berkley, K. Boothby, S. Ejtemaee, C. Enderud, E. Hoskinson, S. Huang, E. Ladizinsky, A. J. R. MacDonald, G. Marsden, R. Molavi, T. Oh, G. Poulin-Lamarre, M. Reis, C. Rich, Y. Sato, N. Tsai, M. Volkmann, J. D. Whittaker, J. Yao, A. W. Sandvik, and M. H. Amin, Nature 617, 61 (2023).
- [26] S. Yarkoni, E. Raponi, T. Bäck, and S. Schmitt, Reports on Progress in Physics 85, 104001 (2022), arxiv:2112.07491 [quant-ph].
- [27] F. Phillipson and H. S. Bhatia, Portfolio Optimisation Using the D-Wave Quantum Annealer (2020), arxiv:2012.01121 [quant-ph, q-fin].
- [28] D. Venturelli and A. Kondratyev, Quantum Machine Intelligence 1, 17 (2019).
- [29] S. Woerner and D. J. Egger, npj Quantum Information 5, 1 (2019).
- [30] K. Nakaji, Quantum Information and Computation 20, 1109 (2020), arxiv:2003.02417 [quant-ph].
- [31] N. Stamatopoulos, D. J. Egger, Y. Sun, C. Zoufal, R. Iten, N. Shen, and S. Woerner, Quantum 4, 291 (2020), arxiv:1905.02666 [quant-ph].
- [32] P. Rebentrost, B. Gupt, and T. R. Bromley, Physical Review A 98, 022321 (2018).
- [33] P. Rebentrost, A. Luongo, S. Bosch, and S. Lloyd, Quantum computational finance: Martingale asset pricing for incomplete markets (2022), arxiv:2209.08867 [quant-ph].
- [34] R. Orús, S. Mugel, and E. Lizaso, Reviews in Physics 4, 100028 (2019).
- [35] F. D. Albareti, T. Ankenbrand, D. Bieri, E. Hänggi, D. Lötscher, S. Stettler, and M. Schöngens, A Structured Survey of Quantum Computing for the Financial Industry (2022), arxiv:2204.10026 [q-fin].

- [36] D. Herman, C. Googin, X. Liu, Y. Sun, A. Galda, I. Safro, M. Pistoia, and Y. Alexeev, Nature Reviews Physics 5, 450 (2023).
- [37] What Is an Asset? Definition, Types, and Examples,
- https://www.investopedia.com/terms/a/asset.asp. [38] P. Wilmott, *Paul Wilmott Introduces Quantitative Finance* (John Wiley & Sons, 2007).