
1. ER Diagram:



```
-- People --
Drop Table People;
Create Table People (
                                                       primary key,
        Pid
                       int
                                       not null
                       varchar(25)
        Name
                                       not null,
                       varchar(50)
        Address
);
       -- Actors --
Drop Table Actors;
Create Table Actors (
        Pid
                       int
                               not null references People(Pid),
        Birth_Date
                       Date,
        Hair_Color
                       varchar(25),
        Eye_Color
                       varchar(25),
        Height
                       varchar(25),
        Eye_Color
                       varchar(25),
       Actors_Guild
                       Date
```

2. -- CREATE TABLES --

);

```
-- Directors --
Drop Table Directors
Create Table Directors (
                                                               references People(Pid),
        Pid
                               int
                                               not null
        Film_School
                               varchar(50),
        Directors_Guild
                               Date
);
       -- Movies --
Drop Table Movies;
Create Table Movies (
        Movid
                                       int
                                                       not null primary key,
                                       varchar(50)
        Movie_Name
                                                      not null,
       Year_Released
                                       int
                                                      not null,
        Domestic_Box_Office_Sales
                                       int,
        Foreign_Box_Office_Sales
                                       int,
        DVD_Bluray_Sales
                                       int
);
```

```
-- StarsIn --
Drop Table StarsIn;
Create Table StarsIn (
        Pid
                                       not null references People(Pid),
                       int
        Movid
                       int
                                       not null references Movies(Movid)
);
               -- DirectorsIn --
Drop Table DirectorsIn;
Create Table DirectorsIn (
        Pid
                       int
                                       not null references People(Pid),
                                       not null references Movies(Movid)
        Movid
                       int
);
    3.
               --INSERT DATA --
               -- People --
INSERT INTO People(Pid, Name, Address)
         VALUES( 1, 'Sean Connery', 'Edinburgh, Scotland, UK' );
INSERT INTO People(Pid, Name, Address)
        VALUES( 2, 'Roger Moore', 'Stockwell, London, England, UK' );
INSERT INTO People(Pid, Name, Address)
        VALUES( 3, 'Timothy Dalton', 'Colwyn Bay, Wales, UK' );
INSERT INTO People(Pid, Name, Address)
```

```
VALUES( 4, 'Guy Hamilton', 'Paris, France');
INSERT INTO People(Pid, Name, Address)
        VALUES( 5, 'John Glen', 'Sunbury-on-Thames, England, UK' );
INSERT INTO People(Pid, Name, Address)
        VALUES( 6, 'Irvin Kershner', 'Los Angeles California, USA');
INSERT INTO People(Pid, Name, Address)
         VALUES(7, 'Patrick Read Johnson', 'Wadsworth, Illinois, USA');
                -- Actors --
INSERT INTO Actors( Pid, Birth_Date, Hair_Color, Eye_Color, Height, Weight, Actors_Guild )
         VALUES( 1, '1930-08-25', 'Black', 'Brown', '6'2', '150', '2010-10-28');
INSERT INTO Actors( Pid, Birth_Date, Hair_Color, Eye_Color, Height, Weight, Actors_Guild )
         VALUES( 2, '1927-10-04', 'Brown', 'Brown', '6`1', '165', '2009-01-25' );
INSERT INTO Actors( Pid, Birth_Date, Hair_Color, Eye_Color, Height, Weight, Actors_Guild )
        VALUES( 3, '1944-05-21', 'Black', 'Green', '6`2', null, '1991-11-28');
INSERT INTO Actors( Pid, Birth_Date, Hair_Color, Eye_Color, Height, Weight, Actors_Guild )
         VALUES( 6, '1923-04-29', 'Grey', 'Brown', '6`2', null, '1981-09-14');
        -- Directors --
INSERT INTO Directors (Pid, Film School, Directors Guild )
         VALUES( 4, null, '1952-09-10');
INSERT INTO Directors (Pid, Film School, Directors Guild )
        VALUES(5, null, null);
INSERT INTO Directors( Pid, Film_School, Directors_Guild )
        VALUES( 6, 'University of Southern California', '1963-04-12');
```

```
INSERT INTO Directors (Pid, Film School, Directors Guild)
        VALUES(7, null, null);
       -- Movies --
INSERT INTO Movies (Movid, Movie_Name, Year_Released, Domestic_Box_Office_Sales,
Foreign_Box_Office_Sales, DVD_Bluray_Sales )
        VALUES( 1, 'Never Say Never Again', '1983', 55000000, 104600000, 68750000 );
INSERT INTO Movies (Movid, Movie_Name, Year_Released, Domestic_Box_Office_Sales,
Foreign_Box_Office_Sales, DVD_Bluray_Sales )
        VALUES( 2, 'Diamonds are forever', '1971', 43800000, 72200000, 52200000 );
INSERT INTO Movies (Movid, Movie_Name, Year_Released, Domestic_Box_Office_Sales,
Foreign_Box_Office_Sales, DVD_Bluray_Sales )
        VALUES(3, 'Goldfinger', '1964', 51081062, 73800000, 56205000);
INSERT INTO Movies (Movid, Movie_Name, Year_Released, Domestic_Box_Office_Sales,
Foreign Box Office Sales, DVD Bluray Sales )
        VALUES( 4, 'The Man with the Golden Gun', '1974', 20972000, 76600000, 43920000 );
INSERT INTO Movies (Movid, Movie Name, Year Released, Domestic Box Office Sales,
Foreign_Box_Office_Sales, DVD_Bluray_Sales )
        VALUES( 5, 'Live and Let Die', '1973', 35377836, 91000000, 56880000 );
INSERT INTO Movies (Movid, Movie_Name, Year_Released, Domestic_Box_Office_Sales,
Foreign_Box_Office_Sales, DVD_Bluray_Sales )
        VALUES( 6, 'Licence to Kill', '1989', 34667015, 121500000, 16200000 );
INSERT INTO Movies (Movid, Movie_Name, Year_Released, Domestic_Box_Office_Sales,
Foreign_Box_Office_Sales, DVD_Bluray_Sales )
        VALUES( 7, 'Angus', '1995', 4821759, null, null );
```

```
-- StarsIn --

INSERT INTO StarsIn( Pid, Movid )

VALUES( 1, 1 );

INSERT INTO StarsIn( Pid, Movid )

VALUES( 1, 2 );

INSERT INTO StarsIn( Pid, Movid )

VALUES( 1, 3 );

INSERT INTO StarsIn( Pid, Movid )

VALUES( 2, 4 );

INSERT INTO StarsIn( Pid, Movid )

VALUES( 2, 5 );

INSERT INTO StarsIn( Pid, Movid )

VALUES( 3, 6 );

INSERT INTO StarsIn( Pid, Movid )

VALUES( 3, 6 );

INSERT INTO StarsIn( Pid, Movid )

VALUES( 6, 7 );
```

```
--DirectorsIn --
INSERT INTO DirectorsIn( Pid, Movid )
        VALUES( 6, 1 );
INSERT INTO DirectorsIn( Pid, Movid )
        VALUES( 4, 2 );
INSERT INTO DirectorsIn( Pid, Movid )
        VALUES( 4, 3 );
INSERT INTO DirectorsIn( Pid, Movid )
        VALUES( 4, 4);
INSERT INTO DirectorsIn( Pid, Movid )
        VALUES( 4, 5);
INSERT INTO DirectorsIn( Pid, Movid )
        VALUES( 5, 6);
INSERT INTO DirectorsIn( Pid, Movid )
        VALUES(7,7);
   4. Functional Dependencies
People
       Pid → Name, Address
Actors
       Pid → Birth_Date, Hair_Color, Eye_Color, Height, Weight, Actors_Guild
Directors
       Pid → Film_School, Directors_Guild
Stars_In
       Pid, Movid →
```

```
DirectorsIn
```

```
Pid, Movid →
```

Movies

```
Movid → Name, Year, Domestic_Sales, Forgin_Sales, DVD_Bluray_Sales
```

```
5. -- SQL query --
    select name
   from People
   where Pid in (
           select Pid
           from DirectorsIn
           where Movid in (
                   select Movid
                   from StarsIn
                   where Pid in (
                           select Pid
                           from People
                           where name = 'Sean Connery'
                                   )
                           )
                   );
```