5/19/2019 Laborator10

Laborator 10

5/19/2019 Laborator10

Folosind un set de date - de exemplu de la https://archive.ics.uci.edu/ml/datasets.php?

format=&task=&att=&area=&numAtt=&numIns=&type=text&sort=taskDown&view=table (https://archive.ics.uci.edu/ml/datasets.php?

format=&task=&att=&area=&numAtt=&numIns=&type=text&sort=taskDown&view=table) - sa se rezolve o problema de clasificare sau regresie, plecand de la intrari de tip text.

Se poate opta pentru codificare BOW, n-grams, word2vec sau altele adecvate. Modelele de predictie pot fi din biblioteca scikit-learn. Puteti folosi pentru preprocesare biblioteca NLTK (https://www.nltk.org) etc.

Pentru clasificare se va optimiza scorul F1; se vor raporta scorurile F1, accuracy. Pentru regresie se va optimia scorul mean squared error; se vor raporta scorurile MSE, mean absolute error, r2.

Exemple:

- 1. Clasificare de SMS-uri (https://archive.ics.uci.edu/ml/datasets/SMS+Spam+Collection)
- 2. Sentence Classification Data Set (https://archive.ics.uci.edu/ml/datasets/Sentence+Classification#)
- 3. Sentiment Labelled Sentences Data Set (https://archive.ics.uci.edu/ml/datasets/Sentiment+Labelled+Sentences)
- 4. Victorian Era Authorship Attribution Data Set (https://archive.ics.uci.edu/ml/datasets/Victorian+Era+Authorship+Attribution)
- 5. Amazon Commerce reviews set Data Set (https://archive.ics.uci.edu/ml/datasets/Amazon+Commerce+reviews+set)
- 6. Farm Ads Data Set (https://archive.ics.uci.edu/ml/datasets/Farm+Ads)
- 7. etc...

Se vor investiga minim 2 seturi de date si pentru fiecare din ele minim 4 modele de clasificare sau regresie. Daca setul de date e deja impartit in train si test, se va folosi ca atare - setul de antrenare se va imparti, suplimentar in train + validation; altfel, se va face kfold CV, k=5. Valorile optimale ale hiperparametrilor vor fi alesi prin random search si grid search.

Pentru fiecare set de date:

- 1. (2 x 0.5 p) Se descrie setul de date, in limba romana (continut, provenienta, problema etc.)
- 2. (2 x 1 p) Se face analiza exploratorie, folosind cod Python: distributia claselor sau a valorilor continue de iesire numeric si grafic, statistici asupra textelor (de exemplu: lungime minima/medie/maxima; cele mai frecvente k cuvinte; clustering etc.). Se va explica fiecare pas si ce se urmareste prin efectuarea lui. Graficele vor avea axele numite (ce se reprezinta, evetual unitate de masura)
- 3. (2 x 0.5 p) Se face preprocesare de date; se explica in limba romana care sunt metodele de preprocesare folosite, efectul lor pe datele de intrare, ce forma are iesirea obtinuta; se arata efectele pasilor de preprocesare asupra setului de date (noul numar de documente, dinamica vocabularului, trasaturile rezultate etc.) Se pot aduga grafice si tabele la acest pas.
- 4. (2 x 4 x 0.5 p) Clasificare sau regresie, dupa caz: se face o descriere a modelelor considerate, in limba romana; se descrie modalitatea de cautare a hiperparametrilor; rezultatele obtinute se vor prezenta tabelar, similar cu tema precedenta.

Se acorda doua puncte din oficiu.

5/19/2019 Laborator10

Descrierea modelelor si a pasilor de preprocesare pot fi in sectiuni separate, cu referinte la acestea unde e necesar. Partea specifica aplicarii pasilor pe datele considerate va fi prezentata respectand ordinea de aplicare.

Exemple:

- 1. Working With Text Data (https://scikit-learn.org/stable/tutorial/text_analytics/working_with_text_data.html)
- 2. Text Classification with Python and Scikit-Learn (https://stackabuse.com/text-classification-with-python-and-scikit-learn/)
- 3. <u>How to Prepare Text Data for Machine Learning with scikit-learn (https://machinelearningmastery.com/prepare-text-data-machine-learning-scikit-learn/)</u>

Prezentarea temei se va face in saptamana 20-24 mai.