




Pairwise PC score plots using all features after preprocessing
Overall differences between groups using PC1 and PC2 in
one-way ANOVA model=0




irwise PC score plots using all features after preprocessing
overall differences between groups using PC1 and PC3 in a
one-way ANOVA model=0




PC1 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors ($p=0$)




PC2 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors (p=0)




PC3 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors ($p=0.514$)




PC4 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors (p=0.946)




PC5 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors ($p=0.59$)




PC6 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors ($p=0.173$)




PC7 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors ($p=0.936$)



PC8 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors ($p=0.729$)



PC9 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors (p=0.98)



PC10 scores distribution (25th percentile, median, 75th percentile)
in each group using all feats vs factors ($p=0.932$)

