



Vivekanand Education Society's

Institute of Technology

An Autonomous Institute Affiliated to University of Mumbai,, Approved by AICTE & Recognized by Govt. of Maharashtra

Hashu Advani Memorial Complex, Collector Colony, Chembur East, Mumbai - 400074.

Department of Information Technology

A.Y. 2024-25

Advance DevOps Lab

Experiment 09

Aim: To Understand Continuous monitoring and Installation and configuration of Nagios Core, Nagios Plugins and NRPE (Nagios Remote Plugin Executor) on Linux Machine.

Roll No.	44
Name	Ganesh Sanjay Pandhre
Class	D15B
Subject	Advance DevOps Lab
LO Mapped	LO1: To understand the fundamentals of Cloud Computing and be fully proficient with Cloud based DevOps solution deployment options to meet your business requirements. LO5: To use Continuous Monitoring Tools to resolve any system errors (low memory, unreachable server etc.) before they have any negative impact on the business productivity.
Grade:	

AIM : To Understand Continuous monitoring and Installation and configuration of Nagios Core, Nagios Plugins and NRPE (Nagios Remote Plugin Executor) on Linux Machine.

THEORY :

What is Nagios?

Nagios is an open-source software for continuous monitoring of systems, networks, and infrastructures. It runs plugins stored on a server that is connected with a host or another server on your network or the Internet. In case of any failure, Nagios alerts about the issues so that the technical team can perform the recovery process immediately.

Nagios is used for continuous monitoring of systems, applications, service and business processes in a DevOps culture.

Why Use Nagios?

Key reasons to use Nagios include:


- Detecting network or server issues early
- Identifying the root cause for permanent fixes
- Active monitoring of your infrastructure and processes
- Troubleshooting server performance problems
- Planning upgrades to prevent failures
- Maintaining security and service availability
- Automating problem resolution in critical situations

Features of Nagios:

- Scalable, secure, and manageable
- Attractive web interface
- Automatic alerts for changing conditions
- Ability to monitor network services like HTTP, FTP, SMTP, SSH, and more
- Detecting server crashes and performance issues
- Easy plugin integration
- Monitors entire business processes with a single tool
- Event handlers for proactive issue resolution

Nagios Architecture

Nagios is a client-server architecture. Usually, on a network, a Nagios server is running on a host, and plugins are running on all the remote hosts which should be monitored.



1. The scheduler is a component of the server part of Nagios. It sends a signal to execute the plugins at the remote host.
 2. The plugin gets the status from the remote host
 3. The plugin sends the data to the process scheduler
- The process scheduler updates the GUI and notifications are sent to admins.

The screenshot shows the 'Launch an instance' page in the AWS Management Console. The 'Name and tags' section has the name 'ganesh_pandhre'. The 'Application and OS Images (Amazon Machine Image)' section shows a search bar and a 'Quick Start' tab. The 'Summary' section on the right shows the configuration: 1 instance, Canonical Ubuntu 24.04 AMI, t2.micro instance type, new security group, and 1 volume of 8 GiB. A 'Free tier' notification is visible. The 'Launch instance' button is highlighted in orange.

The screenshot shows the 'Create key pair' dialog box. The 'Key pair name' is 'ganesh_pandhre_09'. The 'Key pair type' is 'RSA'. The 'Private key file format' is '.pem'. A warning message states: 'When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance.' The 'Create key pair' button is highlighted in orange.

The screenshot shows the 'Instances' page in the AWS Management Console. The left sidebar shows the navigation menu. The main content area shows a table of instances. One instance, 'ganesh_pandhre', is listed with ID 'i-0a1ba0d32b011903', state 'Running', type 't2.micro', and is 'Initializing'. The 'Select an instance' dialog box is open at the bottom.

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IP
ganesh_pandhre	i-0a1ba0d32b011903	Running	t2.micro	Initializing	View alarms	us-east-1a	ec2-54-

Inbound rules (1/7)

Manage tags

Edit inbound rules

Q

Search

<1>

Security group rule...	IP version	Type	Protocol	Port range	Source
sgr-00303006aa1109...	IPv6	HTTP	TCP	80	::/0
sgr-01328847591b2b...	IPv4	All ICMP - IPv4	ICMP	All	0.0.0.0/0
sgr-06369b5a5b69f8ae3	IPv4	All traffic	All	All	0.0.0.0/0
sgr-08f32de93131f81d7	IPv6	All ICMP - IPv6	IPv6 ICMP	All	::/0
sgr-0da29cea9d16598...	IPv4	SSH	TCP	22	0.0.0.0/0
sgr-0a54a4275a772e6...	IPv4	Custom TCP	TCP	5666	0.0.0.0/0
sgr-009d87cbf7196bca1	IPv4	HTTPS	TCP	443	0.0.0.0/0

```
C:\Users\harsh>cd C:\Users\harsh\OneDrive\Desktop\ADO
```

```
C:\Users\harsh\OneDrive\Desktop\ADO>ssh -i "harsh_padyal_09.pem" root@ec2-52-90-254-14.compute-1.amazonaws.com
```

```
C:\Users\harsh\OneDrive\Desktop\ADO>ssh -i "harsh_padyal_09.pem" root@ec2-52-90-254-14.compute-1.amazonaws.com
The authenticity of host 'ec2-52-90-254-14.compute-1.amazonaws.com (52.90.254.14)' can't be established.
ED25519 key fingerprint is SHA256:gwct0my5JR03yXqaTQqIJ5KTSuynPjQzwQXow7kUHms.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-52-90-254-14.compute-1.amazonaws.com' (ED25519) to the list of known hosts.
```

Package	Architecture	Version	Repository	Size
Installing:				
gcc	x86_64	11.4.1-2.amzn2023.0.2	amazonlinux	32 M
Installing dependencies:				
annobin-docs	noarch	10.93-1.amzn2023.0.1	amazonlinux	92 k
annobin-plugin-gcc	x86_64	10.93-1.amzn2023.0.1	amazonlinux	887 k
cpp	x86_64	11.4.1-2.amzn2023.0.2	amazonlinux	10 M
gc	x86_64	8.0.4-5.amzn2023.0.2	amazonlinux	105 k
glibc-devel	x86_64	2.34-52.amzn2023.0.11	amazonlinux	27 k
glibc-headers-x86	noarch	2.34-52.amzn2023.0.11	amazonlinux	427 k
guile22	x86_64	2.2.7-2.amzn2023.0.3	amazonlinux	6.4 M
kernel-headers	x86_64	6.1.109-118.189.amzn2023	amazonlinux	1.4 M
libmpc	x86_64	1.2.1-2.amzn2023.0.2	amazonlinux	62 k
libtool-ltdl	x86_64	2.4.7-1.amzn2023.0.3	amazonlinux	38 k
libxcrypt-devel	x86_64	4.4.33-7.amzn2023	amazonlinux	32 k
make	x86_64	1:4.3-5.amzn2023.0.2	amazonlinux	534 k
Transaction Summary				
Install 13 Packages				

```
Complete!
[ec2-user@ip-172-31-2-207 ~]$ sudo yum install gd gd-devel
Last metadata expiration check: 0:02:22 ago on Sat Oct 12 09:34:48 2024.
Dependencies resolved.
```

Package	Architecture	Version	Repository	Size
Installing:				
gd	x86_64	2.3.3-5.amzn2023.0.3	amazonlinux	139 k
gd-devel	x86_64	2.3.3-5.amzn2023.0.3	amazonlinux	38 k
Installing dependencies:				
brotli	x86_64	1.0.9-4.amzn2023.0.2	amazonlinux	314 k
brotli-devel	x86_64	1.0.9-4.amzn2023.0.2	amazonlinux	31 k
bzip2-devel	x86_64	1.0.8-6.amzn2023.0.2	amazonlinux	214 k
cairo	x86_64	1.17.6-2.amzn2023.0.1	amazonlinux	684 k
cmake-filesystem	x86_64	3.22.2-1.amzn2023.0.4	amazonlinux	16 k
fontconfig	x86_64	2.13.94-2.amzn2023.0.2	amazonlinux	273 k
fontconfig-devel	x86_64	2.13.94-2.amzn2023.0.2	amazonlinux	128 k
fonts-filesystem	noarch	1:2.0.5-12.amzn2023.0.2	amazonlinux	9.5 k
freetype	x86_64	2.13.2-5.amzn2023.0.1	amazonlinux	423 k
freetype-devel	x86_64	2.13.2-5.amzn2023.0.1	amazonlinux	912 k
glib2-devel	x86_64	2.74.7-689.amzn2023.0.2	amazonlinux	486 k
google-noto-fonts-common	noarch	20201206-2.amzn2023.0.2	amazonlinux	15 k
google-noto-sans-vf-fonts	noarch	20201206-2.amzn2023.0.2	amazonlinux	492 k
graphite2	x86_64	1.3.14-7.amzn2023.0.2	amazonlinux	97 k
graphite2-devel	x86_64	1.3.14-7.amzn2023.0.2	amazonlinux	21 k

```
[ec2-user@ip-172-31-2-207 ~]$ sudo adduser -m nagios
[ec2-user@ip-172-31-2-207 ~]$ sudo passwd nagios
Changing password for user nagios.
New password:
BAD PASSWORD: The password is shorter than 8 characters
Retype new password:
passwd: all authentication tokens updated successfully.
[ec2-user@ip-172-31-2-207 ~]$ sudo groupadd nagcmd
[ec2-user@ip-172-31-2-207 ~]$ sudo usermod -a -G nagcmd nagios
-bash: udo: command not found
[ec2-user@ip-172-31-2-207 ~]$ sudo usermod -a -G nagcmd nagios
[ec2-user@ip-172-31-2-207 ~]$ sudo usermod -a -G nagcmd apache
[ec2-user@ip-172-31-2-207 ~]$ mkdir downloads
[ec2-user@ip-172-31-2-207 ~]$ cd downloads
[ec2-user@ip-172-31-2-207 downloads]$ wget http://prdownloads.sourceforge.net/sourceforge/nagios/nagios-4.0.8.tar.gz
--2024-10-12 09:41:04-- http://prdownloads.sourceforge.net/sourceforge/nagios/nagios-4.0.8.tar.gz
Resolving prdownloads.sourceforge.net (prdownloads.sourceforge.net)... 204.68.111.105
Connecting to prdownloads.sourceforge.net (prdownloads.sourceforge.net)|204.68.111.105|:80... connected.
HTTP request sent, awaiting response... 301 Moved Permanently
Location: http://downloads.sourceforge.net/project/nagios/nagios-4.x/nagios-4.0.8/nagios-4.0.8.tar.gz [following]
--2024-10-12 09:41:05-- http://downloads.sourceforge.net/project/nagios/nagios-4.x/nagios-4.0.8/nagios-4.0.8.tar.gz
Resolving downloads.sourceforge.net (downloads.sourceforge.net)... 204.68.111.105
Reusing existing connection to prdownloads.sourceforge.net:80.
HTTP request sent, awaiting response... 302 Found
Location: http://excellmedia.dl.sourceforge.net/project/nagios/nagios-4.x/nagios-4.0.8/nagios-4.0.8.tar.gz?viasf=1 [following]
--2024-10-12 09:41:05-- http://excellmedia.dl.sourceforge.net/project/nagios/nagios-4.x/nagios-4.0.8/nagios-4.0.8.tar.gz?viasf=1
Resolving excellmedia.dl.sourceforge.net (excellmedia.dl.sourceforge.net)... 202.153.32.19, 2401:fb00:0:1fe:8000::5
Connecting to excellmedia.dl.sourceforge.net (excellmedia.dl.sourceforge.net)|202.153.32.19|:80... connected.
```

*** Configuration summary for nagios 4.0.8 08-12-2014 ***:

General Options:

```
-----
Nagios executable: nagios
Nagios user/group: nagios,nagios
Command user/group: nagios,nagcmd
Event Broker: yes
Install ${prefix}: /usr/local/nagios
Install ${includedir}: /usr/local/nagios/include/nagios
Lock file: ${prefix}/var/nagios.lock
Check result directory: ${prefix}/var/spool/checkresults
Init directory: /etc/rc.d/init.d
Apache conf.d directory: /etc/httpd/conf.d
Mail program: /bin/mail
Host OS: linux-gnu
IOBroker Method: epoll
```

Web Interface Options:

```
-----
HTML URL: http://localhost/nagios/
CGI URL: http://localhost/nagios/cgi-bin/
Traceroute (used by WAP): /usr/bin/traceroute
```

Review the options above for accuracy. If they look okay, type 'make all' to compile the main program and CGIs.

```
[ec2-user@ip-172-31-2-207 nagios-4.0.8]$ make all
cd ./base && make
make[1]: Entering directory '/home/ec2-user/downloads/nagios-4.0.8/base'
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o nagios.o nagios.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o broker.o broker.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o nebmodes.o nebmodes.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o ../common/shared.o ../common/shared.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o nerd.o nerd.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o query-handler.o query-handler.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o workers.o workers.c
In function 'get_wproc_list',
    inlined from 'get_worker' at workers.c:224:12:
workers.c:209:17: warning: '%s' directive argument is null [-Wformat-overflow=]
 209 |             log_debug_info(DEBUGL_CHECKS, 1, "Found specialized worker(s) for '%s'", (slash && *slash != '/') ? slash : cmd
name);
      |             ^
workers.c:209:17: note: 'cmd' is declared here
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o checks.o checks.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o config.o config.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o commands.o commands.c
commands.c: In function 'process_passive_service_check':
commands.c:2247:19: warning: assignment discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers]
2247 |         cr.source = command_worker.source_name;
      |         ^
commands.c: In function 'process_passive_host_check':
commands.c:2339:19: warning: assignment discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers]
2339 |         cr.source = command_worker.source_name;
      |         ^
```

```
ip-172-31-39-112 nagios-4.0.8]$ sudo make install
&& make install
entering directory '/home/ec2-user/downloads/nagios-4.0.8/base
ll-basic
```

```
[ec2-user@ip-172-31-2-207 nagios-4.0.8]$ sudo make install-init
/usr/bin/install -c -m 755 -d -o root -g root /etc/rc.d/init.d
/usr/bin/install -c -m 755 -o root -g root daemon-init /etc/rc.d/init.d/nagios

*** Init script installed ***

[ec2-user@ip-172-31-2-207 nagios-4.0.8]$ sudo make install-config
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc/objects
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/nagios.cfg /usr/local/nagios/etc/nagios.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/cgi.cfg /usr/local/nagios/etc/cgi.cfg
/usr/bin/install -c -b -m 660 -o nagios -g nagios sample-config/resource.cfg /usr/local/nagios/etc/resource.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/templates.cfg /usr/local/nagios/etc/objects/templates.cfg
g
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/commands.cfg /usr/local/nagios/etc/objects/commands.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/contacts.cfg /usr/local/nagios/etc/objects/contacts.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/timeperiods.cfg /usr/local/nagios/etc/objects/timeperiod
s.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/localhost.cfg /usr/local/nagios/etc/objects/localhost.cfg
g
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/windows.cfg /usr/local/nagios/etc/objects/windows.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/printer.cfg /usr/local/nagios/etc/objects/printer.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/switch.cfg /usr/local/nagios/etc/objects/switch.cfg

*** Config files installed ***

Remember, these are *SAMPLE* config files. You'll need to read
the documentation for more information on how to actually define
```

```
[ec2-user@ip-172-31-39-112 nagios-4.0.8]$ sudo make install-commandmode
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/var/rw
chmod g+s /usr/local/nagios/var/rw
```

```
*** External command directory configured ***
```

```
[ec2-user@ip-172-31-39-112 nagios-4.0.8]$ sudo nano /usr/local/nagios/etc/object
s/contacts.cfg
[ec2-user@ip-172-31-39-112 nagios-4.0.8]$ sudo make install-webconf
/usr/bin/install -c -m 644 sample-config/httpd.conf /etc/httpd/conf.d/nagios.con
```

```

GNU nano 5.8 /usr/local/nagios/etc/objects/contacts.cfg Modified
#####
#
# CONTACTS
#
#####

# Just one contact defined by default - the Nagios admin (that's you)
# This contact definition inherits a lot of default values from the 'generic-contact'
# template which is defined elsewhere.

define contact{
    contact_name    nagiosadmin        ; Short name of user
    use              generic-contact    ; Inherit default values from generic-contact template (defined above)
    alias            Nagios Admin       ; Full name of user
}

```

```

/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/switch.cfg /usr/local/nagios/etc/objects/switch.cfg

```

*** Config files installed ***

Remember, these are *SAMPLE* config files. You'll need to read the documentation for more information on how to actually define services, hosts, etc. to fit your particular needs.

```

[ec2-user@ip-172-31-2-207 nagios-4.0.8]$ sudo make install-commandmode
/usr/bin/install -c -m 775 -o nagios -g nagcmd -d /usr/local/nagios/var/rw
chmod g+s /usr/local/nagios/var/rw

```

*** External command directory configured ***

```

[ec2-user@ip-172-31-2-207 nagios-4.0.8]$ sudo nano /usr/local/nagios/etc/objects/contacts.cfg

```

```

[ec2-user@ip-172-31-2-207 nagios-4.0.8]$ sudo make install-webconf
/usr/bin/install -c -m 644 sample-config/httpd.conf /etc/httpd/conf.d/nagios.conf

```

*** Nagios/Apache conf file installed ***

```

[ec2-user@ip-172-31-2-207 nagios-4.0.8]$ sudo htpasswd -c /usr/local/nagios/etc/htpasswd.users nagiosadmin
New password:
Re-type new password:
Adding password for user nagiosadmin
[ec2-user@ip-172-31-2-207 nagios-4.0.8]$ |

```

```

[ec2-user@ip-172-31-2-207 downloads]$ ls
nagios-4.0.8  nagios-4.0.8.tar.gz  nagios-plugins-2.0.3.tar.gz
[ec2-user@ip-172-31-2-207 downloads]$ tar nagios-plugins-2.0.3.tar.gz
tar: Old option 'g' requires an argument.
Try 'tar --help' or 'tar --usage' for more information.
[ec2-user@ip-172-31-2-207 downloads]$ ls
nagios-4.0.8  nagios-4.0.8.tar.gz  nagios-plugins-2.0.3.tar.gz
[ec2-user@ip-172-31-2-207 downloads]$ tar zxvf nagios-plugins-2.0.3.tar.gz
nagios-plugins-2.0.3/
nagios-plugins-2.0.3/perlmods/
nagios-plugins-2.0.3/perlmods/Config-Tiny-2.14.tar.gz
nagios-plugins-2.0.3/perlmods/parent-0.226.tar.gz
nagios-plugins-2.0.3/perlmods/Test-Simple-0.98.tar.gz
nagios-plugins-2.0.3/perlmods/Makefile.in
nagios-plugins-2.0.3/perlmods/version-0.9903.tar.gz
nagios-plugins-2.0.3/perlmods/Makefile.am
nagios-plugins-2.0.3/perlmods/Module-Runtime-0.013.tar.gz
nagios-plugins-2.0.3/perlmods/Module-Metadata-1.000014.tar.gz
nagios-plugins-2.0.3/perlmods/Params-Validate-1.08.tar.gz
nagios-plugins-2.0.3/perlmods/Class-Accessor-0.34.tar.gz
nagios-plugins-2.0.3/perlmods/Try-Tiny-0.18.tar.gz
nagios-plugins-2.0.3/perlmods/Module-Implementation-0.07.tar.gz
nagios-plugins-2.0.3/perlmods/Makefile
nagios-plugins-2.0.3/perlmods/Perl-OSType-1.003.tar.gz
nagios-plugins-2.0.3/perlmods/install_order
nagios-plugins-2.0.3/perlmods/Nagios-Plugin-0.36.tar.gz

```



```
[ec2-user@ip-172-31-2-207 nagios-plugins-2.0.3]$ sudo /usr/local/nagios/bin/nagios -v /usr/local/nagios/etc/nagios.cfg

Nagios Core 4.0.8
Copyright (c) 2009-present Nagios Core Development Team and Community Contributors
Copyright (c) 1999-2009 Ethan Galstad
Last Modified: 08-12-2014
License: GPL

Website: http://www.nagios.org
Reading configuration data...
Error in configuration file '/usr/local/nagios/etc/nagios.cfg' - Line 452 (Check result path '/usr/local/nagios/var/spool/checkresults'
is not a valid directory)
    Error processing main config file!

[ec2-user@ip-172-31-2-207 nagios-plugins-2.0.3]$
```

```
[ec2-user@ip-172-31-39-112 nagios-plugins-2.0.3]$ sudo nano /usr/local/nagios/etc/nagios.c
[ec2-user@ip-172-31-39-112 nagios-plugins-2.0.3]$ sudo chown -R nagios:nagios /usr/local/n
spool/checkresults
```

```
[Unit]
Description=Nagios Service
After=network.target

[Service]
User=nagios
Group=nagios
ExecStart=/usr/local/nagios/bin/nagios /usr/local/nagios/etc/nagios.cfg

[Install]
WantedBy=multi-user.target
```

```
[ec2-user@ip-172-31-39-112 nagios-plugins-2.0.3]$ ls /usr/local/nagios/bin/
nagios nagiosstats
[ec2-user@ip-172-31-39-112 nagios-plugins-2.0.3]$ sudo /usr/local/nagios/bin/nagios /usr/lo
s/etc/nagios.cfg
```

```
Nagios Core 4.4.9
Copyright (c) 2009-present Nagios Core Development Team and Community Contributors
Copyright (c) 1999-2009 Ethan Galstad
Last Modified: 2022-11-16
License: GPL
```

```
Website: https://www.nagios.org
Reading configuration data...
    Read main config file okay...
    Read object config files okay...
```

```
Running pre-flight check on configuration data...
```


```
Checking objects...
    Checked 8 services.
    Checked 1 hosts.
    Checked 1 host groups.
    Checked 0 service groups.
    Checked 1 contacts.
    Checked 1 contact groups.
    Checked 24 commands.
    Checked 5 time periods.
    Checked 0 host escalations.
    Checked 0 service escalations.
Checking for circular paths...
```

```

Things look okay - No serious problems were detected during the pre-flight check
ec2-user@ip-172-31-5-147 nagios-plugins-2.0.3]$ sudo service nagios start
Starting nagios (via systemctl): [ OK ]
ec2-user@ip-172-31-5-147 nagios-plugins-2.0.3]$ sudo systemctl status nagios
nagios.service - Nagios Core 4.4.9
Loaded: loaded (/usr/lib/systemd/system/nagios.service; enabled; preset: disabled)
Active: active (running) since Sat 2024-10-12 13:09:24 UTC; 8s ago
Docs: https://www.nagios.org/documentation
Process: 93966 ExecStartPre=/usr/local/nagios/bin/nagios -v /usr/local/nagios/etc/nagios.cfg (code=exited, status=0/SUCCESS)
Process: 93967 ExecStart=/usr/local/nagios/bin/nagios -d /usr/local/nagios/etc/nagios.cfg (code=exited, status=0/SUCCESS)
Main PID: 93968 (nagios)
Tasks: 6 (limit: 1112)
Memory: 5.6M
CPU: 291ms
CGroup: /system.slice/nagios.service
├─93968 /usr/local/nagios/bin/nagios -d /usr/local/nagios/etc/nagios.cfg
├─93969 /usr/local/nagios/bin/nagios --worker /usr/local/nagios/var/rw/nagios.qh
├─93970 /usr/local/nagios/bin/nagios --worker /usr/local/nagios/var/rw/nagios.qh
├─93971 /usr/local/nagios/bin/nagios --worker /usr/local/nagios/var/rw/nagios.qh
├─93972 /usr/local/nagios/bin/nagios --worker /usr/local/nagios/var/rw/nagios.qh
└─93973 /usr/local/nagios/bin/nagios -d /usr/local/nagios/etc/nagios.cfg

Oct 12 13:09:24 ip-172-31-5-147.ap-south-1.compute.internal nagios[93968]: qh: Socket '/usr/local/nagios/var/rw/nagios.qh' created
Oct 12 13:09:24 ip-172-31-5-147.ap-south-1.compute.internal nagios[93968]: qh: core query handler registered
Oct 12 13:09:24 ip-172-31-5-147.ap-south-1.compute.internal nagios[93968]: qh: echo service query handler registered
Oct 12 13:09:24 ip-172-31-5-147.ap-south-1.compute.internal nagios[93968]: qh: help for the query handler registered
Oct 12 13:09:24 ip-172-31-5-147.ap-south-1.compute.internal nagios[93968]: wproc: Successfully registered manager as (pid=93968)

```



Nagios® Core™

✓ Daemon running with PID 93968

Nagios® Core™
Version 4.4.9
November 16, 2022
Check for updates

A new version of Nagios Core is available!
Visit nagios.org to download Nagios 4.5.6.

Get Started

- Start monitoring your infrastructure
- Change the look and feel of Nagios
- Extend Nagios with hundreds of addons
- Get support
- Get training
- Get certified

Quick Links

- Nagios Library (tutorials and docs)
- Nagios Labs (development blog)
- Nagios Exchange (plugins and addons)
- Nagios Support (tech support)
- Nagios.com (company)
- Nagios.org (project)

Latest News

Don't Miss...

Copyright © 2010-2022 Nagios Core Development Team and Community Contributors. Copyright © 1999-2009 Ethan Galstad. See the THANKS file for more information on contributors.

Nagios Core is licensed under the GNU General Public License and is provided AS IS with NO WARRANTY OF ANY KIND, INCLUDING THE WARRANTY OF DESIGN, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE. Nagios, Nagios Core and the Nagios logo are trademarks, servicemarks, registered trademarks or registered servicemarks owned by Nagios Enterprises, LLC. Use of the Nagios marks is governed by the trademark use restrictions.

Nagios
MAKING IT EASIER TO MONITOR

SOURCEFORGE.NET

CONCLUSION :

Thus, we learned about Nagios and successfully set it up on our Linux machine. Nagios proves to be an effective tool for continuous monitoring, helping to detect and resolve issues quickly, ensuring system reliability and smooth operations.