

C Program to output Prediction
[← Back](#)
QUESTIONS
Q1
Reverse a list
1 mark

Q2
Reverse a string
1 mark

Q3
Searching
1 mark

Q4
Searching
1 mark

Q5
Array
1 mark

Q6
Merging
1 mark

Q7
Q3 Searching

1 mark

Write a C program for Searching an Element in a Sorted Array

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a[100], n, i, key, low, high, mid;
4     printf("Enter the number of elements: ");
5     scanf("%d", &n);
6     printf("Enter the sorted array elements:\n");
7     for(i = 0; i < n; i++) {
8         scanf("%d", &a[i]);
9     }
10    printf("Enter the element to search: ");
11    scanf("%d", &key);
12    low = 0;
13    high = n - 1;
14    while(low <= high) {
15        mid = (low + high) / 2;
16        if(a[mid] == key) {
17            printf("Element found at position %d", mid + 1);
18            return 0;
19        }
20    }
```

Input

5
10 20 30 40 50
30

Output

C Program to output Prediction

[← Back](#)

QUESTIONS

Q1
Reverse a list
1 mark**Q2**
Reverse a string
1 mark**Q3**
Searching
1 mark**Q4**
Searching
1 mark**Q5**
Array
1 mark**Q6**
Merging
1 mark**Q7****Q1 Reverse a list**

1 mark

Write a C program that takes an array as input and returns it reversed.

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int n,i;
4     printf("Enter the number of elements: ");
5     scanf("%d", &n);
6     int arr[n];
7     printf("Enter %d elements: ",n);
8     for(i=0;i<n;i++) {
9         scanf("%d", &arr[i]);
10    }
11    printf("Reversed array:");
12    for(i=n-1;i>=0;i--) {
13        printf("%d",arr[i]);
14    }
15    printf("\n");
16    return 0;
17 }
```

Input

1

Output

```
Enter the number of elements: Enter
1 elements: Reversed array:1
```

C Program to output Prediction

[← Back](#)

QUESTIONS

Q1
Reverse a list
1 mark**Q2**
Reverse a string
1 mark**Q3**
Searching
1 mark**Q4**
Searching
1 mark**Q5**
Array
1 mark**Q6**
Merging
1 mark**Q7****Q2** Reverse a string

1 mark

Write a C program for palindrom

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int num, originalNum, reverse = 0, remainder;
4     printf("Enter an integer: ");
5     scanf("%d", &num);
6     originalNum = num;
7     while (num != 0) {
8         remainder = num % 10;
9         reverse = reverse * 10 + remainder;
10        num = num / 10;
11    }
12    if (originalNum == reverse)
13        printf("%d is a palindrome.\n", originalNum);
14    else
15        printf("%d is not a palindrome.\n", originalNum);
16    return 0;
17 }
```

Input

3

Output