

Temp DB - Tempdb maximum sizes

Last updated by | Vitor Tomaz | Feb 24, 2023 at 3:27 AM PST

Contents

- [Issue](#)
- [Investigation / Analysis](#)
- [More information](#)
 - [Tempdb sizes for vCore-based, single databases](#)
 - [Serverless](#)
 - [Hyperscale](#)
 - [Hyperscale - DC-series](#)
 - [General purpose](#)
 - [General purpose - Fsv2-series](#)
 - [General purpose - DC-series](#)
 - [Business critical](#)
 - [Business critical - M-series](#)
 - [Business critical - DC-series](#)
 - [Tempdb sizes for DTU-based service objectives](#)
 - [Single databases](#)
 - [Elastic pools](#)
- [Public Doc Reference](#)

Temp DB - Tempdb sizes

Issue

This article documents the tempdb sizes in the various SQL Database SLOs for a quick reference. For an article about troubleshooting temp size issues, see [Temp DB - Resolve tempdb related errors and exceptions](#) instead.

Investigation / Analysis

The full documentation of tempdb sizes is covered in 4 public articles:

- vCore purchasing model: [single databases](#) [🔗](#) - [pooled databases](#) [🔗](#)
- DTU purchasing model: [single databases](#) [🔗](#) - [pooled databases](#) [🔗](#)

More information

Last Update: 2022-10-11

Tempdb sizes for vCore-based, single databases

- Service-level objective
- Maximum tempdb data size (GB)

Serverless

| | | | | |
|---------------------|---------------------|----------------------|----------------------|----------------------|
| GP_S_Gen5_1 32 | GP_S_Gen5_2 64 | GP_S_Gen5_4 128 | GP_S_Gen5_6 192 | GP_S_Gen5_8 256 |
| GP_S_Gen5_10 320 | GP_S_Gen5_12 384 | GP_S_Gen5_14 448 | GP_S_Gen5_16 512 | GP_S_Gen5_18 576 |
| GP_S_Gen5_20 640 | GP_S_Gen5_24 768 | GP_S_Gen5_32 1024 | GP_S_Gen5_40 1280 | GP_S_Gen5_80 2560 |

Hyperscale

| | | | | | | |
|-------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|
| HS_Gen5_2 64 | HS_Gen5_4 128 | HS_Gen5_6 192 | HS_Gen5_8 256 | HS_Gen5_10 320 | HS_Gen5_12 384 | HS_Gen5_14 448 |
| HS_Gen5_16 512 | HS_Gen5_18 576 | HS_Gen5_20 640 | HS_Gen5_24 768 | HS_Gen5_32 1024 | HS_Gen5_40 1280 | HS_Gen5_80 2560 |

Hyperscale - DC-series

| | | | |
|---------------|----------------|----------------|----------------|
| HS_DC_2 64 | HS_DC_4 128 | HS_DC_6 192 | HS_DC_8 256 |
|---------------|----------------|----------------|----------------|

General purpose

| | | | | | | |
|-------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|
| GP_Gen5_2 64 | GP_Gen5_4 128 | GP_Gen5_6 192 | GP_Gen5_8 256 | GP_Gen5_10 320 | GP_Gen5_12 384 | GP_Gen5_14 384 |
| GP_Gen5_16 512 | GP_Gen5_18 576 | GP_Gen5_20 640 | GP_Gen5_24 768 | GP_Gen5_32 1024 | GP_Gen5_40 1280 | GP_Gen5_80 2560 |

General purpose - Fsv2-series

| | | | | | |
|------------------|------------------|-------------------|-------------------|-------------------|-------------------|
| GP_Fsv2_8 37 | GP_Fsv2_10 46 | GP_Fsv2_12 56 | GP_Fsv2_14 65 | GP_Fsv2_16 74 | |
| GP_Fsv2_18 83 | GP_Fsv2_20 93 | GP_Fsv2_24 111 | GP_Fsv2_32 148 | GP_Fsv2_36 167 | GP_Fsv2_72 333 |

General purpose - DC-series

| | | | |
|---------------|----------------|----------------|----------------|
| GP_DC_2 64 | GP_DC_4 128 | GP_DC_6 192 | GP_DC_8 256 |
|---------------|----------------|----------------|----------------|

Business critical

| | | | | | | |
|-------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|
| BC_Gen5_2 64 | BC_Gen5_4 128 | BC_Gen5_6 192 | BC_Gen5_8 256 | BC_Gen5_10 320 | BC_Gen5_12 384 | BC_Gen5_14 448 |
| BC_Gen5_16 512 | BC_Gen5_18 576 | BC_Gen5_20 640 | BC_Gen5_24 768 | BC_Gen5_32 1024 | BC_Gen5_40 1280 | BC_Gen5_80 2560 |

Business critical - M-series

| | | | | | |
|----------------|----------------|-----------------|-----------------|------------------|----------------|
| BC_M_8 256 | BC_M_10 320 | BC_M_12 384 | BC_M_14 448 | BC_M_16 512 | BC_M_18 576 |
| BC_M_20 640 | BC_M_24 768 | BC_M_32 1024 | BC_M_64 2048 | BC_M_128 4096 | |

Business critical - DC-series

| | | | |
|---------------|----------------|----------------|----------------|
| BC_DC_2 64 | BC_DC_4 128 | BC_DC_6 192 | BC_DC_8 256 |
|---------------|----------------|----------------|----------------|

Tempdb sizes for DTU-based service objectives

Single databases

- Service-level objective
- Maximum tempdb data file size (GB)
- Number of tempdb data files
- Maximum tempdb data size (GB)





| | | | |
|-------|------|----|-------|
| Basic | 13.9 | 1 | 13.9 |
| S0 | 13.9 | 1 | 13.9 |
| S1 | 13.9 | 1 | 13.9 |
| S2 | 13.9 | 1 | 13.9 |
| S3 | 32 | 1 | 32 |
| S4 | 32 | 2 | 64 |
| S6 | 32 | 3 | 96 |
| S7 | 32 | 6 | 192 |
| S9 | 32 | 12 | 384 |
| S12 | 32 | 12 | 384 |
| P1 | 13.9 | 12 | 166.7 |
| P2 | 13.9 | 12 | 166.7 |
| P4 | 13.9 | 12 | 166.7 |
| P6 | 13.9 | 12 | 166.7 |
| P11 | 13.9 | 12 | 166.7 |
| P15 | 13.9 | 12 | 166.7 |

Elastic pools

- Service-level objective
- Maximum tempdb data file size (GB)
- Number of tempdb data files
- Maximum tempdb data size (GB)

| | | | |
|--|------|----|-------|
| Basic Elastic Pools (all DTU configurations) | 13.9 | 12 | 166.7 |
| Standard Elastic Pools (50 eDTU) | 13.9 | 12 | 166.7 |
| Standard Elastic Pools (100 eDTU) | 32 | 1 | 32 |
| Standard Elastic Pools (200 eDTU) | 32 | 2 | 64 |
| Standard Elastic Pools (300 eDTU) | 32 | 3 | 96 |
| Standard Elastic Pools (400 eDTU) | 32 | 3 | 96 |
| Standard Elastic Pools (800 eDTU) | 32 | 6 | 192 |
| Standard Elastic Pools (1200 eDTU) | 32 | 10 | 320 |
| Standard Elastic Pools (1600-3000 eDTU) | 32 | 12 | 384 |
| Premium Elastic Pools (all DTU configurations) | 13.9 | 12 | 166.7 |

Public Doc Reference

- vCore purchasing model:
 - [single databases](#) 
 - [pooled databases](#) 
- DTU purchasing model:
 - [single databases](#) 
 - [pooled databases](#) 

How good have you found this content?



-