SUBJECT ID = RR

ENDOMETRIOSIS PELVIC MRI ASSESSMENT -

BR PROFORMA REPORT BLIND REVIEW

Uterus

Absent

Present

Uxerine anatomy

Conventional

- 2. Arcuate
- Septate
 - Full septum
 - Subseptate
- Bicornuate unicollis
- Bicornuate bicollis
- Didelphys
- Other (free text enabled).

Uterine Lie (can be more than one selection)

- /Anteverted
- Anteflexed
- Retroverted
- Retroflexed
- 5. Axial
- Others (please specify) (Free text enabled)

Uterine Size (body + cervix - 3 planes in mm)

Endometrial thickness (sag plane in mm to nearest mm)

1. (Free text)



Epdometrial lesions

Not identified.

2. Present. Polyp.

2b-1:

No. of polyps (free text)

2b-2:

Size of each polyp. (free text)

Adenomyosis

No MRI supportive features

- Supportive MRI features as described:
 - Submucosal cysts.
 - 2. Abnormal junctional zone thickening and measurement
 - Anterior (mm)
 - Fundal (mm) ii.
 - iii. Posterior (mm)

Presence of an adenomyoma

Yes

Νo

Yes

2a: Number of fibroids:

2b:

Largest fibroids (location and size mm all

fibroids >10mm and/or iimpact on the cavity) - (Free text)

2b:

Submucosal fibroids No

2b-0:

Present

REVIEWER INITIALS

Left ovary

Left ovary size (3 planes and volume)

1. NN x NN x NN mm 19

Volume (above x 0.52)

Left ovary follicle measurements and count

1. N follicles between 2 and 9 mm in diameter

2b-1-1: (description: free text)

Absent (Branching logic – move to "Right ovary")

a. (Free text)

2. N follicles > 9 mm

(Free text)

Dominant follicle

b. N.

Left ovary position

Lateral adnexa. Unremarkable.

High positioning in iliac fossa.

3: Tethered/ distorted appearances - (may be

multiple options)

3a: Intimate relationship to the lateral uterus

3b Intimate relationship/tethering to adjacent

bowel.

3c. Tethering to pelvic sidewall

3d:Tethering to the uterosacral ligament

SUBJECT ID = RR 3e:

Other: (free text)

teit ovarian endometrioma

No

Yes

1a: Size: NN in millimetres (mm)

> T2 shading (intermediate/low 1b:

homogeneous T2 signal).

1b-0: No

Yes 1b-1:

T1 fat sat hyperintense 1c:

> 1c-0: Absent

1c-1: Present

1d: Internal nodularity, septation or other

complexity.

1d-1: No

1d-2: Yes

1-d-2-1: (Free text)

Left ovarian lesions/cysts other than suspected endometriomas

1: Not classifiable

2: Lesion features

> 2a: Unilocular cyst

2b: Unilocular-solid cyst

2c: Multilocular cyst

2d: Multilocular-solid cyst

Solid 2e:

Vascularity (post gadolinium enhancement).

3a: Present 3b: Absent

4 Fat component (T1/T2 hyperintense. Low signal on fat suppression).

> 4a: Present.

4b: Absent.

Right ovary

1: Absent (Branching logic - move to "Adnexa")

Present

Right ovary size (3 planes and volume)

21×22×23 Volume (above x 0.52).

Right ovary follicle measurements and count

N follicles between 2 and 9 mm in diameter

a. (Free text)

2. N follicles > 9 mm

a. (Free text)

Dominant follicle

Right ovary position

Lateral adnexa. Unremarkable,

2: High positioning in iliac fossa.

3: Tethered/ distorted appearances - may be multiple options.

3a: Intimate relationship to the lateral uterus

3b Intimate relationship/tethering to

REVIEWER INITIALS

adjacent bowel.

3c. Tethering to pelvic sidewall

3d: Tethering to the uterosacral ligament

Right ovarian endometrioma

No

Yes

2a: Size: NN in millimetres (mm)

2b: T2 shading (intermediate/low

homogeneous T2 signal).

2b-0: No

2b-1: Yes

T1 fat sat hyperintense 2c:

> 2c-0: Absent

2c-1: Present

Internal nodularity, septation, complex. 2d:

> 2d-1: No

2d-2: Yes

Right ovarian lesions/cysts other than suspected

ndometriomas

Not classifiable

Lesion features

Unifocular cyst 2a:

2b: Unilocular-solid cyst

Multilocular cyst

2d: Multilocular-solid cyst

Solid 2e:

Vascularity (post gadolinium enhancement).

3a: Present

SUBJECT ID = RR

3b:

Absent

4 Fat component (T1/T2 hyperintense. Low signal on fat suppression).

4a:

Present.

4b:

Absent.

Adnexa

1:

Hydrosalpinx

1a:/

No Yes

Yes

2:

Hematosalpinx 2a No

2b:

3: Other (free text).

Are both ovaries immediately approximated "kissing"?

No

: Yes

Urinary bladder nodule

befinition: Is there presence of a nodule in the bladder.

1: Absent

Present

2a:

Size: NN in millimetres (mm)

Uterovesical region

Definition: Assessment of whether there is a visible preserved fat plane +/- physiologic fluid +/- absent distortion between the anterior uterine serosa and bladder.

1: Normal.

2: Abnormal.

2a: (free text if required)

ore eric nodule(s)?

Absent

Present

2a: Location (free text + distance to ureteric

orifice/VUJ)

2b: Size (mm)

Pouch of Douglas obliteration

Definition: Assessment for abnormal loss of fat plane +/physiologic fluid and immediate approximation of
rectosigmoid and/or small bowel to the posterior uterine
serosa, cervix +/- vaginal wall.

Discrete linear bands may be visible ($\sqrt{T1}$, $\sqrt{T2}$)

Negative

Partial

2a: Left

2b: Right

3: Complete

3a: Positive = obliteration.

3b: Positive = band adhesions.

Nodules present on the posterior vaginal fornix?

Definition: Thickening of superior 1/3 of posterior vaginal walf ∓/ nodularity. Nodules: ↓ T2 ↑T1 (if active naemorrhagic deposits)

l: No

2: Yes

REVIEWER INITIALS

2a: Dimension of nodule to be measured in millimetres (mm).

2b1: Inactive.

2b2: Active

Vaginal forniceal elevation?

Definition: Upper level of fornix on sagittal view is superior to the angle of the uterine isthmus with stretching of

yaginal wall, and/or acute angulation of the fornix.

No

: Yes

2a: Left.

2b: Right

2c: Left and Right.

Rectovaginal nodules present?

Definition: Presence of deep infiltrating endometriosis in the anterior rectal wall and posterior vaginal fornix, located below the peritoneum of the Pouch of Douglas. Inactive/fibrotic disease characterised as $\sqrt{11} \sqrt{12}$ signal. Active disease as $\sqrt{11}$, $\sqrt{10}$ to intermediate-T2 signal

(bemor/hagic/ proteinaceous content + glandular deposits).

1://

Yes

No

2a: Size (mm)

2b1: Inactive.

2b2: Active

SUBJECT ID = RR

Uterosacral ligament nodules or thickening?

Definition: Inactive/ fibrotic disease nodules characterised as \downarrow T1 \downarrow T2 signal.

Active disease as \uparrow T1, \uparrow to intermediate- T2 signal

pemo rhagic/ proteinaceous content + glandular deposits).

/ No

2: Yes nodules

2a: Left

2a-1: Size (mm)

2b: Right

2b-1: Size (mm)

2c1: Inactive.

2c2: Active

3: Yes thickening.

3a: Left.

3b: Right

·3c: Both.

Retrocervical nodule present?

Definition: Inactive/ fibrotic disease characterised as \downarrow T1 \downarrow T2 signal.

Active disease as 个T1, 个 to intermediate- T2 signal

hemorrhagic/ proteinacous content + glandular deposits).

1: / No

2: Yes

2a: Size (mm)

2b1: Inactive.

2b2: Active

Rectum and colon:

Is there bowel deep infiltrating endometriosis seen?

Definition: Inactive/ fibrotic disease characterised as \downarrow T1 \downarrow T2 signal.

Active disease as \uparrow T1, \uparrow to intermediate-T2 signal (hemorrhagic/ proteinacous content + glandular deposits). "Mushroom cap sign" is specific to severe invasive bowel endometriosis and is characterized as a plaque with \downarrow T2 at its 'base' and \uparrow T2 at its 'cap'.

./

No

: Yes

2a: Distance from the anal verge

2a-1: Length (mm)

2b: Lesion type

2b-1: Isolated lesion

2b-2: Multiple lesions

2b-3: Curved lesion

2b-4: Straight lesion

2c: Maximal depth layer of invasion each leasion (muscularis, submucosa,

mucosa).

2c-1: Lesion 1: (free text)

(2c-2: Lesion 2 (free text) - delete if

not relevant

(2c-3 etc.)

2c: Is it stuck to any structures or free lying?

2d-1: Vagina

2d-2: Uterus

2d-3: Uterosacral ligaments

REVIEWER INITIALS

2d-4: Ov

2d: Plaque thickness

2a: 1-5mm.

2b: 6-10mm.

2c: >11mm.

2e: Activity

2f1: Inactive.

2f2: Active.

2f: "Mushroom cap" appearance:

2g1: Present.

2g2: Absent.

Is there evidence of tethering of the bowel?

No

2: Yes, tethered to

2a: Uterus

2b: L. ovary

2c: R. ovary

---,

2d: L. uterosacral ligament nodule

2e: R. uterosacral ligament nodule

2f: L pelvic side wall.

2g: R pelvic side wall.

2h: Other.

Any other salient findings on the study:

1. No

. Yes

a. (Free text).

Scan/ Photo/ Email: kate.cook@bensonradiology.com.au