SMT.CHANDIBAI HIMATHMAL MANUSUKHANI COLLEGE


Table Contents	Date: 23/07/22
USCS3P01:USCS303-Operating System(OS) Practical-0	1 1
First Come First Serve(FCFS) Scheduling Algorithm	2
Algorithm	3
Example of first Come First Serve Algorithm	4
Gnatt Chart	5
Implementation	6
Input	7
Output	8
Sample Output	9

1) Algorithm

CPU scheduling algorithm are used for scheduling different process present in the ready queue with available resource in an optimal way so that each and every process get execute by CPU

Scheduling algorithm are broadly classified into two main type namely preemptive and non-preemptive.

FIRST COME FIRST OUT(FCFS) is also know as FIRST IN FIRST OUT (FIFO) SCHEDUAL algorithm is the



EXAMPLE 1: Consider the following example containing five process arrive at same time.

Process ID	Times new
P0	6
P1	3
P2	8
P3	3
P4	4

SOLVE:

Step 1: Process get execute according to their arrival time.

Step 2: Following show the scheduling and execute of process.

Step 2.2: At start p0 arrive and get execute for 6 second.

System time	0
Process Schedualed	PO
Turn around time	6-0=6
Wating Time	6-6=0

Step 2.2: p1 arrive after completion of p0 , p1 is execute for 3.

System time	6
Process Schedualed	P0,p1
Turn around time	9-0=9
Wating Time	9-3=6

Step2.3: p2 arrive after complete execution of process p1 for 8.

System time	9
Process Schedualed	P0,p1,p2
Turn around time	17-0=17
Wating Time	17-8=9

Step 2.4:p3 arrive and gets execute for 3.

System time	17
Process Schedualed	P0,p1,p2,p3
Turn around time	20-0=20
Wating time	20-3=17

Step 2.5:similary p4 arrives gets execute for 4.

System time	20
Process Schedualed	P0,p1,p2,p3,p4
Turn around time	24-0=24
Wating time	24-4=20

Step 3: calculate average wating time and average turn around time.

Average wating time =(0+6+9+17+20)/5=52/5 =10.4 Average turn around time :(6+9+17+20+24)/5=76/5 =15.2

Gnatt Chart.

Step 4: after scheduling of all provided processes.

Process id	Burst time	Arrival time	Finish time	Turn Around time	Wating time
P0	6	0	0+6=6	6-0=6	6-6=0
P1	3	0	6+3=9	9-0=9	9-3=6
P2	8	0	9+8=17	17-0=17	17-8=9
P3	3	0	17+3=20	20-0=20	20-3=17
P4	4	0	20+4=24	24-0=24	24-4=20
AVERAGE				15.200000	10.400000

PO		P1		P2		P3	P4
0	6	5		9	1	.7 2	0 24

EXAMPLE 2:

Consider the following example contain five with varied arrive time.

Process id	Burst time	Arrival time
P0	6	2
P1	3	5
P2	8	1
P3	3	0
P4	4	4

Step 1: Process get execute according to their arrival time.

Step 2: Following show the scheduling and execute of process .

Step 2.2: At start p3 arrive and get execute for 0-3 second.

System time	0
Process Schedualed	Р3
Turn around time	3-0=3
Wating Time	3-3=0

Step 2.3: p0 arrives at time 4 sec but gets resource of cpu at 17 second for execution its execution period is 17-21 second.

System time	11
Process Schedualed	P3.p2,p0
Turn around time	17-2=15
Wating Time	15-6=13

Step 2.4: p4 arrives at time 4 sec but gets resource of cpu at 17 second for execution period is 17-21 second.

System time	17
Process Schedualed	P0,p1,p2,p3
Turn around time	20-0=20
Turn around time	20-3=17

Step 2.5: similarly p1 arrives at time 5 sec but its execution gets started turn around time 21 second and last for a period21-24 second.

System time	21
Process Schedualed	P3,p2,p0,p4,p1
Turn around time	24-5=19
Turn around time	19-5=19

Step 3: calculate average wating time and average turn around time.

Average wating time =(0+2+9+13+16)/5 =40/5 =8 Average turn around time :(3+10+15+17+19)/5 =64/5 =12.8

Gnatt Chart.

Step 4: after scheduling of all provided processes.

Process id	Burst time	Arrival time	Finish time	Turn Around time	Wating time
Р3	3	0	0+3=3	3-0=3	3-3=0
P2	8	1	3+8=11	11-1=10	10-8=2
P0	6	2	11+6=17	17-2=15	15-6=9
P4	4	4	17+4=21	21-4=17	17-4=13
P1	3	5	21+3=24	24-5=19	19-3=16
AVERAGE				12.8000000	8.000000

PO	P1	P2	Р3	P4
0	3	11	17	21 24



EXAMPLE 3: Consider the following example containing five processes arrive at the Same time.

Process ID	Times new
P0	2
P1	1
P2	6

SOLVE:

Step 1: Process get execute according to their arrival time.

Step 2: Following show the scheduling and execute of process .

Step 2.1: At start p0 arrive and get execute for 2 second.

System time	0
Process Schedualed	PO
Turn around time	2-0=2
Wating Time	2-2=0

 $\underline{\textbf{Step 2.2:}} \ \texttt{p1} \ \mathsf{arrive} \ \mathsf{after} \ \mathsf{completion} \ \mathsf{of} \ \mathsf{p0} \ \mathsf{,} \ \mathsf{p1} \ \mathsf{is} \ \mathsf{execute} \ \mathsf{for} \ \mathsf{1}.$

System time	2
Process Schedualed	P0,p1
Turn around time	3-0=3
Wating Time	3-1=2

Step2.3: p2 arrive after complete execution of process p1 for 6.

System time	3
Process Schedualed	P0,p1,p2
Turn around time	9-0=17
Wating Time	9-6=3

Step 3: calculate average wating time and average turn around time.

Average wating time =(0+2+3)/3 =5/3 =1.6666 Average turn around time :(2+3+9)/ =14/3 =4.6666

Gnatt Chart.

Step 4: after scheduling of all provided processes.

Process id	Burst time	Arrival time	Finish time	Turn Around time	Wating time
PO	2	0	0+2=2	2-0=2	2-2=0
P1	1	0	2+1=3	3-0=3	3-1=2
P2	6	0	3+6=9	9-6=3	9-6=3
AVERAGE				4.666	1.666

P0	P1	P2	
0	2	3	9

EXAMPLE 4: Consider the following example containing five process with varied arrival time.

Process id	Burst time	Arrival time
P0	4	3
P1	3	5
P2	2	0
P3	1	5
P4	3	4

Step 3: calculate average wating time and average turn around time.

Average wating time =(3+1+7+4+6)/5=21/5 =4.2 Average turn around time :(1+2+9+5+9)/5=26/5 =5.2

Gnatt Chart.

Step 4: after scheduling of all provided processes.

Process id	Burst time	Arrival time	Finish time	Turn Around time	Wating time
PO	4	3	6	3	1
P1	3	5	12	7	4
P2	2	0	2	2	0
Р3	1	5	13	8	7
P4	3	4	9	5	92
AVERAGE				5.0000	2.40000

ı	P2	PO	P4	P1	Р3
2		6	9	12	13 0

```
IMPLEMENATION:
import java.util.Scanner;
public class P1_FCFS_PD
int burstTime[];
int arrivalTime[];
String[] processId;
int numberOfProcess;
void getProcessData(Scanner input){
System.out.println("enter the number of process for Scheduling:");
int inputNumberOfProcess=input.nextInt();
numberOfProcess=inputNumberOfProcess;
burstTime=new int[numberOfProcess];
arrivalTime=new int[numberOfProcess];
processId=new String[numberOfProcess];
String st="p";
for(int i=0;i < numberOfProcess;i++){
processId[i]=st.concat(Integer.toString(i));
System.out.print("enter the burst time for process-"+(i)+":");
burstTime[i]=input.nextInt();
System.out.println("enter the arrival time for process-"+(i)+":");
arrivalTime[i]=input.nextInt();
void sortAccordingArrivalTime(int[] at,int[] bt,String[] pid){
boolean swapped;
int temp;
String stemp;
```

```
for (int i=0;i<numberOfProcess;i++){
swapped=false;
for (int j = 0;j < numberOfProcess-i-1;j++){
if(at[j]>at[j+1]){
temp=at[j];
at[j]=at[j+1];
at[j+1]=temp;
temp=bt[j];
bt[j]=bt[j+1];
bt[j+1]=temp;
stemp=pid[j];
pid[j]=pid[j+1];
pid[j+1]=stemp;
swapped=true;
}
if(swapped==false){
break;
void firstComeFirstServeAlgorithm(){
int finishTime[]=new int[numberOfProcess];
int bt[]=burstTime.clone();
int at[]=arrivalTime.clone();
String pid[]=processId.clone();
int waitingTime[]=new int[numberOfProcess];
int turnAroundTime[]=new int[numberOfProcess];
sortAccordingArrivalTime(at,bt,pid);
finishTime[0]=at[0]+bt[0];
```

```
turnAroundTime[0]=finishTime[0]-at[0];
waitingTime[0]=turnAroundTime[0]-bt[0];
for(int i=1;i<numberOfProcess;i++){
finishTime[i]=bt[i]+finishTime[i-1];
turnAroundTime[i]=finishTime[i]-at[i];
waitingTime[i]=turnAroundTime[i]-bt[i];
float sum=0;
for(int n:waitingTime){
sum+=n;
float averageWaitingTime=sum/numberOfProcess;
sum=0;
for(int n:turnAroundTime){
sum+=n;
float averageTurnAroundTime=sum/numberOfProcess;
System.out.println("FCFS Scheduling algorithm:");
System.out.format("%20s%20s%20s%20s%20s%20s\n","ProcessId","BurstTime"
,"ArrivalTime","FinishTime","TurnAroundTime","WatingTime");
for(int i=0;i<numberOfProcess;i++){</pre>
System.out.format("%20s%20d%20d%20d%20d%20d\n",pid[i],bt[i],at[i]
,finishTime[i],turnAroundTime[i],waitingTime[i]);
System.out.format("%80s%20f%20f\n", "Average", averageTurnAroundTime, averageWaitingTime);
public static void main(String[] args){
Scanner input=new Scanner(System.in);
P1_FCFS_PD obj=new P1_FCFS_PD();
obj.getProcessData(input);
```



```
C:\Windows\System32\cmd.exe

(c) Microsoft Corporation. All rights reserved.

C:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P1_FCFS_PD.java

C:\Users\SD CONSULTANTS\OneDrive\Desktop>java P1_FCFS_PD.java
enter the number of process for Scheduling:

5
enter the burst time for process-0:6
enter the arrival time for process-0:

2
enter the burst time for process-1:3
enter the arrival time for process-1:

5
enter the burst time for process-2:8
enter the arrival time for process-2:

1
enter the burst time for process-3:3
enter the arrival time for process-3:
0
enter the burst time for process-4:4
enter the arrival time for process-4:4
```

4					
FCFS Scheduling algorithm					
ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WatingTime
р3		0			0
p2	8	1	11	10	2
р0	6	2	17	15	9
p4	4	4	21	17	13
p1		5	24	19	16
			Average	12.800000	8.000000

SAMPLE OUTPUT-01:



```
C:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P1_FCFS_PD.java

C:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P1_FCFS_PD.java

C:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P1_FCFS_PD.java

C:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P1_FCFS_PD.java

enter the number of process for Scheduling:

3

enter the burst time for process-0:2

enter the arrival time for process-0:

0

enter the burst time for process-1:1

enter the arrival time for process-1:0

enter the burst time for process-2:6

enter the burst time for process-2:6

enter the arrival time for process-2:
```

OUTPUT:

0 FCFS Scheduling algorithm	:					
ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WatingTime	
р0						
p1						
p2						
			Average	4.666667	1.666667	

SAMLE OUTPUT-02:

```
:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P1_FCFS_PD.java
C:\Users\SD CONSULTANTS\OneDrive\Desktop>java P1_FCFS_PD.java
enter the number of process for Scheduling:
enter the burst time for process-0:2 enter the arrival time for process-0:
enter the burst time for process-1:1 enter the arrival time for process-1:
enter the burst time for process-2:6
enter the arrival time for process-2:
FCFS Scheduling algorithm :
                                                                ArrivalTime
                                        BurstTime
                                                                                            FinishTime
                                                                                                                  TurnAroundTime
                                                                                                                                                  {\tt WatingTime}
                       р0
р1
                                                                              a
                                                                              0
                                                                                                                                                     1.666667
                                                                                                Average
                                                                                                                          4.666667
```

```
C:\Windows\System32\cmd.exe
```

```
C:\Users\SD CONSULTANTS\OneDrive\Desktop>java P1_FCFS_PD.java
enter the number of process for Scheduling:

5
enter the burst time for process-0:6
enter the arrival time for process-1:3
enter the arrival time for process-1:
0
enter the burst time for process-2:8
enter the arrival time for process-2:
0
enter the arrival time for process-3:3
enter the burst time for process-3:3
enter the arrival time for process-4:4
enter the arrival time for process-4:
```

OUTPUT:

FCFS Scheduling algorithm					
ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WatingTime
р0					
p1					
p2			17		
р3			20	20	
p4			24	24	20
			Average	15.200000	10.400000
	ProcessId p0 p1 p2 p3	p0 6 p1 3 p2 8 p3 3	Processīd BurstTime ArrivalTime p0 6 p1 3 0 p2 8 0 p3 3 0	ProcessId BurstTime ArrivalTime FinishTime p0 6 0 6 p1 3 0 9 p2 8 0 17 p3 3 0 20 p4 4 0 24	ProcessId BurstTime ArrivalTime FinishTime TurnAroundTime p0 6 0 6 6 p1 3 0 9 9 p2 8 0 17 17 p3 3 0 20 20 p4 4 0 24 24

SAMPLE OUTPUT 3:

C:\Windows\System32\cmd.exe

```
:\Users\SD CONSULTANTS\OneDrive\Desktop>java P1_FCFS_PD.java
 enter the number of process for Scheduling:
enter the burst time for process-0:6 enter the arrival time for process-0:
enter the burst time for process-1:3
enter the arrival time for process-1:
enter the burst time for process-2:8 enter the arrival time for process-2:
enter the burst time for process-3:3
enter the arrival time for process-3:
enter the burst time for process-4:4 enter the arrival time for process-4:
 CFS Scheduling algorithm :
                                      BurstTime
                                                             ArrivalTime
                                                                                        FinishTime
                                                                                                            TurnAroundTime
                                                                                                                                          WatingTime
                      p1
p2
                                                                          0
                                                                                                  20
                                                                                                                  15.200000
                                                                                                                                            10.400000
```

```
C:\Windows\System32\cmd.exe
C:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P1_FCFS_PD.java
C:\Users\SD CONSULTANTS\OneDrive\Desktop>java P1_FCFS_PD.java
enter the number of process for Scheduling:
5
enter the burst time for process-0:4
enter the arrival time for process-0:
3
enter the burst time for process-1:3
enter the arrival time for process-1:
5
enter the burst time for process-2:2
enter the arrival time for process-2:3
enter the arrival time for process-3:1
enter the burst time for process-3:5
enter the burst time for process-4:3
enter the arrival time for process-4:4
```

OUTPUT:

ProcessId p2	2	0	2	2	WatingTime Ø
р0			6		-1
p4					
p1			12		
р3					
			Average	5.000000	2.400000

SAPMLE OUTPUT 4:

```
C:\Windows\System32\cmd.exe
C:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P1_FCFS_PD.java
C:\Users\SD CONSULTANTS\OneDrive\Desktop>java P1_FCFS_PD.java enter the number of process for Scheduling:
enter the burst time for process-0:4 enter the arrival time for process-0:
enter the burst time for process-1:3 enter the arrival time for process-1:
enter the burst time for process-2:2 enter the arrival time for process-2:
enter the burst time for process-3:1 enter the arrival time for process-3:
enter the burst time for process-4:3 enter the arrival time for process-4:
FCFS Scheduling algorithm :
                                             BurstTime
                                                                                                        FinishTime
               ProcessId
                                                                        ArrivalTime
                                                                                                                               TurnAroundTime
                                                                                                                                                                   {\tt WatingTime}
                         p2
p0
p4
                          p1
p3
                                                                                                                                                                      2.400000
                                                                                                                                        5.000000
                                                                                                            Average
 ::\Users\SD CONSULTANTS\OneDrive\Desktop>
```