Exp No: 2 Date: 8.2.25

REGISTRATION FORM

AIM:

To write a JavaScript to validate the following fields of a registration page

- a) First Name (Name should contain alphabets and the length should not be less than 6 characters
- b)Password (Password should not be less than 6 characters length)
- c)Email id (should not contain any invlaid and must follow the standard pattern name@domain.com)
- d)Mobile Number(phone number should contain 10 digits only)
- e)Last Name and Address (should not be Empty)

PROGRAM:

```
<html>
<head>
      <title>Registration Form</title>
    <style>
        .error-message {
            color: red;
            font-size: 14px;
            margin-top: 5px;
        }
        input{
            padding: 5px;
            border-radius: 6px;
            display: block;
        }
    </style>
</head>
<body style="display:flex; flex-direction: column; justify-content:</pre>
center; align-items: center;">
    <h1>REGISTRATION FORM</h1>
    <form name="RegForm" onsubmit="return validateForm()">
```

```
>
            <label for="firstname">First Name:</label>
            <input type="text" id="firstname" name="firstname"</pre>
placeholder="Enter First Name" required/>
            <span id="firstname-error" class="error-message"></span>
        >
            <label for="password">Password:</label>
            <input type="password" id="password" name="password"</pre>
placeholder="Enter Password" required/>
            <span id="password-error" class="error-message"></span>
        >
            <label for="email">Email:</label>
            <input type="text" id="email" name="email" placeholder="Enter</pre>
Email" required/>
            <span id="email-error" class="error-message"></span>
        >
            <label for="phone">Phone Number:</label>
            <input type="tel" id="phone" name="phone" placeholder="Enter</pre>
Phone Number" required/>
            <span id="phone-error" class="error-message"></span>
        >
            <label for="lastname">Last Name:</label>
            <input type="text" id="lastname" name="lastname"</pre>
placeholder="Enter Last Name" required/>
            <span id="lastname-error" class="error-message"></span>
```

```
>
            <label for="address">Address:</label>
            <textarea id="address" name="address" placeholder="Enter
Address" required></textarea>
            <span id="address-error" class="error-message"></span>
        >
            <input type="submit" value="Submit" name="Submit" />
        </form>
    <script>
        function validateForm() {
            let firstname = document.getElementById("firstname").value;
            let password = document.getElementById("password").value;
            let email = document.getElementById("email").value;
            let phone = document.getElementById("phone").value;
            let lastname = document.getElementById("lastname").value;
            let address = document.getElementById("address").value;
            const firstnameError = document.getElementById("firstname-
error");
            const passwordError = document.getElementById("password-
error");
            const emailError = document.getElementById("email-error");
            const phoneError = document.getElementById("phone-error");
            const lastnameError = document.getElementById("lastname-
error");
            const addressError = document.getElementById("address-error");
```

```
firstnameError.textContent = "";
            passwordError.textContent = "";
            emailError.textContent = "";
            phoneError.textContent = "";
            lastnameError.textContent = "";
            addressError.textContent = "";
            let isvalid = true;
            if(/[^a-zA-Z]/.test(firstname))
            {
                firstnameError.textContent="First Name only contains
alphabet";
                isvalid = false;
            }
            else if(firstname.length <= 6){</pre>
                    firstnameError.textContent="First Name length not less
than 6 characters";
                    isvalid = false;
                }
            if (password.length !=8) {
                passwordError.textContent = "Password must be between 8
and 30 characters.";
                isvalid = false;
            }
            const emailPattern = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-
Z]{2,}$/;
            if (!emailPattern.test(email)) {
```

```
emailError.textContent = "Please enter a valid email
address.";
                isvalid = false;
            }
            if(phone.length!=10){
                phoneError.textContent = "Phone number length must be 10";
                isvalid = false;
            }
            if(isvalid){
                alert("Register successfully");
                return true;
            }
            else{
                return false;
            }
    }
    </script>
</body>
</html>
OUTPUT:
```


RESULT:

Thus the experiment to create a web page that embeds a map with hotspots, frames, and links using embedded, external, and inline CSS has been successfully implemented and verified.