

QUEEN'S UNIVERSITY BELFAST

ELE8096 WIRELESS SENSOR SYSTEMS

COURSEWORK 1

GROUP: 5

Part II: Group Task – Data Set and Basic Statistics

Identifying a Data Set

We build a Github Repositorie and upload the data set, it is public to check from this link: [The Data Set](#). And the data source is from the UK AIR Air Information Resource, it can be check with some steps from this link: [The Data Source](#).

Background on the importance of pollutant and legislation on thresholds

Nitrogen Dioxide (NO_2) is one of a group of highly reactive gases known as oxides of nitrogen or nitrogen oxides (NO_x). Other nitrogen oxides include nitrous acid and nitric acid. NO_2 is used as the indicator for the larger group of nitrogen oxides.

The main source of NO_2 : NO_2 primarily gets in the air from the burning of fuel. NO_2 forms from emissions from cars, trucks and buses, power plants, and off-road equipment. Nitrogen dioxide by anthropogenic is mainly released from high-temperature combustion processes, such as motor vehicle exhaust and boiler exhaust emissions. NO_2 is mainly derived from the oxidation of NO , producing approximately 568×10^6 tons per year. The various nitrogen oxides emitted by human activities mainly come from the combustion process of various fuels, among which industrial kilns and automobiles are the most important. NO_x generation pathway during fuel combustion: Nitrogen in the air is oxidized at high temperature. The NO_x generated in this way is called thermally induced NO_x . The amount of NO_x generated is a function of flame structure and temperature. The higher the temperature, the greater the concentration of oxygen in the combustion zone, and the greater the amount of NO_x produced.

Health effects of NO_2 : Breathing air with a high concentration of NO_2 can irritate airways in the human respiratory system. Such exposures over short periods can aggravate respiratory diseases, particularly asthma, leading to respiratory symptoms (such as coughing, wheezing or difficulty breathing), hospital admissions and visits to emergency rooms. Longer exposures to elevated concentrations of NO_2 may contribute to the development of asthma and potentially increase susceptibility to respiratory infections. People with asthma, as well as children and the elderly are generally at greater risk for the health effects of NO_2 . NO_2 along with other NO_x reacts with other chemicals in the air to form both particulate matter and ozone. Both of these are also harmful when inhaled due to effects on the respiratory system.

Nitrogen dioxide is one of the causes of acid rain and has a variety of environmental effects, including effects on competition and changes in composition between wetland and terrestrial plant species, reduced atmospheric visibility, acidification of surface water, eutrophication (lack of oxygen due to algal blooms rich in nutrients such as nitrogen and phosphorus in the water) and increased levels of toxins in the water column that are harmful to fish and other aquatic organisms.

Basic statistics on the data set

The figures of 12 months average duiring this year are showed below as Figure 1:




Figure 1: 12 months average duiring this year

The figures of 4 season 15th comparison are showed below as Figure 2:




Figure 2: 4 season 15th comparison