#### 1

# AI1103: Assignment 8

# Chitneedi Geetha Sowmya CS20BTECH11011

## Download all latex codes from

https://github.com/Geetha495/Assignment8/blob/main/Assignment8.tex

#### 1 Problem

Let  $\phi(t)$  be a characteristic function of some random variable. Then, which of the following is also a characteristic function?

- 1)  $f(t) = [\phi(t)]^2$  for all  $t \in \mathbb{R}$
- 2)  $f(t) = |\phi(t)|^2$  for all  $t \in \mathbb{R}$
- 3)  $f(t) = \phi(-t)$  for all  $t \in \mathbb{R}$
- 4)  $f(t) = \phi(t+1)$  for all  $t \in \mathbb{R}$

#### 2 Solution

**Definition 2.1** (Characteristic Function). The function  $\phi_X(t) = E(e^{itX})$  is called the characteristic function (cf ) of random variable X.

**Proposition 2.1** (Properties of a Characteristic function). *All cf's have the following properties:* 

- 1)  $\phi(-t) = \overline{\phi(t)}$  (complex conjugate)
- 2) The characteristic function of -X is the complex conjugate  $\overline{\phi(t)}$ .

**Proposition 2.2** (Cf of sum of independent r.v.'s). If X and Y are independent, then

$$\phi_{X+Y}(t) = \phi_X(t) \times \phi_Y(t)$$

Let X be the given random variable and let Y and -X have the same distribution.

Option 1:

$$[\phi_X(t)]^2 = \phi_X(t) \times \phi_X(t)$$
  
=  $\phi_{2X}(t)$  (by proposition 2.2)

Thus,  $[\phi(t)]^2$  is a characteristic function of random variable 2X.

# Option 2:

$$|\phi_X(t)|^2 = \phi_X(t) \times \overline{\phi_X(t)}$$

$$= \phi_X(t) \times \phi_Y(t) \quad \text{(by proposition 2.1)}$$

$$= \phi_{X+Y}(t)$$

Thus,  $|\phi(t)|^2$  is a characteristic function of random variable (X + Y).

# Option 3:

$$\phi_X(-t) = E(e^{i(-t)X})$$
 (by definition 2.1)  
=  $E(e^{it(-X)})$   
=  $E(e^{itY})$   
=  $\phi_Y(t)$ 

Thus,  $\phi(-t)$  is a characteristic function of random variable Y.

### Option 4:

$$\phi_X(t+1) = E(e^{i(t+1)X})$$
 (by definition 2.1)  
=  $E(e^{itX} \times e^{iX})$ 

Thus,  $\phi(t+1)$  is a not a characteristic function.

Hence, correct options are 1, 2, 3.