# Subnetting

# Subnetting table

Decimal	CIDR	addresses	hosts
0.0.0.0	/0	4294967296	4294967294
128.0.0.0	/1	2147483648	2147483646
192.0.0.0	/2	1073741824	1073741822
224.0.0.0	/3	536870912	536870910
240.0.0.0	/4	268435456	268435454
248.0.0.0	/5	134217728	134217726
252.0.0.0	/6	67108864	67108862
254.0.0.0	/7	33554432	33554430
255.0.0.0	/8	16777216	16777214
255.128.0.0	/9	8388608	8388606
255.192.0.0	/10	4194304	4194302
255.224.0.0	/11	2097152	2097150
255.240.0.0	/12	1048576	1048574
255.248.0.0	/13	524288	524286
255.252.0.0	/14	262144	262142
255.254.0.0	/15	131072	131070
255.255.0.0	/16	65536	65534
255.255.128.0	/17	32768	32766
255.255.192.0	/18	16384	16382
255.255.224.0	/19	8192	8190
255.255.240.0	/20	4096	4094
255.255.248.0	/21	2048	2046
255.255.252.0	/22	1024	1022
255.255.254.0	/23	512	510
255.255.255.0	/24	256	254
255.255.255.128	/25	128	126
255.255.255.192	/26	64	62

Decimal	CIDR	addresses	hosts
255.255.255.224	/27	32	30
255.255.255.240	/28	16	14
255.255.255.248	/29	8	6
255.255.255.252	/30	4	2
255.255.255.254	/31	2	0
255.255.255.255	/32	1	-

# **Subnetting Image**

Longitud de prefijo	Máscara de subred	Dirección de red (n = network, h = host)	# de subredes	# de hosts
/17	255.255.128.0	nnnnnnn.nnnnnnn.nhhhhhh.hhhhhhh 1111111.11111111.10000000.000000000	2	32766
/18	255.255.192.0	nnnnnnn.nnnnnnn.nnhhhhhh.hhhhhhh 1111111.11111111.1100000.000000000	4	16382
/19	255.255.224.0	nnnnnnn.nnnnnnn.nnnhhhhh.hhhhhhh 1111111.11111111.11100000.000000000	8	8190
/20	255.255.240.0	nnnnnnn.nnnnnnn.nnnhhhh.hhhhhhh 1111111.11111111.11110000.000000000	16	4094
/21	255.255.248.0	nnnnnnn.nnnnnnn.nnnnhhh.hhhhhhh 11111111.11111111.1111000.00000000	32	2046
/22	255.255.252.0	nnnnnnn.nnnnnnn.nnnnnhh.hhhhhhh 11111111.11111111.1111100.00000000	64	1022
/23	255.255.254.0	nnnnnnn.nnnnnnn.nnnnnnh.hhhhhhh 11111111.11111111.11111110.00000000	128	510
/24	255.255.255.0	nnnnnnn.nnnnnnn.nnnnnnn.hhhhhhh 11111111.11111111.1111111.00000000	256	254
/25	255.255.255.128	nnnnnnn.nnnnnnn.nnnnnnn.nhhhhhh 11111111.11111111.11111111.10000000	512	126
/26	255.255.255.192	nnnnnnn.nnnnnnn.nnnnnnn.nnhhhhh 11111111.11111111.11111111.11000000	1024	62
/27	255.255.255.224	nnnnnnn.nnnnnnn.nnnnnnn.nnnhhhh 11111111.11111111.11111111.11100000	2048	30
/28	255.255.255.240	nnnnnnn.nnnnnnn.nnnnnnn.nnnnhhhh 11111111.11111111.11111111.11110000	4096	14
/29	255.255.255.248	nnnnnnn.nnnnnnnn.nnnnnnn.nnnnnhhh 11111111.1111111111	8192	6
/30	255.255.255.252	nnnnnnn.nnnnnnn.nnnnnnnn.nnnnnnhh 11111111.11111111.11111111.111111100	16384	2

# **Subnetting Examples**

## **Example 1**

4 networks

• Root Net: 192.168.123.0/24

192.168.123. 00000000

need 2 bits for 4 networks

2^2 = 4

· Subnets:

Network	Binary	Dir	Broadcast
1	00	192.168.123.0/26	.63
2	01	192.168.123.64/26	.127
3	10	192.168.123.128/26	.191
4	11	192.168.123.192/26	.255

## **Example 2**

7 networks

• Root Net: 10.29.0.0/16

10.29. 00000000.00000000

need 3 bits for 8 networks  $2^3 = 8$ 

· Subnets:

Network	Binary	Dir	Broadcast
1	000	10.29.0.0	10.29.31.255
2	001	10.29.32.0	10.29.63.255
3	010	10.29.64.0	10.29.95.255
4	011	10.29.96.0	10.29.127.255
5	100	10.29.128.0	10.29.159.255
6	101	10.29.160.0	10.29.191.255
7	110	10.29.192.0	10.29.223.256
8	111	10.29.224.0	10.29.255.255

## **Example 3**

• Root Net: 192.168.0.0/24

192.168. 00000000 .00000000

· Subnets:

2 of 20 hosts

1 of 80 hosts

3 of 2 hosts

sort by hosts count:

- A 80 hosts
- B 20 hosts
- C 20 hosts
- D 2 hosts
- D 2 hosts

#### A - 80 hosts

2 ^ 7 = 128 - 2 = 126 hosts

Mask: /25 = 255.255.255.128 # get by table

Dir: 192.168.0.0

Broadcast: 192.168.0.127 #Dir + 2^7 - 1

#### B - 20 hosts

Dir: 192.168.0.128 # (before dir) + 1

2 ^ 5 = 32 - 2 = 30 hosts

Mask: /27 = 255.255.255.224 # get by table Broadcast: 192.168.0.159 #Dir + 2^5 - 1

#### C - 20 hosts

Dir: 192.168.0.160 # (before dir) + 1

2 ^ 5 = 32 - 2 = 30 hosts

Mask: /27 = 255.255.255.224 # get by table Broadcast: 192.168.0.191 #Dir  $+ 2^5 - 1$ 

#### D - 2 hosts

Dir: 192.168.0.192 # (before dir) + 1

2 ^ 2 = 4 - 2 = 2 hosts

Mask: /30 = 255.255.255.252 # get by table Broadcast: 192.168.0.195 #Dir +  $2^2 - 1$ 

#### E - 2 hosts

Dir: 192. 168. 0. 196 # (before dir) + 1

2 ^ 2 = 4 - 2 = 2 hosts

Mask: /30 = 255. 255. 255. 252 # get by table Broadcast: 192. 168. 0. 199 #Dir + 2^2 - 1

#### F - 2 hosts

Dir: 192. 168. 0. 200 # (before dir) + 1

2 ^ 2 = 4 - 2 = 2 hosts

Mask: /30 = 255. 255. 255. 252 # get by table Broadcast: 192. 168. 0. 203 #Dir + 2^2 - 1

### Subnets in table

Network	hosts	Dir	Broadcast
А	80	192.168.0.0	192.168.0.127
В	20	192.168.0.128	192.168.0.159
С	20	192.168.0.160	192.168.0.191
D	2	192.168.0.192	192.168.0.195
E	2	192.168.0.196	192.168.0.199
F	2	192.168.0.200	192.168.0.203