Experiment: Istio on k3d

In this experiment, we will deploy Istio and access on K3d.

Create a cluster without traefik, since there are known issues in k3d with istio andtraefik

\$ k3d cluster create istio-demo --api-port 6660 --agents 2 --k3s-server-arg --no-deploy --k3s-server-arg traefik

Generate config

\$ export KUBECONFIG=\$(k3d kubeconfig get istio-demo)

Check our pods and services

\$ kubectl get pod,svc -A

NAMESPACE NAME READY STATUS **RESTARTS AGE** kube-system pod/local-path-provisioner-58fb86bdfd-h6npn 1/1 Running 0.13m kube-system pod/coredns-57d8bbb86-zkjkg 1/1 Running 013mNAME TYPE CLUSTER-IP EXTERNAL-IP PORT(S) AGE NAMESPACE default service/kubernetes ClusterIP 10.43.0.1<none> 443/TCP 13m kube-system service/kube-dns ClusterIP 10.43.0.10 <none> 53/UDP,53/TCP,9153/TCP 13m

Now we're ready for installing Istio on it.

Install Istio

We will use a recent release of 1.6 for Istio to utilize a widely used release version, rather than the newer 1.7 or very new 1.8 versions

We'll download Istio from the releases site: https://github.com/istio/istio/releases

For MacOS:

https://github.com/istio/istio/releases/download/1.6.14/istio-1.6.14-osx.tar.gz is thetarget so we'll use

\$ curl -L https://istio.io/downloadIstio | ISTIO_VERSION=1.6.14 sh -

For Windows:

Download and unzip https://github.com/istio/istio/releases/download/1.6.14/istio-1.6.14-win.zip Or if you are using Git Bash or Cygwin on windows

\$ curl -L https://istio.io/downloadIstio | ISTIO_VERSION=1.6.8 TARGET ARCH=x86 64 s

For additional information on Istio setup we could reference: https://istio.io/docs/setup/install/helm/

We already installed Helm and we'll use the template for Istio

Make sure you're in the folder for the unpacked Istio 1.6.14 or similar which on my computer would be

/Users/geoniece/istio-1.6.14

Create a namespace istio-system for Istio components:

\$ kubectl create namespace istio-system

Install the Istio base chart which contains cluster-wide resources used by the Istiocontrol plane:

\$ helm install -n istio-system istio-base manifests/charts/base

Install the Istio discovery chart which deploys the istiod service:

\$ helm install --namespace istio-system istiod manifests/charts/istio-control/istio-discovery --set global.hub="docker.io/istio" --set global.tag="1.6.14"

Install the Istio ingress chart which contains the ingress gateway components:

\$ helm install --namespace istio-system istio-ingress manifests/charts/gateways/istio-ingress --set global.hub="docker.io/istio" --set global.tag="1.6.14"

Install the Istio egress chart which contains the egress gateway components:

\$ helm install --namespace istio-system istio-egress manifests/charts/gateways/istio-egress --set global.hub="docker.io/istio" --set global.tag="1.6.14"

Optimistically there will be no errors. Not let's check the deployment.

\$ kubectl get svc,pod -n istio-system

```
TYPE
NAME
                                     CLUSTER-IP
                                                      EXTERNAL-IP
                                                                       PORT(S)
AGE
service/istio-
                      ClusterIP
                                     10.43.10.191
                                                      <none>
galley
443/TCP, 15014/TCP, 9901/TCP
2m21s
service/istio-policy
                         ClusterIP
                                       10.43.86.131
                                                            <none>
9091/TCP, 15004/TCP, 15014/TCP
2m21s
                                ClusterIP
service/istio-telemetry
                                              10.43.11.107
                                                                  <none>
9091/TCP, 15004/TCP, 15014/TCP, 42422/TCP
service/istio-pilot
                         ClusterIP
                                       10.43.126.19
                                                            <none>
15010/TCP, 15011/TCP, 8080/TCP, 15014/TCP
2m21s
                                                                         9090/TCP 2m21s
service/prometheus
                         ClusterIP
                                       10.43.41.148
                                                            <none>
                                       10.43.91.217
                                                            <none> 8060/TCP, 15014/TCP
service/istio-citadel ClusterIP
                                                     10.43.117.133 <none>
service/istio-sidecar-injector ClusterIP
443/TCP, 15014/TCP
2m21s
service/istio-ingressgateway LoadBalancer 10.43.69.0 192.168.96.2 15020:30845/TCP,80:31380/TCP,443:31390/TCP,31400:31400/TCP,15029:31842/TCP,15030:32247/TCP,15031:32685/TCP,15032:31093/TCP,1543:30499/TCP 2m21s
NAME READY STATUS
                         RESTARTS AGE
pod/istio-init-crd-10-1.3.5-28hj7 0/1
                                                                  Completed
                                                                               0
                                                                                0/1
                   5m40s pod/istio-init-crd-11-1.3.5-vmwmw
                   Completed 0
                                                                  5m40s pod/istio-
init-crd-12-1.3.5-84q77
                                                            Completed 0
                                       0/1
                   5m40s pod/istio-security-post-install-1.3.5-jb66j 0/1
            Completed
                                                     2m21s pod/svclb-istio-
ingressgateway-ww22d
                                                            9/9
                                0
                                                                  2m21s pod/istio-
     Running
citadel-5c67db5cb-hmhvb
                                                            1/1
     Running
                                                            2m20s pod/prometheus-
6f74d6f76d-tpipc
                                              1/1
                                                                         Runnina
                                       2m20s pod/istio-policy-66d87c756b-hf4wx
     0
                                              Running
                                                            3
     2m21s pod/istio-galley-56b9fb859d-7jmsq
                                                                         1/1
                                                     2m21s pod/istio-sidecar-
            Running
injector-5d65cfcd79-1hh6k 1/1
                                                            Running
                                                        2/2
2/2
2m2Os pod/istio-pilot-64478c6886-9xm7b
                                                                             0
                                                               Running
2m2Os pod/istio-telemetry-5d4c4bfbbf-q4ccz
                                                                Running
                                                                              4
2m20s pod/istio-ingressgateway-7b766b6685-5vwg5
                                                         1/1
                                                                 Running
                                                                              0
2m21s
```

Next, we will run a sample application on our Istio configuration on k3d.

Deploy bookinfo sample application

To verify, we will deploy the bookinfo sample application included in Istio. We can reference additional detail at

https://istio.io/latest/docs/examples/bookinfo/

Since BookInfo is included in Istio, we'll have that with our installation

Enable automatic sidecar injection

\$ kubectl label namespace default istio-injection=enabled

Deploy apps

\$ kubectl apply -f samples/bookinfo/platform/kube/bookinfo.yaml

Wait for the deployment finished for example using watch

\$ kubectl get pods -w

```
NAME READY STATUS RESTA details-v1-78d78fbddf-5db8b
                        RESTARTS AGE
                                                         PodInitializing 0
     37s reviews-v1-7bb8ffd9b6-rdgjc
                                                  0/2
                                                               PodInitializing 0
           37s ratings-v1-6c9dbf6b45-p7567
     PodInitializing 0
                                            36s productpage-v1-596598f447-nj6wx
0/2
                  PodInitializing
                                                                      36s reviews-
v3-68964bc4c8-qrhc4
                                            0/2
                                                  37s reviews-v2-d7d75fff8-65f4q
     PodInitializing
           PodInitializing 0
                                     37s
     0/2
```

Create ingress gateway for bookinfo


\$ kubectl apply -f samples/bookinfo/networking/bookinfo-gateway.yaml

After that, we confirm the external IP of LoadBalancer service:

\$ kubectl get svc -n istio-system istio-ingressgateway -o jsonpath='{.status.loadBalancer.ingress[0].ip}'

192.168.96.2

and opened that IP in following URL with the IP http://{The IP Address}/productpage
We should see the following



The memory usage of the container with bookinfo was around 2GiB:

\$ docker stats --no-stream

CONTAINER ID NAME CPU % MEM USAGE / LIMIT MEM

% NET I/O BLOCK I/O PIDS
598bd6d07c85 k3d-k3s-default-server 52.24% 1.909GiB /
15.4GiB 12.40% 819MB / 21.7MB 1.41MB / 818MB 899