Risk Assessment

Authors: Tommaso Puccetti, Edoardo Dini

Università degli studi di Firenze

22/09/2018

IT Security Management: overview (1)

Is the formal process of answering the questions:



- Ensure that asset are sufficiently protected in a cost-effective manner;
- Security risk assessment is needed for each asset in the organization; that require protection;
- Provide the information necessary to decide what management, operational and technical controls are needed to reduce the risk identified

IT Security Management: overview (2)

Definition:

A process used to achieve and maintain appropriate levels of confidentiality, integrity, availability, accountability, authenticity, and reliability.

- determining organizational IT security objectives, strategies, and policies
- determining organizational IT security requirements
- identifying and analyzing security threats to IT assets
- identifying and analyzing risks
- specifying appropriate safeguards
- monitoring the implementation and operation of safeguards
- developing and implementing a security awareness program
- detecting and reacting to incidents




IT Security Management: a cyclic process (1)


It is important to emphasize that:

- IT security management needs to be a key part of an organizations overall management plan.
- IT security risk assessment process should be incorporated into the wider risk assessment of all the organizations assets and business processes.
- IT security management is a cyclic process that must be repeated constantly (as specified in [ISO27001]).

IT Security Management: a cyclic process (2)



IT Security Management: a cyclic process (3)





Evolution and consensus

The discipline of IT security management has evolved considerably over the last few decades. This has occurred in response to the rapid growth of, and dependence on networked computer systems and the associated rise in risks to these systems. In the last decade a number of national and international standards have been published. These represent a consensus on the best practice in the field. The International Standards Organization (ISO) has revised and consolidated a number of these standards into the 27000 series.

ISO 27000 series of Standards on IT Security Techniques

	Information security management systemsOverview and vocabulary provides an
27000:2012	overview of information security management systems, and defines the vocabulary and
	definitions used in the 27000 family of standards.
	Information security management systemsRequirements specifies the requirements for
27001:2005	establishing, implementing, operating, monitoring, reviewing, maintaining, and improving a
	documented Information Security Management System.
	Code of practice for information security management provides guidelines for informa-
27002:2005	tion security management in an organization and contains a list of best-practice security
	controls. It was formerly known as ISO17799.
	Information security management system implementation guidance details the process
27003:2010	from inception to the production of implementation plans of an Information Security
	Management System specification and design.
	Information security managementMeasurement provides guidance to help organiza-
27004:2009	tions measure and report on the effectiveness of their Information Security Management
	System processes and controls.
27005:2011	Information security risk management provides guidelines on the information security
27005:2011	risk management process. It supersedes ISO13335-3/4.
27006:2007	Requirements for bodies providing audit and certification of information security
27000:2007	management systems specifies requirements and provides guidance for these bodies.

Organizational Context and Security Policy



In IT security management process comprises an examination of the organization's IT security **object, strategies and policies**. This can only occur in the wider context of the organization's management.

Security Objectives

- What key aspects of the organization require IT support in order to function efficiently?
- What tasks can only be performed with IT support?
- Which essential decisions depend on the accuracy, currency, integrity, or availability of data managed by the IT systems?
- What data created, managed, processed, and stored by the IT systems need protection?
- What are the consequences to the organization of a security failure in their IT systems?

Security Strategy

Once the objectives are listed, some broad strategy statements can be developed. These outline in general terms how the identified objectives will be met in a consistent manner across the organization:

- The topics and details in the strategy statements depend on the identified objectives, the size of the organization, and the importance of the IT systems to the organization.
- The strategy statements should address the approaches the organization will use to manage the security of its IT systems. Given the organizational security objectives and strategies, an organizational

Security Policy

Given the organizational security objectives and strategies, an organizational security policy is developed that describes what the objectives and strategies are and the process used to achieve them. INSERIRE FLENCO PUNTATO

Management Support

IT security policy must be supported by senior management Need IT security officer

- To provide consistent overall supervision
- Liaison with senior management
- Maintenance of IT security objectives, strategies, policies
- Handle incidents
- Management of IT security awareness and training programs
- Interaction with IT project security officers

Large organizations need separate IT project security officers associated with major projects and systems



Security Risk Assessment



Baseline Approach

Goal is to implement agreed controls to provide protection against the most common threats Forms a good base for further security measures

Use "industry best practice":
-Easy, cheap, can be replicated
-Gives no special consideration
to variations in risk exposure
-May give too much or too little
security

Generally recommended only for small organizations without the resources to implement more structured approaches

Informal Approach

Involves conducting an informal, pragmatic risk analysis on organization's IT systems

Exploits knowledge and expertise of analyst

Fairly quick and cheap

Judgments can be made about vulnerabilities and risks that baseline approach would not address

Some risks may be incorrectly assessed

Skewed by analyst's views, varies over time

Suitable for small to medium sized organizations where IT systems are not necessarily essential

Detailed Risk Analysis

Most comprehensive approach

Suitable for large organizations with IT systems critical to their business objectives Assess using formal structured process:
-Number of stages
-Identify threats and vulnerabilities to assets
-Identify likelihood of risk occurring and consequences



Significant cost in time, resources, expertise



May be a legal requirement to use

Combined Approach (1)

IMMAGINE Aim is to provide reasonable levels of protection as quickly as possible then to examine and adjust the protection controls deployed on key systems over time: Over time, this can result in the most appropriate and cost-effective security controls being selected and implemented on these systems


Combined Approach (2)

- Approach starts with the implementation of suitable baseline security recommendations on all systems
- Next, systems either exposed to high risk levels or critical to the organization's business objectives are identified in the high-level risk assessment
- 3 A decision can then be made to possibly conduct an immediate informal risk assessment on key systems, with the aim of relatively quickly tailoring controls to more accurately reflect their requirements
- 4 Lastly, an ordered process of performing detailed risk analyses of these systems can be instituted

Detailed Security Risk Analysis (1)

Provides the most accurate evaluation of an organization's IT system's security risks **Highest cost** Initially focused on addressing defense security concerns Often mandated by government organizations and associated businesses


Detailed Security Risk Analysis (2)



Establishing the Context (1)

- Initial steps
 - Determine the basic parameters of the risk assessment
 - Identify the assets to be examined
- Explores political and social environment in which the organization operates
 - Legal and regulatory constraints
 - Provide baseline for organizations risk exposure
- The risk appetite is the level of risk the organization views as acceptable

Establishing the Context (2)



Terminology

- Asset: a system resource or capability of value to its owner that requires protection.
- Threat: a potential for a threat source to exploit a vulnerability in some asset, which if it occurs may compromise the security of the asset and cause harm to the assets owner
- Vulnerability: a flaw or weakness in an assets design, implementation, or operation and management that could be exploited by some threat
- Risk: The potential for loss computed as the combination of the likelihood that a given threat exploits some vulnerability to an asset, and the magnitude of harmful consequence that results to the assets owner.

Asset Identification

"What assets we need to protect?"

- These assets need to be identified and their value to the organization assessed.
- The ideal is to consider every conceivable asset, in practice this is not possible. Rather the goal here is to identify all assets that contribute significantly to attaining the organizations objectives and whose compromise the organizations operation.
- A security experts may not have an high knowledge of the organization's operation and structure, so experts for each area of the organization are needed for the process.



Threat Identification (1)

"Who or what could cause harm to the assets?"

- Identifying possible threats and threat sources requires the use of a variety of sources, along with the experience of the risk assessor.
- Organizations define threat scenarios to describe how the tactics, techniques, and procedures employed by an attacker can contribute to, or cause, harm.

Threat Identification (2)

- Motivation: Why would they target this organization; how motivated are they?
- Capability: What is their level of skill in exploiting the threat?
- Resources: How much time, money, and other resources could they deploy?
- Probability of attack: How likely and how often would your assets be targeted?
- **Deterrence**: What are the consequences to the attacker of being identified?

Vulnerability Identification

- Identify exploitable flaws or weaknesses in organizations IT systems or processes
 - Determines applicability and significance of threat to organization
- Need combination of threat and vulnerability to create a risk to an asset
- utcome should be a list of threats and vulnerabilities with brief descriptions of how and why they might occur

Analyze Risks

- Specify likelihood of occurrence of each identified threat to asset given existing controls
- Specify consequence should threat occur
- Hard to determine accurate probabilities and realistic cost consequences
- Use qualitative, not quantitative, ratings
- Derive overall risk rating for each threat

Definition:

Risk = probability threat occurs x cost to organization



Analyze Existing Security Control

- Existing controls used to attempt to minimize threats need to be identified.
- Security controls include:
 - Management
 - Operational
 - 3 Technical processes and procedures
- Use checklists of existing controls and interview key organizational staff to solicit information

Risk Likelihood (1)

- Take the assets and the threath/vulnerability from the previous steps and decides an appropriate rating. It is related to the likelihood of a specified threath exploiting one or more vulnerability to an asset.
- When deliberate human-made threat sources are considered, this estimate should include an evaluation of the attackers intent, capability, and specific targeting of this organization (an high rating suggests that a threat has occurred sometimes previously).

Risk Likelihood (2)

- There will very likely be some uncertainty and debate over exactly which rating is most appropriate. The final decision will be taken by the management.
- The likelihood is typically described qualitatively, using values and descriptions such as those shown in the table.

Rating	Likelihood Description	Expanded Definition		
1	Rare	May occur only in exceptional circumstances and may be deemed a unlucky or very unlikely.		
2	Unlikely	Could occur at some time but not expected given current controls, circumstances, and recent events.		
3	Possible	Might occur at some time, but just as likely as not. It may be difficult to control its occurrence due to external influences.		
4	Likely	Will probably occur in some circumstance and one should not be surprised if it occurred.		
5	Almost Certain Is expected to occur in most circumstances and certainly sooner			

Risk Consequences (1)

- Consequence specification indicates the impact on the organization (and not only on the security system) should the particular threat in question actually eventuate.
- Use qualitative values.
- As with the likelihood ratings, there is likely to be some uncertainty as to the best rating to use.
- As with the likelihood ratings, the consequence ratings must be determined knowing the organizations current practices (existing backup, disaster recovery, and contingency planning), will influence the choice of rating.

Risk Consequences (2)

Rating	Consequence	Expanded Definition
1	Insignificant	Generally a result of a minor security breach in a single area. Impact is likely to last less than several days and requires only minor expenditure to rectify. Usually does not result in any tangible detriment to the organization.
2	Minor	Result of a security breach in one or two areas. Impact is likely to last less than a week but can be dealt with at the segment or project level without management intervention. Can generally be rectified within project or team resources. Again, does not result in any tangible detriment to the organization, but may, in hindsight, show previous lost opportunities or lack of efficiency.
3	Moderate	Limited systemic (and possibly ongoing) security breaches. Impact is likely to last up to 2 weeks and will generally require management intervention, though should still be able to be dealt with at the project or team level. Will require some ongoing compliance costs to overcome. Customers or the public may be indirectly aware or have limited information about this event.

Risk Consequences (3)

	1 =			
Rating	Consequence	Expanded Definition		
4	Major	Ongoing systemic security breach. Impact will likely last 48 weeks and require significant management intervention and resources to overcome. Senior management will be required to sustain ongoing direct management for the duration of the incident and compliance costs are expected to be substantial. Customers or the public will be aware of the occurrence of such an event and will be in possession of a range of important facts. Loss of business or organizational outcomes is possible, but not expected, especially if this is a once off.		
5	Catastrophic	Major systemic security breach. Impact will last for 3 months or more and senior management will be required to intervene for the duration of the event to overcome shortcomings. Compliance costs are expected to be very substantial. A loss of customer business or other significant harm to the organization is expected. Substantial public or political debate about, and loss of confidence in, the organization is likely. Possible criminal or disciplinary action against personnel involved is likely.		
6	Doomsday	Multiple instances of major systemic security breaches. Impact duration cannot be determined and senior management will be required to place the company under voluntary administration or other form of major restructuring. Crimpla proceedings against senior man.		

Risk level determination and meaning

	Consequences					
Likelihood	Doomsday	Catastrophic	Major	Moderate	Minor	Insignificant
Almost Certain	E	E	Е	E	Н	Н
Likely	E	E	E	Н	Н	М
Possible	E	E	E	Н	М	L
Unlikely	E	E	Н	М	L	L
Rare	E	Н	Н	М	L	L

Risk Level	Description		
Extreme (E)	Will require detailed research and management planning at an executive/director level.		
	Ongoing planning and monitoring will be required with regular reviews.		
	Substantial adjustment of controls to manage the risk is expected, with costs possibly		
	exceeding original forecasts.		
High (H)	Requires management attention, but management and planning can be left to senior		
	project or team leaders. Ongoing planning and monitoring with regular reviews are		
	likely, though adjustment of controls is likely to be met from within existing resources.		
Medium (M)	Can be managed by existing specific monitoring and response procedures.		
	Management by employees is suitable with appropriate monitoring and reviews.		
Low (L)	Can be managed through routine procedures		

Risk Register


- Used to keep track of the risk analysis process and, if needed, provides evidence that a formal risk assessment process has been followed.
- The risks are usually sorted in decreasing order of level. This
 would be supported by details of how the various items were
 determined, including the rationale, justification, and

Risk Treatment (1)

- Management decides which treatments should be apllied, considering the data collected in the previous phases.
- The decision is conditioned by two factors:
 - Level of risk;
 - Cost for treatment implementation.
- If the cost of treatment is high, but the risk is low, then it is usually uneconomic to proceed with such treatment.
- If the risk is high and the cost is comparatively low, treatment should occur.
- The most difficult area occurs between these extremes.



Risk Treatment (2)



Risk Treatment (3)

There are five broad alternatives available to management for treating identified risks:

- Risk acceptance
- 2 Risk avoidance
- 8 Risk transfer
- 4 Reduce consequence
- Reduce likelihood