



california  
health  
interview  
survey

## CHIS 2012 DATA DICTIONARY

Public Use File

Adult Survey

January 2016



# **CHIS 2012 DATA DICTIONARY**

## **Adult Survey**

## **Public Use File**

January 2016

adult.sas7bdat

Contact:  
California Health Interview Survey  
UCLA Center for Health Policy Research  
10960 Wilshire Blvd., Suite 1550  
Los Angeles, CA 90024  
Email: [chis@ucla.edu](mailto:chis@ucla.edu)

***Suggested Citation:***

California Health Interview Survey. CHIS 2012 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: January 2016

# TABLE OF CONTENTS

<b>1. Introduction .....</b>	<b>2</b>
1.1 CHIS 2012 Adult Survey Data File .....	2
1.2 Accompanying Files .....	2
<b>2. What's New in CHIS 2011-2012.....</b>	<b>2</b>
<b>3. CHIS 2011-2012 Design and Methodology Summary .....</b>	<b>4</b>
3.1 Overview .....	4
3.2 Switch to a Continuous Survey .....	5
3.3 Sample Design Objectives.....	5
3.4 Data Collection .....	7
3.5 Response Rates .....	8
3.6 Weighting the Sample .....	9
3.7 Imputation Methods.....	11
<b>4. How to Use the Data Dictionary.....</b>	<b>13</b>
<b>5. Sample Code for Analysis and Pooling of CHIS data.....</b>	<b>14</b>
<b>6. Data Dictionary Variable Listings .....</b>	<b>15</b>
A. Variable Name (by alphabetical in CHIS 2011-2012 Adult Questionnaire).....	15
B. Variable Name (by location in CHIS 2011-2012 Adult Questionnaire) .....	26
C. Restricted Variables.....	37
<b>7. Data Dictionary .....</b>	<b>38</b>
Section Q: Screening Information .....	38
Section A: Demographic Information, Part I.....	41
Section B: General Health Condition .....	52
Section C: Health Behaviors.....	81
Section D: General Health, Disability, and Sexual Health .....	96
Section E: Women's Health .....	104
Section F: Mental Health.....	112
Section G: Demographic Information, Part II & Child Care.....	125
Section H: Health Insurance .....	142
Section J: Health Care Utilization and Access .....	176
Section K: Employment, Income, Poverty Status & Food Security.....	191
Section L: Public Program Participation .....	200
Section M: Housing & Community Involvement.....	203
Section N: Demographic Info, Part III, Geographical Info. ....	208
Section O: Full Design and Replicate Weight Series 0-80.....	212

# 1. Introduction

## 1.1 CHIS 2012 Adult Survey Data File

The 2012 California Health Interview Survey (CHIS 2012) Adult Data File consists of individual records obtained from the 2012 data collection period of the CHIS 2011-2012 Adult survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 11-000068) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data use agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data use agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact [dacchpr@ucla.edu](mailto:dacchpr@ucla.edu). Limited technical assistance is also available from CHIS – please send email to [chis@ucla.edu](mailto:chis@ucla.edu).

## 1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT\_PROC\_FORMAT.SAS
- c. **Format file:** ADULT\_FORMAT.SAS
- d. **Label file:** ADULT\_LABEL.SAS
- e. **Others:** ADULT.XPT

# 2. What's New in CHIS 2011-2012

As an ongoing cross-sectional survey of California's population, each CHIS data cycle has its own unique features. Some features may impact CHIS estimates, trends and comparisons of CHIS estimates over time, or the pooling of data across more than one cycle. Methodological changes are necessary to maintain high-quality data and to adapt to the ever-changing survey landscape in a way that meets stakeholders' needs. This document describes the main cycle-specific methodological changes that were implemented in CHIS 2011-2012. We recommend CHIS data users review the information below and our detailed online documentation as necessary before analyzing or reporting CHIS data. A truncated summary of our full documentation is below in Section 3 of this document (CHIS 2011-2012 Design and Methodology Summary).

*CHIS Methodological Documentation Online:*

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>

- 1) **Continuous Data Collection and One-Year Data File Release**– Beginning in 2011, CHIS data are collected continuously across the two-year data collection cycle. In the past, data collection occurred

over a period of roughly 9-months within each cycle. CHIS 2011-12 data collection began on June 15, 2011-12 and concluded on January 14, 2013. The plan for future cycles is to begin data collection in January and continue for all months of the two-year cycle, ending in December of the second year. This new data collection approach allows the release of one-year estimates for each calendar year, providing CHIS users with much more timely data and greater flexibility in structuring their analyses. Users should be cautious examining indicators for small populations (such as child, teen, or racial/ethnic groups) due to the smaller sample sizes of the one-year data; pooling two or more cycles of one-year data is generally advised.

Users who need more information about pooling or trending data over time should review the Analyze CHIS Data website (<http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx>) or go to the Analyze CHIS Data user forum (<http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>).

To minimize disclosure risk and protect respondent confidentiality, some public use variables may not be available in one-year data files. Two-year data files for the CHIS 2011-2012 cycle can be requested as a Special Use Research File (SURF) via our Data Access Center (DAC, see <http://healthpolicy.ucla.edu/chis/data/public-use-data-file/Pages/2011-2012.aspx>).

- 2) **New Control Totals for Weights** – The CHIS weighting process uses control totals produced by the California Department of Finance (DOF). The totals are created by DOF using models to adjust U.S. Census decennial enumeration data based on demographic changes within the state. The DOF updates its projections after each Census, and updates its estimates annually. The control totals for CHIS 2011-2012 weighting are based on the 2010 Census, while CHIS 2009 and earlier CHIS cycle control totals were based on data from the 2000 Census. This change may affect trend estimates across decennial Census years, as is sometimes seen in other surveys with repeated cross-sectional designs like CHIS.
- 3) **Larger Cell Phone Sample** – CHIS has included a cell phone sample since 2007. The specific design of the sample changes over time to remain current with changes in cell phone and landline use in the population and the changing methods of cell phone sampling. In CHIS 2011-2012, 9,152 adult interviews were conducted from the cell phone sample (22% of adult interviews). This is a dramatic increase over CHIS 2009 in which 3,028 adult interviews were conducted from the cell phone sample—similar to the cell phone sample proportion of other dual-frame surveys.<sup>1</sup> In this cycle we were also able to set county-level goals for the cell phone RDD sample due to advances in geographical targeting of cell phone numbers. In the past, we were only able to set targets at a broader regional level. Thus the current cell phone sampling method should produce better estimates for most counties than in the past.
- 4) **County Oversamples** – As in previous cycles, some counties provide funding to supplement their sample. In CHIS 2011-2012 we continued to oversample respondents in San Diego County as we have done since 2005.
- 5) **American Indian and Alaska Native Oversample** – The 2011-2012 cycle includes a supplemental sample of American Indian and Alaska Native residents of California to increase the representation of that group. The oversample was produced using a list of people who had been served by Indian Health Service (IHS) health clinics in California. Although this oversample came from a different sampling frame than the CHIS random digit dial (RDD) samples, it was incorporated into the data files and weighting method so that data analysts can use complete CHIS data sets without taking any

---

<sup>1</sup> See the 2010 AAPOR Cell Phone Task Force report by the American Association for Public Opinion Research for more information about best practices and contemporary issues in cell phone sampling. [http://www.aapor.org/Cell\\_Phone\\_Task\\_Force\\_Report.htm](http://www.aapor.org/Cell_Phone_Task_Force_Report.htm)

additional analytic steps. The survey interview and data collection protocols for this sample were identical to the standard CHIS protocol.

- 6) **New and Updated Survey Questions** – Survey questions are added, removed, and modified in each cycle of CHIS. We add questions to meet stakeholders' needs and to monitor emerging public health concerns. We remove questions to reduce the length of the survey interview and save data collection costs when questions are no longer relevant for public health surveillance, or when they are not funded by a sponsor. Most CHIS questions are included in every CHIS cycle. Occasionally, we make changes to question wording based on methodological evaluations or user feedback that strongly suggests that changes will produce better data; otherwise, we keep questions consistent to aid in trending.

### 3. CHIS 2011-2012 Design and Methodology Summary

#### 3.1 Overview

A series of five methodology reports are available with more detail about the methods used in CHIS 2011-2012:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>.

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001 and continually beginning in 2011. CHIS is the largest state health survey conducted and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, First 5 California, The California Endowment, the National Cancer Institute, and Kaiser Permanente. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse:

<http://healthpolicy.ucla.edu/chis/research/Pages/default.aspx>).

### 3.2 Switch to a Continuous Survey

From the first CHIS cycle in 2001 through 2009, CHIS data collection was biennial, with data collected during a 7-9 month period every other year. Beginning in 2011, CHIS data are collected continually over each 2-year cycle. This change was driven by several factors including the ability to track and release information about health in California on a more frequent and timely basis and to eliminate potential seasonality in the biennial data.

The CHIS 2011-2012 data included in these files were collected between June 15, 2011 and January 14, 2013. Approximately half of the interviews were conducted during the 2011 calendar year and half during the 2012 calendar year. As in previous CHIS cycles, sampling weights are included with the data files and are based on the State of California's Department of Finance population estimates and projections, adjusted to remove the population living in group quarters (such as nursing homes, prisons, etc. and not eligible to participate in CHIS). When the weights are applied to the data, the results represent one year of California's residential population for the age group corresponding to the data file in use (adult, adolescent, or child).

In order to provide CHIS data users with more complete and up to date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample code, is available at:

<http://healthpolicy.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

Additional documentation on constructing the CHIS sampling weights is available in CHIS 2011-2012 Methods Report #5—Weighting and Variance Estimation, available at:

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>.

### 3.3 Sample Design Objectives

The CHIS 2011-2012 sample was designed to meet two sampling objectives: (1) provide estimates for adults in most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline (approximately 80%) and cellular (approximately 20%) service. For the landline RDD sample, the state was divided into 56 geographic sampling strata, including 2 counties with sub-county strata (8 Service Planning Areas in Los Angeles County and 6 Health Service Regions in San Diego County), 41 single-county strata (including Los Angeles and San Diego counties), and three multi-county strata comprised of the 17 remaining counties (see Table 1-1). A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective—to provide health estimates for adults at the local level. The geographic stratification of the state was the same as that used since CHIS 2005. In the first two CHIS cycles there were 47 total sampling strata, including 33 individual counties and one county with sub-county strata (Los Angeles).



**Table 1-1. California county and county group strata used in the CHIS 2011-2012 sample design**

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glen, Tehama
3. Orange	23. San Luis Obispo	43. Plumas, Sierra, Siskiyou, Lassen, Lassen, Modoc, Trinity, Del Norte
4. Santa Clara	24. Placer	44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo
5. San Bernardino	25. Merced	
6. Riverside	26. Butte	

Source: UCLA Center for Health Policy Research, 2011-2012 California Health Interview Survey.

Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

The RDD CHIS sample is of sufficient size to accomplish the second objective (produce estimates for the state's major racial/ethnic groups, as well as many ethnic subgroups). To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2011-2012, the goal was to complete approximately 20% of all RDD interviews statewide with adults from the cell phone sample. The CHIS 2011-2012 and 2009 cell phone sampling method differed from the CHIS 2007 cell phone sample in two significant ways. First, all cell phone sample numbers used by adults for non-business purposes were eligible for the extended interview regardless of the presence of a landline phone. The landline and cell samples, therefore, overlap and contrast to CHIS 2007 when cell phone cases with a landline telephone were

screened out to limit the cell phone sample to “cell phone only” cases. This change was made due to the large number and potentially unique characteristics of telephone users who possess both a landline and cell phone, but rely principally on their cell phone for communication and would otherwise be under-represented in the sample. The second change to the cell phone sample was the inclusion of child and adolescent extended interviews. About 550 teen interviews and 1,500 child interviews were completed from the cell phone sample in CHIS 2011-2012.

In CHIS 2009 and 2007, telephone numbers assigned to cellular service could not be geographically stratified at the county level with sufficient precision due to limitations in how cell phone samples were associated with specific geographical areas at that time. Thus, the cell RDD sample was geographically stratified into 28 strata using 7 CHIS regions and telephone area codes. In CHIS 2011-2012, we were able to set realistic cell sample targets for most of the landline strata (i.e., counties and small county groups) by using area codes of the cell phone numbers and previous CHIS cell phone sample experience.

If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected. Cell numbers used exclusively by people under 18 were considered ineligible.

Finally, the CHIS 2011-2012 sample included an American Indian/Alaska Native (AIAN) oversample. This oversample was sponsored by Urban American Indian Involvement, Inc. and California Indian Health Services. The purpose of this oversample was to increase the number of AIAN participants and improve the statistical stability and precision of estimates for this group. The oversample was conducted using a special list provided by Indian Health Services.

**Table 1-2. Number of completed CHIS 2011-2012 interviews by type of sample and instrument**

Type of sample	Adult	Child	Adolescent
Total all samples	42,935	7,334	2,799
Landline RDD	32,692	5,600	2,164
Surname list	825	161	57
Cell RDD	9,151	1,523	557
American Indian/Alaska Native list	267	50	21

Source: UCLA Center for Health Policy Research, 2011-2012 California Health Interview Survey.

### 3.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted CHIS 2011-2012 data collection under contract with the UCLA Center for Health Policy Research. For the landline and cell RDD samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent

or legal guardian. Up to three interviews could have been completed in each household. In landline sample households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and has been continued in subsequent CHIS cycles; this procedure substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2011-2012 by the type of sample (landline RDD, surname list, cell RDD, and American Indian/Alaska Native list).

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 38.5 minutes to complete. The average child and adolescent interviews took about 14.5 minutes and 21.5 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. About 15 percent of the adult interviews were completed in a language other than English, as were about 28 percent of all child (parent proxy) interviews and 7 percent of all adolescent interviews.

### 3.5 Response Rates

The overall response rate for CHIS 2011-2012 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for 48.3 percent of the landline RDD sample telephone numbers not identified by the sample vendor as business or nonworking numbers, and 81.1 percent of surname list sample numbers, and 60 percent of the AIAN list with landline numbers. Addresses were not available for the cell sample. As in all CHIS cycles since CHIS 2005, a \$2 bill was included with the CHIS 2011-2012 advance letter to encourage cooperation.

The CHIS 2011-2012 screener response rate for the landline sample was 31.6 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 33.0 percent in all households. The extended interview response rate for the landline sample varied across the adult (47.4 percent), child (73.2 percent) and adolescent (42.7 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview completion rate for the cell sample was 52.5 percent, the child rate was 73.0 percent, and the adolescent rate 42.5 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2011-2012, the landline sample household response rate was 17.0 percent (the product of the screener response rate and the extended interview response rate at the household level of 53.9 percent). The cell sample household response rate was 18.3 percent, incorporating a household-level extended interview response rate of 55.5 percent. All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2011-2012 response rates please see *CHIS 2011-2012 Methodology Series: Report 4 – Response Rates*.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. It has become increasingly difficult, however, to compare the CHIS and BRFSS response rates due to changes in the BRFSS response rate calculation methods. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. The BRFSS 2009 (32.2%) and 2011 (31.1%), for example, shows the refusal rate for the California is the highest in the nation and about twice the national median.<sup>2</sup> Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Further information about CHIS data quality and nonresponse bias is available at <http://healthpolicy.ucla.edu/chis/design/Pages/data-quality.aspx>.

After all follow-up attempts were exhausted to complete the full questionnaire, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as "complete." At least some responses in the employment and income series or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview and were imputed to enhance the analytic utility of the data (see section 3.7 on imputation methods for more information).

Proxy interviews were conducted for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy option. For 283 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of "-2" in the data files.)

### 3.6 Weighting the Sample

To produce population estimates from CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2011-2012 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

---

<sup>2</sup> As reported in the Behavioral Risk Factor Surveillance System 2009 Summary Data Quality Report (Version #1 – Revised: 04/27/2010, available online at [ftp://ftp.cdc.gov/pub/Data/Brfss/2009\\_Summary\\_Data\\_Quality\\_Report.pdf](ftp://ftp.cdc.gov/pub/Data/Brfss/2009_Summary_Data_Quality_Report.pdf)) and 2011 Summary Data Quality Report (Version #5 – Revised: 02/04/2013, available online at [http://www.cdc.gov/brfss/pdf/2011\\_summary\\_data\\_quality\\_report.pdf](http://www.cdc.gov/brfss/pdf/2011_summary_data_quality_report.pdf)).

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2011-2012 were created primarily from the California Department of Finance’s 2012 Population Estimates and 2012 Population Projections. The raking procedure used 12 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using California Department of Finance (DOF) data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

DOF control totals used to create the CHIS 2011-2012 weights are based on 2010 Census counts, while those in previous CHIS cycles were based on Census 2000 counts (with adjustments made by the Department of Finance). Please pay close attention when comparing estimates using CHIS 2011-2012 data with estimates using data from previous CHIS cycles. The most accurate California population figures are available when the US population count is conducted (every 10 years). Population-based surveys like CHIS must use estimates and projections based on the decennial population count data between Censuses. For example, population control totals for CHIS 2009 were based on DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information. See (CHIS 2011-2012 Methodology Series: Report 5 – Weighting and Variance Estimation) for more information on the weighting process.

### 3.7 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009, and CHIS 2011-2012 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2011-2012 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponds to the nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment, and region. Other control variables were also used depending on the nature of the imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

## 4. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2012 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007 and CHIS 2009 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://healthpolicy.ucla.edu/chis/design/Pages/questionnaires.aspx>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME12:** The names of the 2011-2012 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QNAME09:** The names of 2009 survey items identical or similar to the 2011-2012 items.
- **QNAME07:** The names of 2007 survey items identical or similar to the 2011-2012 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
  - 1: INAPPLICABLE.
  - 2: PROXY SKIPPED.
  - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
  - 7: REFUSED.
  - 8: DON'T KNOW.
  - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.



## **5. Sample Code for Analysis and Pooling of CHIS data**

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx>

## 6. Data Dictionary Variable Listings

### A. Variable Name (by alphabetical in CHIS 2011-2012 Adult Questionnaire)

VARIABLE	LABEL	PAGE
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-12
AB1	GENERAL HEALTH CONDITION	DD-15
AB100	HAD FLU SHOT OR NASAL FLU VACCINE	DD-37
AB108 P1	CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)	DD-22
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-28
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-28
AB114 P1	CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)	DD-29
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-31
AB116 P1	VISITED ER FOR HRT DX UNABLE TO SEE OWN DR (PUF 1 YR RECODE)	DD-32
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS	DD-32
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-33
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-33
AB120 P1	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)	DD-34
AB127	HAD JOINT PAIN, STIFFNESS PAST 30 DAYS	DD-35
AB142	PROF MAKE RECOMNDS TO AVOID FALLING	DD-39
AB143	PROF RECOMND CHANGE MEDS DUE TO FALLS	DD-40
AB145	PROF RECOMND HOME CHANGES DUE TO FALLS	DD-41
AB146	PROF RECOMND CANE/WALKER DUE TO FALLS	DD-42
AB147	PROF RECOMND CHANGE ROUTINE DUE TO FALLS	DD-43
AB16	LIMITATION OF ACTIVITIES B/C OF JOINT PROBLEMS	DD-36
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-15
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-18
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-19
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-23
AB23 P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	DD-24
AB24	CURRENTLY TAKING INSULIN	DD-25
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-26
AB27 P1	# OF TIMES DOC CHECKED HMGLBN A1C LAST YR (PUF 1 YR RECODE)	DD-26
AB28 P1	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)	DD-27
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-29
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-30
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-30
AB40	STILL HAS ASTHMA	DD-16
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-16

VARIABLE	LABEL	PAGE
AB42_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	DD-21
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-21
AB51_P1	TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)	DD-25
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-31
AB57	KIND OF PLACE GOT LAST FLU SHOT	DD-37
AB63	LAST EYE EXAM DILATED PUPILS	DD-27
AB64	DOCTOR EVER TOLD HAVE ARTH/GOUT/LUPUS	DD-35
AB66	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS	DD-20
AB66_P1	HOW OFTEN HAD ASTHMA SYMPTS PAST 12 MOS: PREV. ASTHM (PUF 1 YEAR RECODE)	DD-20
AB91	RECEIVED MEDICAL CARE BECAUSE OF FALLS	DD-38
AB92	PROF TALKED ABOUT HOW TO AVOID FALLS	DD-39
AB93	PROF REVIEWED MEDS DUE TO FALLS	DD-40
AB95	CHANGED HOME DUE TO FALLS	DD-41
AB96	STARTED TO USE CANE/WALKER DUE TO FALLS	DD-42
AB97	CHANGED DAILY ROUTINES DUE TO FALLS	DD-43
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-22
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-23
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-49
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-54
AC31_P1	# TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)	DD-51
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-56
AC42_P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	DD-57
AC43	HOW OFTEN FIND FRESH FRUIT/VEG NEAR WORK	DD-57
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	DD-58
AC45	WORKPLACE FRUIT/VEG AFFORDABLE	DD-58
AC6	DOCTOR EVER TOLD HAD STROKE	DD-34
AC7	FALLEN TO GROUND MORE THAN ONCE IN PAST YR	DD-38
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	DD-96
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-140
AD13	CURRENTLY PREGNANT	DD-67
AD14	EVER HAD A MAMMOGRAM	DD-68
AD17	HOW LONG SINCE LAST MAMMOGRAM	DD-68
AD18	MAIN REASON FOR HAVING LAST MAMMOGRAM	DD-69
AD19	EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS	DD-69
AD20	EVER HAD OPERATION TO REMOVE LUMP FROM BREAST	DD-70
AD21	LUMP TURNED OUT TO BE CANCER	DD-70
AD23	EVER HAVE OTHER TESTS/SURGERIES WHEN MAMMOGRAM ABNORMAL	DD-71
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS	DD-71
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	DD-53
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-44
AD38W_P1	# TIMES WALK = 10 MIN TRANSPORT PAST 7 DAYS (PUF 1 YEAR RECODE)	DD-44
AD39W	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION (MINS)	DD-45

VARIABLE	LABEL	PAGE
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-45
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-46
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE (MINS)	DD-46
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-63
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-65
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-65
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-66
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-66
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-65
AE FRIES	# OF TIMES EATING FRIES PER WEEK	DD-48
AE FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-49
AE SODA	# OF TIMES DRINKING SODA PER WEEK	DD-50
AE VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-51
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-52
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-52
AE16 P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	DD-53
AE2	# OF TIMES ATE FRUIT IN PAST MONTH	DD-47
AE3	# OF TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-47
AE30	FLU SHOT/MIST IN PAST 12 MOS	DD-36
AE50	MOST RECENT MAMMOGRAM RECOMENDED BY DOCT	DD-72
AE7	# OF TIMES ATE VEGETABLES IN PAST MONTH	DD-48
AE91	PROPORTION PAID FOR COST OF MOST RECENT MAMMOGRAM	DD-72
AE92	DOCTOR EVER TOLD WOMEN OWN AGE NEED MAMMOGRAM EVERY OTHER YR	DD-73
AE94	DOCTOR EVER DISCUSSED WHEN TO STOP MAMMOGRAMS	DD-73
AESODA P1	# OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)	DD-50
AF37	DOCTOR EXAMINED BREAST FOR LUMPS PAST 12 MOS	DD-74
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-82
AF63	FEEL NERVOUS WORST MONTH	DD-83
AF64	FEEL HOPELESS WORST MONTH	DD-84
AF65	FEEL RESTLESS WORST MONTH	DD-75
AF66	FEEL DEPRESSED WORST MONTH	DD-76
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-76
AF68	FEEL WORTHLESS WORST MONTH	DD-77
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-77
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-78
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-78
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-79
AG10	RESPONDENT USUALLY WORKS	DD-99
AG11	SPOUSE USUALLY WORKS	DD-102
AG20	LANGUAGE SPEAK WITH FRIENDS	DD-91
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-91
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-97
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-101

VARIABLE	LABEL	PAGE
AG9	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB	DD-102
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	DD-103
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-105
AH100	ANYONE HELP FIND HEALTH PLAN	DD-136
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	DD-137
AH102_P	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF RECODE)	DD-137
AH102_P1	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)	DD-138
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	DD-138
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-108
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-19
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-119
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	DD-145
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	DD-147
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	DD-106
AH33NEW	BORN IN U.S.	DD-88
AH34NEW	MOTHER BORN IN U.S.	DD-88
AH35NEW	FATHER BORN IN U.S.	DD-89
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	DD-92
AH43A	LIVING WITH A PARENT	DD-95
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-94
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	DD-95
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-109
AH5	# OF TIMES SAW MD IN PAST 12 MOS	DD-139
AH50_P1	NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE)	DD-109
AH52_P1	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)	DD-110
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-139
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	DD-116
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	DD-116
AH73	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-117
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-118
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-118
AH95_P	# TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)	DD-133
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	DD-134
AH96_P1	HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)	DD-134
AH97_P1	PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)	DD-135
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	DD-135
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	DD-136
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-96
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	DD-103

VARIABLE	LABEL	PAGE
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-111
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-111
AI22A P	NAME OF HEALTH PLAN (PUF RECODE)	DD-114
AI22C	MAIN HEALTH PLAN IS HMO	DD-113
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-115
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	DD-115
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-119
AI33 6	OTHER INS: BOUGHT DIRECT	DD-117
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-112
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-110
AI45 P1	MAIN REASON SPOUSE NOT IN EMPLOYER HEALTH PLAN (PUF 1 YR RECODE)	DD-112
AI45A P1	MAIN REASON SPOUSE INELIGIBLE EMPLOYER HEALTH PLAN (PUF 1 YR RECODE)	DD-113
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-80
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-144
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	DD-148
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	DD-148
AJ104	COULD GET APPNT W/DOC IN 2 DAYS IF NEEDED	DD-149
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	DD-149
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	DD-150
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	DD-150
AJ108	EVER USED INTERNET	DD-151
AJ109	USED INTERNET TO FIND MED INFO PAST 12 MOS	DD-151
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-145
AJ110	CONFIDENCE TO COMPLETE APPL ONLINE ON OWN	DD-152
AJ111	SOMEONE TO HELP FILL OUT APPL ONLINE	DD-152
AJ112	HOW OFTEN DOC LISTENS CAREFULLY	DD-153
AJ113	HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO	DD-153
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-146
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-147
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-75
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-79
AJ31	FELL RESTLESS PAST 30 DAYS	DD-80
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-81
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-81
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-82
AJ50 P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-143
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-141
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-141
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-142
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-143
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-142
AJ82	DELAYED PRESCRIPTION FOR DIABETES	DD-146
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-144

VARIABLE	LABEL	PAGE
AK1	WORK STATUS LAST WEEK	DD-98
AK10 P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-155
AK10A P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-155
AK2 P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	DD-98
AK22 P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-156
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-166
AK25	OWN OR RENT HOME	DD-166
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-168
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-101
AK8	# OF PEOPLE WORKING FOR EMPLOYER/YOU	DD-154
AKWKLNG	TIME AT MAIN JOB	DD-104
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-165
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-165
AL2	RECEIVING TANF OR CALWORKS	DD-163
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-100
AL5	RECEIVING FOOD STAMP BENEFITS	DD-163
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-164
AL7	CURRENTLY ON WIC	DD-164
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-156
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-167
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-157
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-167
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-157
AM34	TELEPHONE CALLS RECEIVED	DD-171
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	DD-168
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	DD-169
AM37	CURRENTLY PAYING OFF MORTGAGE/HOME LOAN	DD-170
AM38	MAIN REASON FOR LAST MOVE	DD-170
AM38 P1	MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)	DD-171
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	DD-169
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-158
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-158
AM40	MEET INFORMALLY TO DEAL W/COMM PROB PAST YR	DD-169
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-159
ASTCUR	CURRENT ASTHMA STATUS	DD-17
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-17
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-18
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-56
BMI P	BODY MASS INDEX (PUF RECODE)	DD-63
CATRIBE	CALIFORNIA TRIBE	DD-12

VARIABLE	LABEL	PAGE
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	DD-86
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-93
CNTRYS	COUNTRY BORN	DD-89
DIAMED	TAKING INSULIN OR PILLS	DD-24
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-67
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-140
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	DD-83
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-84
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-85
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-85
ELDER_IDX	ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD	DD-162
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-160
ELIGPRG3_P1	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED (PUF 1 YEAR RECODE)	DD-161
ER	ER VISIT WITHIN THE PAST YEAR	DD-120
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-87
FAMTYP_P	FAMILY TYPE (PUF RECODE)	DD-105
FSLEV	FOOD SECURITY STATUS LEVEL	DD-161
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	DD-162
HEIGHTM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-60
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-59
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-59
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	DD-1
HHSMK	HOUSEHOLD SMOKING	DD-55
HMO	HMO STATUS	DD-114
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-120
INS	CURRENTLY INSURED	DD-120
INS_S	SPOUSE CURRENTLY INSURED	DD-121
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-121
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-122
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-122
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-123
INSANY	ANY INS IN LAST 12 MOS	DD-123
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-124
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-124
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	DD-128
INSMC	COVERED BY MEDICARE	DD-125
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-125
INSMD	COVERED BY MEDI-CAL	DD-126
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-126
INSOG	COVERED BY OTHER GOVT PLANS	DD-127
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-127
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-128



VARIABLE	LABEL	PAGE
INSPR S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-129
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-129
INSPS S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-130
INST 12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-130
INSTYP P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)	DD-131
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
INTVLANG P1	LANGUAGE OF INTERVIEW (PUF 1 YEAR RECODE)	DD-2
LATIN2TP	LATIN/HISPANIC SUBTYPES - 2 LVLS	DD-14
LNGHM P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	DD-90
MAM SCR N	MAMMOGRAM IN PAST 2 YRS	DD-74
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-13
MARIT 45	MARITAL STATUS - AGE 45 AND OLDER	DD-13
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-14
NUMCIG	# OF CIGARETTES PER DAY	DD-55
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-132
OFFTK S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-132
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-8
OMBSRR P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-8
OVRWT	OVERWEIGHT OR OBESE	DD-64
PCTLF P	PERCENT LIFE IN US (PUF RECODE)	DD-94
POVGWD P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-159
POVLL	POVERTY LEVEL	DD-160
PROXY	A PROXY INTERVIEW	DD-3
PUF1Y ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	DD-1
RACECN P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	DD-9
RACEDF P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-9
RACEHP2 P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	DD-10
RAKEDW0	CHIS2011 RAKED WEIGHT - FULL SAMPLE	DD-175
RAKEDW1	CHIS2011 RAKED WEIGHT - REPLICATE 1	DD-175
RAKEDW10	CHIS2011 RAKED WEIGHT - REPLICATE 10	DD-178
RAKEDW11	CHIS2011 RAKED WEIGHT - REPLICATE 11	DD-179
RAKEDW12	CHIS2011 RAKED WEIGHT - REPLICATE 12	DD-179
RAKEDW13	CHIS2011 RAKED WEIGHT - REPLICATE 13	DD-179
RAKEDW14	CHIS2011 RAKED WEIGHT - REPLICATE 14	DD-180
RAKEDW15	CHIS2011 RAKED WEIGHT - REPLICATE 15	DD-180
RAKEDW16	CHIS2011 RAKED WEIGHT - REPLICATE 16	DD-180
RAKEDW17	CHIS2011 RAKED WEIGHT - REPLICATE 17	DD-181
RAKEDW18	CHIS2011 RAKED WEIGHT - REPLICATE 18	DD-181
RAKEDW19	CHIS2011 RAKED WEIGHT - REPLICATE 19	DD-181
RAKEDW2	CHIS2011 RAKED WEIGHT - REPLICATE 2	DD-176
RAKEDW20	CHIS2011 RAKED WEIGHT - REPLICATE 20	DD-182
RAKEDW21	CHIS2011 RAKED WEIGHT - REPLICATE 21	DD-182

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RAKEDW22	CHIS2011 RAKED WEIGHT - REPLICATE 22	DD-182
RAKEDW23	CHIS2011 RAKED WEIGHT - REPLICATE 23	DD-183
RAKEDW24	CHIS2011 RAKED WEIGHT - REPLICATE 24	DD-183
RAKEDW25	CHIS2011 RAKED WEIGHT - REPLICATE 25	DD-183
RAKEDW26	CHIS2011 RAKED WEIGHT - REPLICATE 26	DD-184
RAKEDW27	CHIS2011 RAKED WEIGHT - REPLICATE 27	DD-184
RAKEDW28	CHIS2011 RAKED WEIGHT - REPLICATE 28	DD-184
RAKEDW29	CHIS2011 RAKED WEIGHT - REPLICATE 29	DD-185
RAKEDW3	CHIS2011 RAKED WEIGHT - REPLICATE 3	DD-176
RAKEDW30	CHIS2011 RAKED WEIGHT - REPLICATE 30	DD-185
RAKEDW31	CHIS2011 RAKED WEIGHT - REPLICATE 31	DD-185
RAKEDW32	CHIS2011 RAKED WEIGHT - REPLICATE 32	DD-186
RAKEDW33	CHIS2011 RAKED WEIGHT - REPLICATE 33	DD-186
RAKEDW34	CHIS2011 RAKED WEIGHT - REPLICATE 34	DD-186
RAKEDW35	CHIS2011 RAKED WEIGHT - REPLICATE 35	DD-187
RAKEDW36	CHIS2011 RAKED WEIGHT - REPLICATE 36	DD-187
RAKEDW37	CHIS2011 RAKED WEIGHT - REPLICATE 37	DD-187
RAKEDW38	CHIS2011 RAKED WEIGHT - REPLICATE 38	DD-188
RAKEDW39	CHIS2011 RAKED WEIGHT - REPLICATE 39	DD-188
RAKEDW4	CHIS2011 RAKED WEIGHT - REPLICATE 4	DD-176
RAKEDW40	CHIS2011 RAKED WEIGHT - REPLICATE 40	DD-188
RAKEDW41	CHIS2011 RAKED WEIGHT - REPLICATE 41	DD-189
RAKEDW42	CHIS2011 RAKED WEIGHT - REPLICATE 42	DD-189
RAKEDW43	CHIS2011 RAKED WEIGHT - REPLICATE 43	DD-189
RAKEDW44	CHIS2011 RAKED WEIGHT - REPLICATE 44	DD-190
RAKEDW45	CHIS2011 RAKED WEIGHT - REPLICATE 45	DD-190
RAKEDW46	CHIS2011 RAKED WEIGHT - REPLICATE 46	DD-190
RAKEDW47	CHIS2011 RAKED WEIGHT - REPLICATE 47	DD-191
RAKEDW48	CHIS2011 RAKED WEIGHT - REPLICATE 48	DD-191
RAKEDW49	CHIS2011 RAKED WEIGHT - REPLICATE 49	DD-191
RAKEDW5	CHIS2011 RAKED WEIGHT - REPLICATE 5	DD-177
RAKEDW50	CHIS2011 RAKED WEIGHT - REPLICATE 50	DD-192
RAKEDW51	CHIS2011 RAKED WEIGHT - REPLICATE 51	DD-192
RAKEDW52	CHIS2011 RAKED WEIGHT - REPLICATE 52	DD-192
RAKEDW53	CHIS2011 RAKED WEIGHT - REPLICATE 53	DD-193
RAKEDW54	CHIS2011 RAKED WEIGHT - REPLICATE 54	DD-193
RAKEDW55	CHIS2011 RAKED WEIGHT - REPLICATE 55	DD-193
RAKEDW56	CHIS2011 RAKED WEIGHT - REPLICATE 56	DD-194
RAKEDW57	CHIS2011 RAKED WEIGHT - REPLICATE 57	DD-194
RAKEDW58	CHIS2011 RAKED WEIGHT - REPLICATE 58	DD-194
RAKEDW59	CHIS2011 RAKED WEIGHT - REPLICATE 59	DD-195
RAKEDW6	CHIS2011 RAKED WEIGHT - REPLICATE 6	DD-177
RAKEDW60	CHIS2011 RAKED WEIGHT - REPLICATE 60	DD-195
RAKEDW61	CHIS2011 RAKED WEIGHT - REPLICATE 61	DD-195
RAKEDW62	CHIS2011 RAKED WEIGHT - REPLICATE 62	DD-196

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RAKEDW63	CHIS2011 RAKED WEIGHT - REPLICATE 63	DD-196
RAKEDW64	CHIS2011 RAKED WEIGHT - REPLICATE 64	DD-196
RAKEDW65	CHIS2011 RAKED WEIGHT - REPLICATE 65	DD-197
RAKEDW66	CHIS2011 RAKED WEIGHT - REPLICATE 66	DD-197
RAKEDW67	CHIS2011 RAKED WEIGHT - REPLICATE 67	DD-197
RAKEDW68	CHIS2011 RAKED WEIGHT - REPLICATE 68	DD-198
RAKEDW69	CHIS2011 RAKED WEIGHT - REPLICATE 69	DD-198
RAKEDW7	CHIS2011 RAKED WEIGHT - REPLICATE 7	DD-177
RAKEDW70	CHIS2011 RAKED WEIGHT - REPLICATE 70	DD-198
RAKEDW71	CHIS2011 RAKED WEIGHT - REPLICATE 71	DD-199
RAKEDW72	CHIS2011 RAKED WEIGHT - REPLICATE 72	DD-199
RAKEDW73	CHIS2011 RAKED WEIGHT - REPLICATE 73	DD-199
RAKEDW74	CHIS2011 RAKED WEIGHT - REPLICATE 74	DD-200
RAKEDW75	CHIS2011 RAKED WEIGHT - REPLICATE 75	DD-200
RAKEDW76	CHIS2011 RAKED WEIGHT - REPLICATE 76	DD-200
RAKEDW77	CHIS2011 RAKED WEIGHT - REPLICATE 77	DD-201
RAKEDW78	CHIS2011 RAKED WEIGHT - REPLICATE 78	DD-201
RAKEDW79	CHIS2011 RAKED WEIGHT - REPLICATE 79	DD-201
RAKEDW8	CHIS2011 RAKED WEIGHT - REPLICATE 8	DD-178
RAKEDW80	CHIS2011 RAKED WEIGHT - REPLICATE 80	DD-202
RAKEDW9	CHIS2011 RAKED WEIGHT - REPLICATE 9	DD-178
RBMI	BMI DESCRIPTIVE	DD-64
<b>SECTION A</b>	<b>DEMOGRAPHIC INFORMATION, PART I</b>	<b>DD-4</b>
<b>SECTION B</b>	<b>GENERAL HEALTH CONDITION</b>	<b>DD-15</b>
<b>SECTION C</b>	<b>HEALTH BEHAVIORS</b>	<b>DD-44</b>
<b>SECTION D</b>	<b>GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH</b>	<b>DD-59</b>
<b>SECTION E</b>	<b>WOMEN'S HEALTH</b>	<b>DD-67</b>
<b>SECTION F</b>	<b>MENTAL HEALTH</b>	<b>DD-75</b>
<b>SECTION G</b>	<b>DEMOGRAPHIC INFORMATION, PART II &amp; CHILD CARE</b>	<b>DD-88</b>
<b>SECTION H</b>	<b>HEALTH INSURANCE</b>	<b>DD-105</b>
<b>SECTION J</b>	<b>HEALTH CARE UTILIZATION AND ACCESS</b>	<b>DD-139</b>
<b>SECTION K</b>	<b>EMPLOYMENT, INCOME, POVERTY STATUS &amp; FOOD SECURITY</b>	<b>DD-154</b>
<b>SECTION L</b>	<b>PUBLIC PROGRAM PARTICIPATION</b>	<b>DD-163</b>
<b>SECTION M</b>	<b>HOUSING &amp; COMMUNITY INVOLVEMENT</b>	<b>DD-166</b>
<b>SECTION N</b>	<b>DEMOGRAPHIC INFO. PART III, GEOGRAPHICAL INFO.</b>	<b>DD-171</b>
<b>SECTION O</b>	<b>FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80</b>	<b>DD-175</b>
<b>SECTION Q</b>	<b>SCREENING INFORMATION</b>	<b>DD-1</b>
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-97
SMKCUR	CURRENT SMOKER	DD-54
SMOKING	CURRENT SMOKING HABITS	DD-54
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-86
SPK ENG	ENGLISH USE AND PROFICIENCY	DD-92
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-11
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	DD-4
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-11

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
SRAS	SELF-REPORTED ASIAN	DD-5
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-5
SRCH	SELF-REPORTED CHINESE	DD-6
SRH	SELF-REPORTED LATINO/HISPANIC	DD-7
SRKR	SELF-REPORTED KOREAN	DD-6
SRO	SELF-REPORTED OTHER RACE	DD-7
SRPH	SELF-REPORTED FILIPINO	DD-6
SRSEX	SELF-REPORTED GENDER	DD-5
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SRVT	SELF-REPORTED VIETNAMESE	DD-7
SRW	SELF-REPORTED WHITE	DD-10
UNINSANY	UNINSURED IN PAST 12 MOS	DD-131
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-172
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-172
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-173
UR_IHS	RURAL AND URBAN - IHS	DD-173
UR_OMB	RURAL AND URBAN - OMB	DD-173
UR_RHP	RURAL AND URBAN - RHP	DD-174
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-174
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-106
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-107
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	DD-107
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-108
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-60
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-61
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-61
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	DD-87
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	DD-99
WRKST_S	SPOUSE WORKING STATUS	DD-100
WT18K_P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-62
WT18P_P	WEIGHT AT 18: LBS (PUF RECODE)	DD-62
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	DD-93

**B. Variable Name (by location in CHIS 2011-2012 Adult Questionnaire)**

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
<b>SECTION Q</b>	<b>SCREENING INFORMATION</b>	<b>DD-1</b>
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	DD-1
HHSIZE P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	DD-1
INTVLANG P1	LANGUAGE OF INTERVIEW (PUF 1 YEAR RECODE)	DD-2
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
PROXY	A PROXY INTERVIEW	DD-3
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
<b>SECTION A</b>	<b>DEMOGRAPHIC INFORMATION, PART I</b>	<b>DD-4</b>
SRAGE P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	DD-4
SRSEX	SELF-REPORTED GENDER	DD-5
SRAS	SELF-REPORTED ASIAN	DD-5
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-5
SRCH	SELF-REPORTED CHINESE	DD-6
SRKR	SELF-REPORTED KOREAN	DD-6
SRPH	SELF-REPORTED FILIPINO	DD-6
SRVT	SELF-REPORTED VIETNAMESE	DD-7
SRH	SELF-REPORTED LATINO/HISPANIC	DD-7
SRO	SELF-REPORTED OTHER RACE	DD-7
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-8
OMBSRR P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-8
RACECN P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	DD-9
RACEDF P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-9
RACEHP2 P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	DD-10
SRW	SELF-REPORTED WHITE	DD-10
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-11
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-11
CATRIIBE	CALIFORNIA TRIBE	DD-12
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-12
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-13
MARIT 45	MARITAL STATUS - AGE 45 AND OLDER	DD-13
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-14
LATIN2TP	LATIN/HISPANIC SUBTYPES - 2 LVLS	DD-14
<b>SECTION B</b>	<b>GENERAL HEALTH CONDITION</b>	<b>DD-15</b>
AB1	GENERAL HEALTH CONDITION	DD-15
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-15
AB40	STILL HAS ASTHMA	DD-16
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-16
ASTCUR	CURRENT ASTHMA STATUS	DD-17
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-17
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-18
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-18

VARIABLE	LABEL	PAGE
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-19
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-19
AB66	HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS	DD-20
AB66 P1	HOW OFTEN HAD ASTHMA SYMPTOMS PAST 12 MOS: PREV. ASTHM (PUF 1 YEAR RECODE)	DD-20
AB42 P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	DD-21
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-21
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-22
AB108 P1	CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)	DD-22
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-23
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-23
AB23 P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	DD-24
DIAMED	TAKING INSULIN OR PILLS	DD-24
AB51 P1	TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)	DD-25
AB24	CURRENTLY TAKING INSULIN	DD-25
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-26
AB27 P1	# OF TIMES DOC CHECKED HMGLBN A1C LAST YR (PUF 1 YR RECODE)	DD-26
AB28 P1	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)	DD-27
AB63	LAST EYE EXAM DILATED PUPILS	DD-27
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-28
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-28
AB114 P1	CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)	DD-29
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-29
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-30
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-30
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-31
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-31
AB116 P1	VISITED ER FOR HRT DX UNABLE TO SEE OWN DR (PUF 1 YR RECODE)	DD-32
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS	DD-32
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-33
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-33
AB120 P1	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)	DD-34
AC6	DOCTOR EVER TOLD HAD STROKE	DD-34
AB64	DOCTOR EVER TOLD HAVE ARTH/GOUT/LUPUS	DD-35
AB127	HAD JOINT PAIN, STIFFNESS PAST 30 DAYS	DD-35
AB16	LIMITATION OF ACTIVITIES B/C OF JOINT PROBLEMS	DD-36
AE30	FLU SHOT/MIST IN PAST 12 MOS	DD-36

VARIABLE	LABEL	PAGE
AB100	HAD FLU SHOT OR NASAL FLU VACCINE	DD-37
AB57	KIND OF PLACE GOT LAST FLU SHOT	DD-37
AC7	FALLEN TO GROUND MORE THAN ONCE IN PAST YR	DD-38
AB91	RECEIVED MEDICAL CARE BECAUSE OF FALLS	DD-38
AB92	PROF TALKED ABOUT HOW TO AVOID FALLS	DD-39
AB142	PROF MAKE RECOMNDS TO AVOID FALLING	DD-39
AB93	PROF REVIEWED MEDS DUE TO FALLS	DD-40
AB143	PROF RECOMND CHANGE MEDS DUE TO FALLS	DD-40
AB95	CHANGED HOME DUE TO FALLS	DD-41
AB145	PROF RECOMND HOME CHANGES DUE TO FALLS	DD-41
AB96	STARTED TO USE CANE/WALKER DUE TO FALLS	DD-42
AB146	PROF RECOMND CANE/WALKER DUE TO FALLS	DD-42
AB97	CHANGED DAILY ROUTINES DUE TO FALLS	DD-43
AB147	PROF RECOMND CHANGE ROUTINE DUE TO FALLS	DD-43
<b>SECTION C</b>	<b>HEALTH BEHAVIORS</b>	<b>DD-44</b>
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-44
AD38W P1	# TIMES WALK = 10 MIN TRANSPORT PAST 7 DAYS (PUF 1 YEAR RECODE)	DD-44
AD39W	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION (MINS)	DD-45
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-45
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-46
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE (MINS)	DD-46
AE2	# OF TIMES ATE FRUIT IN PAST MONTH	DD-47
AE3	# OF TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-47
AE7	# OF TIMES ATE VEGETABLES IN PAST MONTH	DD-48
AE_FRIES	# OF TIMES EATING FRIES PER WEEK	DD-48
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-49
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-49
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-50
AESODA P1	# OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)	DD-50
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-51
AC31_P1	# TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)	DD-51
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-52
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-52
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	DD-53
AE16_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	DD-53
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-54
SMKCUR	CURRENT SMOKER	DD-54
SMOKING	CURRENT SMOKING HABITS	DD-54
NUMCIG	# OF CIGARETTES PER DAY	DD-55
HHSMK	HOUSEHOLD SMOKING	DD-55
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-56
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-56

VARIABLE	LABEL	PAGE
AC42 P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	DD-57
AC43	HOW OFTEN FIND FRESH FRUIT/VEG NEAR WORK	DD-57
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	DD-58
AC45	WORKPLACE FRUIT/VEG AFFORDABLE	DD-58
<b>SECTION D</b>	<b>GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH</b>	<b>DD-59</b>
HGHTI P	HEIGHT: INCHES (PUF RECODE)	DD-59
HGHTM P	HEIGHT: METERS (PUF RECODE)	DD-59
HEIGHM P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-60
WEIGHK P	WEIGHT: KG - UCLA (PUF RECODE)	DD-60
WGHTK P	WEIGHT: KG (PUF RECODE)	DD-61
WGHTP P	WEIGHT: LBS (PUF RECODE)	DD-61
WT18K P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-62
WT18P P	WEIGHT AT 18: LBS (PUF RECODE)	DD-62
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-63
BMI P	BODY MASS INDEX (PUF RECODE)	DD-63
RBMI	BMI DESCRIPTIVE	DD-64
OVRWT	OVERWEIGHT OR OBESE	DD-64
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-65
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-65
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-65
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-66
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-66
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-67
<b>SECTION E</b>	<b>WOMEN'S HEALTH</b>	<b>DD-67</b>
AD13	CURRENTLY PREGNANT	DD-67
AD14	EVER HAD A MAMMOGRAM	DD-68
AD17	HOW LONG SINCE LAST MAMMOGRAM	DD-68
AD18	MAIN REASON FOR HAVING LAST MAMMOGRAM	DD-69
AD19	EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS	DD-69
AD20	EVER HAD OPERATION TO REMOVE LUMP FROM BREAST	DD-70
AD21	LUMP TURNED OUT TO BE CANCER	DD-70
AD23	EVER HAVE OTHER TESTS/SURGERIES WHEN MAMMOGRAM ABNORMAL	DD-71
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS	DD-71
AE50	MOST RECENT MAMMOGRAM RECOMENDED BY DOCT	DD-72
AE91	PROPORTION PAID FOR COST OF MOST RECENT MAMMOGRAM	DD-72
AE92	DOCTOR EVER TOLD WOMEN OWN AGE NEED MAMMOGRAM EVERY OTHER YR	DD-73
AE94	DOCTOR EVER DISCUSSED WHEN TO STOP MAMMOGRAMS	DD-73
AF37	DOCTOR EXAMINED BREAST FOR LUMPS PAST 12 MOS	DD-74
MAM SCR N	MAMMOGRAM IN PAST 2 YRS	DD-74
<b>SECTION F</b>	<b>MENTAL HEALTH</b>	<b>DD-75</b>
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-75
AF65	FEEL RESTLESS WORST MONTH	DD-75
AF66	FEEL DEPRESSED WORST MONTH	DD-76
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-76



VARIABLE	LABEL	PAGE
AF68	FEEL WORTHLESS WORST MONTH	DD-77
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-77
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-78
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-78
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-79
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-79
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-80
AJ31	FELL RESTLESS PAST 30 DAYS	DD-80
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-81
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-81
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-82
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-82
DSTRS P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	DD-83
AF63	FEEL NERVOUS WORST MONTH	DD-83
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-84
AF64	FEEL HOPELESS WORST MONTH	DD-84
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-85
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-85
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	DD-86
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-86
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	DD-87
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-87
<b>SECTION G</b>	<b>DEMOGRAPHIC INFORMATION, PART II &amp; CHILD CARE</b>	<b>DD-88</b>
AH33NEW	BORN IN U.S.	DD-88
AH34NEW	MOTHER BORN IN U.S.	DD-88
AH35NEW	FATHER BORN IN U.S.	DD-89
CNTRYS	COUNTRY BORN	DD-89
LNGHM P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	DD-90
AG20	LANGUAGE SPEAK WITH FRIENDS	DD-91
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-91
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	DD-92
SPK ENG	ENGLISH USE AND PROFICIENCY	DD-92
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-93
YRUS P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	DD-93
PCTLF P	PERCENT LIFE IN US (PUF RECODE)	DD-94
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-94
AH43A	LIVING WITH A PARENT	DD-95
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	DD-95
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-96
ACHLDC P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	DD-96
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-97
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-97
AK1	WORK STATUS LAST WEEK	DD-98
AK2 P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	DD-98

VARIABLE	LABEL	PAGE
AG10	RESPONDENT USUALLY WORKS	DD-99
WRKST P1	WORKING STATUS (PUF 1 YR RECODE)	DD-99
WRKST S	SPOUSE WORKING STATUS	DD-100
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-100
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-101
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-101
AG11	SPOUSE USUALLY WORKS	DD-102
AG9	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB	DD-102
AG9 P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	DD-103
AHEDC P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	DD-103
AKWKLNG	TIME AT MAIN JOB	DD-104
FAMTYP P	FAMILY TYPE (PUF RECODE)	DD-105
<b>SECTION H</b>	<b>HEALTH INSURANCE</b>	<b>DD-105</b>
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-105
AH3 P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	DD-106
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-106
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-107
USUAL TP	USUAL SOURCE OF CARE (7 LVLS)	DD-107
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-108
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-108
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-109
AH50 P1	NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE)	DD-109
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-110
AH52 P1	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)	DD-110
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-111
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-111
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-112
AI45 P1	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN (PUF 1 YR RECODE)	DD-112
AI45A P1	MAIN REASON SPOUSE INELIGIBLE EMPLOYER'S HEALTH PLAN (PUF 1 YR RECODE)	DD-113
AI22C	MAIN HEALTH PLAN IS HMO	DD-113
HMO	HMO STATUS	DD-114
AI22A P	NAME OF HEALTH PLAN (PUF RECODE)	DD-114
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-115
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	DD-115
AH71 P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	DD-116
AH72 P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	DD-116
AH73	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-117
AI33 6	OTHER INS: BOUGHT DIRECT	DD-117
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-118
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-118

VARIABLE	LABEL	PAGE
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-119
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-119
ER	ER VISIT WITHIN THE PAST YEAR	DD-120
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-120
INS	CURRENTLY INSURED	DD-120
INS_S	SPOUSE CURRENTLY INSURED	DD-121
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-121
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-122
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-122
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-123
INSANY	ANY INS IN LAST 12 MOS	DD-123
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-124
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-124
INSMC	COVERED BY MEDICARE	DD-125
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-125
INSMD	COVERED BY MEDI-CAL	DD-126
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-126
INSOG	COVERED BY OTHER GOVT PLANS	DD-127
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-127
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	DD-128
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-128
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-129
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-129
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-130
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-130
INSTYP_P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)	DD-131
UNINSANY	UNINSURED IN PAST 12 MOS	DD-131
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-132
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-132
AH95_P	# TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)	DD-133
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	DD-134
AH96_P1	HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)	DD-134
AH97_P1	PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)	DD-135
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	DD-135
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	DD-136
AH100	ANYONE HELP FIND HEALTH PLAN	DD-136
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	DD-137
AH102_P	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF RECODE)	DD-137
AH102_P1	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)	DD-138
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	DD-138

VARIABLE	LABEL	PAGE
<b>SECTION J</b>	<b>HEALTH CARE UTILIZATION AND ACCESS</b>	<b>DD-139</b>
AH5	# OF TIMES SAW MD IN PAST 12 MOS	DD-139
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-139
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-140
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-140
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-141
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-141
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-142
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-142
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-143
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-143
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-144
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-144
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-145
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	DD-145
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-146
AJ82	DELAYED PRESCRIPTION FOR DIABETES	DD-146
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	DD-147
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-147
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	DD-148
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	DD-148
AJ104	COULD GET APPNT W/DOC IN 2 DAYS IF NEEDED	DD-149
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	DD-149
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	DD-150
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	DD-150
AJ108	EVER USED INTERNET	DD-151
AJ109	USED INTERNET TO FIND MED INFO PAST 12 MOS	DD-151
AJ110	CONFIDENCE TO COMPLETE APPL ONLINE ON OWN	DD-152
AJ111	SOMEONE TO HELP FILL OUT APPL ONLINE	DD-152
AJ112	HOW OFTEN DOC LISTENS CAREFULLY	DD-153
AJ113	HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO	DD-153
<b>SECTION K</b>	<b>EMPLOYMENT, INCOME, POVERTY STATUS &amp; FOOD SECURITY</b>	<b>DD-154</b>
AK8	# OF PEOPLE WORKING FOR EMPLOYER/YOU	DD-154
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-155
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-155
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-156
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-156
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-157
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-157
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-158
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-158
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-159

VARIABLE	LABEL	PAGE
POVGWD P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-159
POVLL	POVERTY LEVEL	DD-160
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-160
ELIGPRG3 P1	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED (PUF 1 YEAR RECODE)	DD-161
FSLEV	FOOD SECURITY STATUS LEVEL	DD-161
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	DD-162
ELDER_IDX	ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD	DD-162
<b>SECTION L</b>	<b>PUBLIC PROGRAM PARTICIPATION</b>	<b>DD-163</b>
AL2	RECEIVING TANF OR CALWORKS	DD-163
AL5	RECEIVING FOOD STAMP BENEFITS	DD-163
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-164
AL7	CURRENTLY ON WIC	DD-164
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-165
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-165
<b>SECTION M</b>	<b>HOUSING &amp; COMMUNITY INVOLVEMENT</b>	<b>DD-166</b>
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-166
AK25	OWN OR RENT HOME	DD-166
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-167
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-167
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	DD-168
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-168
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	DD-169
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	DD-169
AM40	MEET INFORMALLY TO DEAL W/COMM PROB PAST YR	DD-169
AM37	CURRENTLY PAYING OFF MORTGAGE/HOME LOAN	DD-170
AM38	MAIN REASON FOR LAST MOVE	DD-170
AM38 P1	MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)	DD-171
<b>SECTION N</b>	<b>DEMOGRAPHIC INFO. PART III, GEOGRAPHICAL INFO.</b>	<b>DD-171</b>
AM34	TELEPHONE CALLS RECEIVED	DD-171
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-172
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-172
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-173
UR_IHS	RURAL AND URBAN - IHS	DD-173
UR_OMB	RURAL AND URBAN - OMB	DD-173
UR_RHP	RURAL AND URBAN - RHP	DD-174
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-174
<b>SECTION O</b>	<b>FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80</b>	<b>DD-175</b>
RAKEDW0	CHIS2011 RAKED WEIGHT - FULL SAMPLE	DD-175
RAKEDW1	CHIS2011 RAKED WEIGHT - REPLICATE 1	DD-175
RAKEDW2	CHIS2011 RAKED WEIGHT - REPLICATE 2	DD-176
RAKEDW3	CHIS2011 RAKED WEIGHT - REPLICATE 3	DD-176
RAKEDW4	CHIS2011 RAKED WEIGHT - REPLICATE 4	DD-176
RAKEDW5	CHIS2011 RAKED WEIGHT - REPLICATE 5	DD-177

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RAKEDW6	CHIS2011 RAKED WEIGHT - REPLICATE 6	DD-177
RAKEDW7	CHIS2011 RAKED WEIGHT - REPLICATE 7	DD-177
RAKEDW8	CHIS2011 RAKED WEIGHT - REPLICATE 8	DD-178
RAKEDW9	CHIS2011 RAKED WEIGHT - REPLICATE 9	DD-178
RAKEDW10	CHIS2011 RAKED WEIGHT - REPLICATE 10	DD-178
RAKEDW11	CHIS2011 RAKED WEIGHT - REPLICATE 11	DD-179
RAKEDW12	CHIS2011 RAKED WEIGHT - REPLICATE 12	DD-179
RAKEDW13	CHIS2011 RAKED WEIGHT - REPLICATE 13	DD-179
RAKEDW14	CHIS2011 RAKED WEIGHT - REPLICATE 14	DD-180
RAKEDW15	CHIS2011 RAKED WEIGHT - REPLICATE 15	DD-180
RAKEDW16	CHIS2011 RAKED WEIGHT - REPLICATE 16	DD-180
RAKEDW17	CHIS2011 RAKED WEIGHT - REPLICATE 17	DD-181
RAKEDW18	CHIS2011 RAKED WEIGHT - REPLICATE 18	DD-181
RAKEDW19	CHIS2011 RAKED WEIGHT - REPLICATE 19	DD-181
RAKEDW20	CHIS2011 RAKED WEIGHT - REPLICATE 20	DD-182
RAKEDW21	CHIS2011 RAKED WEIGHT - REPLICATE 21	DD-182
RAKEDW22	CHIS2011 RAKED WEIGHT - REPLICATE 22	DD-182
RAKEDW23	CHIS2011 RAKED WEIGHT - REPLICATE 23	DD-183
RAKEDW24	CHIS2011 RAKED WEIGHT - REPLICATE 24	DD-183
RAKEDW25	CHIS2011 RAKED WEIGHT - REPLICATE 25	DD-183
RAKEDW26	CHIS2011 RAKED WEIGHT - REPLICATE 26	DD-184
RAKEDW27	CHIS2011 RAKED WEIGHT - REPLICATE 27	DD-184
RAKEDW28	CHIS2011 RAKED WEIGHT - REPLICATE 28	DD-184
RAKEDW29	CHIS2011 RAKED WEIGHT - REPLICATE 29	DD-185
RAKEDW30	CHIS2011 RAKED WEIGHT - REPLICATE 30	DD-185
RAKEDW31	CHIS2011 RAKED WEIGHT - REPLICATE 31	DD-185
RAKEDW32	CHIS2011 RAKED WEIGHT - REPLICATE 32	DD-186
RAKEDW33	CHIS2011 RAKED WEIGHT - REPLICATE 33	DD-186
RAKEDW34	CHIS2011 RAKED WEIGHT - REPLICATE 34	DD-186
RAKEDW35	CHIS2011 RAKED WEIGHT - REPLICATE 35	DD-187
RAKEDW36	CHIS2011 RAKED WEIGHT - REPLICATE 36	DD-187
RAKEDW37	CHIS2011 RAKED WEIGHT - REPLICATE 37	DD-187
RAKEDW38	CHIS2011 RAKED WEIGHT - REPLICATE 38	DD-188
RAKEDW39	CHIS2011 RAKED WEIGHT - REPLICATE 39	DD-188
RAKEDW40	CHIS2011 RAKED WEIGHT - REPLICATE 40	DD-188
RAKEDW41	CHIS2011 RAKED WEIGHT - REPLICATE 41	DD-189
RAKEDW42	CHIS2011 RAKED WEIGHT - REPLICATE 42	DD-189
RAKEDW43	CHIS2011 RAKED WEIGHT - REPLICATE 43	DD-189
RAKEDW44	CHIS2011 RAKED WEIGHT - REPLICATE 44	DD-190
RAKEDW45	CHIS2011 RAKED WEIGHT - REPLICATE 45	DD-190
RAKEDW46	CHIS2011 RAKED WEIGHT - REPLICATE 46	DD-190
RAKEDW47	CHIS2011 RAKED WEIGHT - REPLICATE 47	DD-191
RAKEDW48	CHIS2011 RAKED WEIGHT - REPLICATE 48	DD-191
RAKEDW49	CHIS2011 RAKED WEIGHT - REPLICATE 49	DD-191
RAKEDW50	CHIS2011 RAKED WEIGHT - REPLICATE 50	DD-192

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RAKEDW51	CHIS2011 RAKED WEIGHT - REPLICATE 51	DD-192
RAKEDW52	CHIS2011 RAKED WEIGHT - REPLICATE 52	DD-192
RAKEDW53	CHIS2011 RAKED WEIGHT - REPLICATE 53	DD-193
RAKEDW54	CHIS2011 RAKED WEIGHT - REPLICATE 54	DD-193
RAKEDW55	CHIS2011 RAKED WEIGHT - REPLICATE 55	DD-193
RAKEDW56	CHIS2011 RAKED WEIGHT - REPLICATE 56	DD-194
RAKEDW57	CHIS2011 RAKED WEIGHT - REPLICATE 57	DD-194
RAKEDW58	CHIS2011 RAKED WEIGHT - REPLICATE 58	DD-194
RAKEDW59	CHIS2011 RAKED WEIGHT - REPLICATE 59	DD-195
RAKEDW60	CHIS2011 RAKED WEIGHT - REPLICATE 60	DD-195
RAKEDW61	CHIS2011 RAKED WEIGHT - REPLICATE 61	DD-195
RAKEDW62	CHIS2011 RAKED WEIGHT - REPLICATE 62	DD-196
RAKEDW63	CHIS2011 RAKED WEIGHT - REPLICATE 63	DD-196
RAKEDW64	CHIS2011 RAKED WEIGHT - REPLICATE 64	DD-196
RAKEDW65	CHIS2011 RAKED WEIGHT - REPLICATE 65	DD-197
RAKEDW66	CHIS2011 RAKED WEIGHT - REPLICATE 66	DD-197
RAKEDW67	CHIS2011 RAKED WEIGHT - REPLICATE 67	DD-197
RAKEDW68	CHIS2011 RAKED WEIGHT - REPLICATE 68	DD-198
RAKEDW69	CHIS2011 RAKED WEIGHT - REPLICATE 69	DD-198
RAKEDW70	CHIS2011 RAKED WEIGHT - REPLICATE 70	DD-198
RAKEDW71	CHIS2011 RAKED WEIGHT - REPLICATE 71	DD-199
RAKEDW72	CHIS2011 RAKED WEIGHT - REPLICATE 72	DD-199
RAKEDW73	CHIS2011 RAKED WEIGHT - REPLICATE 73	DD-199
RAKEDW74	CHIS2011 RAKED WEIGHT - REPLICATE 74	DD-200
RAKEDW75	CHIS2011 RAKED WEIGHT - REPLICATE 75	DD-200
RAKEDW76	CHIS2011 RAKED WEIGHT - REPLICATE 76	DD-200
RAKEDW77	CHIS2011 RAKED WEIGHT - REPLICATE 77	DD-201
RAKEDW78	CHIS2011 RAKED WEIGHT - REPLICATE 78	DD-201
RAKEDW79	CHIS2011 RAKED WEIGHT - REPLICATE 79	DD-201
RAKEDW80	CHIS2011 RAKED WEIGHT - REPLICATE 80	DD-202

## C. Restricted Variables

The following geographic variables are not located in the funder files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

### Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS.
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.
SCH_LON	SCHOOL LONGITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.



## 7. Data Dictionary

### 2012 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

#### Section Q: Screening Information

VARNAME: PUF1Y\_ID QNAME12: NA  
 QNAME09: NA QNAME07: NA  
 LABEL: PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES  
 VALUE: . 0 - HIGH  
 FREQ 20355  
 % 100.00  
 UNIVERSE: ALL ADULTS  
 INPUT VAR:  
 NOTES:

VARNAME: HHSIZE\_P1 QNAME12: NA  
 QNAME09: NA QNAME07: NA  
 LABEL: HOUSEHOLD SIZE (PUF 1 YR RECODE)  
 MEAN STATISTICS  
 N 20355  
 MIN 1  
 MAX 10  
 MEAN 2.67  
 UNIVERSE: ALL ADULTS  
 INPUT VAR: HH\_SIZE  
 NOTES: ADLTCNT + KIDCNT; TOPCODE=10

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   INTVLANG                           QNAME12:   NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:       LANGUAGE OF INTERVIEW

VALUE:			FREQ	%
1	ENGLISH		16359	80.37
2	SPANISH		2636	12.95
3	VIETNAMESE		554	2.72
4	KOREAN		468	2.30
5	CANTONESE		197	0.97
6	MANDARIN		141	0.69

UNIVERSE:   ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:       NOT AVAILABLE IN CHIS 2011

---

VARNAME:   INTVLANG\_P1                       QNAME12:   NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:       LANGUAGE OF INTERVIEW (PUF 1 YEAR RECODE)

VALUE:			FREQ	%
1	ENGLISH		16359	80.37
2	SPANISH		2636	12.95
3	VIETNAMESE		554	2.72
4	KOREAN		468	2.30
5	MANDARIN/CANTONESE		338	1.66

UNIVERSE:   ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

---

VARNAME:	PROXY	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	A PROXY INTERVIEW			
				FREQ %
VALUE:	1	YES	106	0.52
	2	NO	20249	99.48
UNIVERSE:	ALL ADULTS			
INPUT VAR:	APRX1			
NOTES:				

VARNAME:	SRTENR	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	SELF-REPORTED HOUSEHOLD TENURE (HH)			
			FREQ	%
VALUE:	1	OWN	12748	62.63
	2	RENT/SOME OTHER ARRANGEMENT	7607	37.37
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

## Section A: Demographic Information, Part I

VARNAME: SRAGE\_P1 QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: SELF-REPORTED AGE (PUF 1 YR RECODE)

VALUE:			FREQ	%
18	18-25 YEARS		1410	6.93
26	26-29 YEARS		563	2.77
30	30-34 YEARS		935	4.59
35	35-39 YEARS		1178	5.79
40	40-44 YEARS		1505	7.39
45	45-49 YEARS		1671	8.21
50	50-54 YEARS		2001	9.83
55	55-59 YEARS		2148	10.55
60	60-64 YEARS		2177	10.70
65	65-69 YEARS		2009	9.87
70	70-74 YEARS		1563	7.68
75	75-79 YEARS		1296	6.37
80	80-84 YEARS		1019	5.01
85	85+ YEARS		880	4.32

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRSEX QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED GENDER

VALUE:	1	MALE	FREQ	%
	2	FEMALE	8357	41.06
			11998	58.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRAS QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED ASIAN

VALUE:	1	YES	FREQ	%
	2	NO	2626	12.90
			17729	87.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRASO QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:	1	YES	FREQ	%
	2	NO	548	2.69
			19807	97.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRCH QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED CHINESE

VALUE:	1	YES	FREQ	%
	2	NO	641	3.15
			19714	96.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRKR QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED KOREAN

VALUE:	1	YES	FREQ	%
	2	NO	570	2.80
			19785	97.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

---

VARNAME: SRPH QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:	1	YES	FREQ	%
	2	NO	292	1.43
			20063	98.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRVT QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:	1	YES	FREQ	%
	2	NO	642	3.15
			19713	96.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

---

VARNAME: SRH QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:	1	YES	FREQ	%
	2	NO	4951	24.32
			15404	75.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRO QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:	1	YES	FREQ	%
	2	NO	2325	11.42
			18030	88.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	OMBSRASO	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)			
			FREQ	%
VALUE:	1	NONHISPANIC CHINESE ONLY	572	2.81
	2	NONHISPANIC KOREAN ONLY	555	2.73
	3	NONHISPANIC FILIPINO ONLY	229	1.13
	4	NONHISPANIC VIETNAMESE ONLY	615	3.02
	5	NONHISPANIC OTHER OR NON-ASIAN	18384	90.32
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:	NOT AVAILABLE IN CHIS 2011			

VARNAME:	OMBSRR_P1	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)			
			FREQ	%
VALUE:	1	HISPANIC	4951	24.32
	2	WHITE, NON-HISPANIC (NH)	11300	55.51
	3	AFRICAN AMERICAN ONLY, NOT HISPANIC	904	4.44
	4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH	305	1.50
	5	ASIAN ONLY, NH	2480	12.18
	6	OTHER/TWO OR MORE RACES	415	2.04
UNIVERSE:	ALL ADULTS			
INPUT VAR:	SRPI	SRAI	SRAS	SRAA SRW SRO
NOTES:				



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: RACECN\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	OTHER SINGLE RACE		2357	11.58
2	AMERICAN INDIAN/ALASKAN NATIVE		485	2.38
3	ASIAN		2515	12.36
4	AFRICAN AMERICAN		951	4.67
5	WHITE		13598	66.80
7	MORE THAN ONE RACE		449	2.21

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:

VARNAME: RACEDF\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	LATINO		4951	24.32
2	NON-LATINO OTHER, ONE RACE		65	0.32
3	NON-LATINO AMERICAN INDIAN/ALASKAN NATIV		304	1.49
4	NON-LATINO ASIAN		2474	12.15
5	NON-LATINO AFR. AMER.		902	4.43
6	NON-LATINO WHITE		11272	55.38
8	NON-LATINO, TWO+ RACES		387	1.90

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEHP2\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	LATINO		3389	16.65
2	OTHER SINGLE/MULTIPLE RACE		1592	7.82
3	AMERICAN INDIAN/ALASKAN NATIVE		408	2.00
4	ASIAN		2485	12.21
5	AFRICAN AMERICAN		933	4.58
6	WHITE		11548	56.73

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: SRW QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		13995	68.75
2	NO		6360	31.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRAA QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:			FREQ	%
1	YES		1050	5.16
2	NO		19305	94.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRAI QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		779	3.83
2	NO		19576	96.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: CATRIBE QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: CALIFORNIA TRIBE

VALUE:			FREQ	%
-9	UNKNOWN TRIBAL HERITAGE		94	0.46
-1	INAPPLICABLE		19576	96.17
1	CALIFORNIA TRIBAL HERITAGE		199	0.98
2	NON-CALIFORNIA TRIBAL HERITAGE		486	2.39

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR: SRAI AA5B\_1 AA5B\_2 AA5B\_3 AA5B\_4 AA5B\_5 AA5B\_6 AA5B\_7 AA5B\_8

NOTES:

---

VARNAME: AA5C QNAME12: QA11\_A10

QNAME09: QA09\_A10 QNAME07: QA07\_A10

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:			FREQ	%
-8	DON'T KNOW		6	0.03
-1	INAPPLICABLE		19666	96.62
1	YES		298	1.46
2	NO		385	1.89

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	MARIT	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	MARITAL STATUS- 3 CATEGORIES			
			FREQ	%
VALUE:	1	MARRIED	10452	51.35
	2	OTHERWID/SEP/DIV/LIVING W/PARTNER	6563	32.24
	3	NEVER MARRIED	3340	16.41
UNIVERSE:	ALL ADULTS			
INPUT VAR:	AH43			
NOTES:				

VARNAME:	MARIT_45	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	MARITAL STATUS - AGE 45 AND OLDER			
			FREQ	%
VALUE:	-1	INAPPLICABLE	5591	27.47
	1	MARRIED	7883	38.73
	2	LIVING WITH PARTNER	514	2.53
	3	WIDOWED	2495	12.26
	4	DIVORCED/SEPARATED	2572	12.64
	5	NEVER MARRIED	1300	6.39
UNIVERSE:	ALL ADULTS AGE 45 AND OLDER			
INPUT VAR:	AH43 SRAGE			
NOTES:				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	MARIT2	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	MARITAL STATUS- 4 CATEGORIES			
			FREQ	%
VALUE:	1	MARRIED	10452	51.35
	2	LIVING W/ PARTNER	1032	5.07
	3	WID/SEP/DIV	5531	27.17
	4	NEVER MARRIED	3340	16.41
UNIVERSE:	ALL ADULTS			
INPUT VAR:	AH43			
NOTES:				

VARNAME:	LATIN2TP	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	LATIN/HISPANIC SUBTYPES - 2 LVLS			
			FREQ	%
VALUE:	-1	NON-LATINO	15404	75.68
	1	MEXICAN	3906	19.19
	2	OTHER	1045	5.13
UNIVERSE:	ADULTS WHO ARE LATINO OR HISPANIC			
INPUT VAR:				
NOTES:				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section B: General Health Condition

---

VARNAME: AB1 QNAME12: QA11\_B1  
QNAME09: QA09\_B1 QNAME07: QA07\_B1

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		3535	17.37
2	VERY GOOD		6105	29.99
3	GOOD		5906	29.01
4	FAIR		3495	17.17
5	POOR		1314	6.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AB17 QNAME12: QA11\_B2  
QNAME09: QA09\_B2 QNAME07: QA07\_B2

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE:			FREQ	%
1	YES		2733	13.43
2	NO		17622	86.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB40 QNAME12: QA11\_B3  
QNAME09: QA09\_B3 QNAME07: QA07\_B3

LABEL: STILL HAS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		17622	86.57
1	YES		1676	8.23
2	NO		1057	5.19

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB41 QNAME12: QA11\_B4  
QNAME09: QA09\_B4 QNAME07: QA07\_B4

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		17622	86.57
1	YES		892	4.38
2	NO		1841	9.04

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   ASTCUR                                   QNAME12:   NA

QNAME09:   NA                                   QNAME07:   NA

LABEL:       CURRENT ASTHMA STATUS

VALUE:			FREQ	%
1	CURRENT ASTHMA		1754	8.62
2	NO CURRENT ASTHMA		18601	91.38

UNIVERSE:   ADULTS WHO HAVE EVER BEEN DIAGNOSED WITH ASTHMA

INPUT VAR:

NOTES:

---

VARNAME:   ASTS                                   QNAME12:   NA

QNAME09:   NA                                   QNAME07:   NA

LABEL:       ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		17622	86.57
1	SYMPTOMS		1876	9.22
2	NO SYMPTOMS		857	4.21

UNIVERSE:   ALL ADULTS DIAGNOSED WITH ASTHMA

INPUT VAR: AB19 AB66

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   ASTYR                                   QNAME12:   NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:        ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	SYMPTOMS	18601	91.38
	2	NO SYMPTOMS	1589	7.81
			165	0.81

UNIVERSE:   ALL ADULTS WITH ASTHMA

INPUT VAR:   AB19

NOTES:

---

VARNAME:   AB18                                   QNAME12:   QA11\_B9

  QNAME09:   QA09\_B9                           QNAME07:   QA07\_B8

LABEL:        TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	17622	86.57
	2	NO	958	4.71
			1775	8.72

UNIVERSE:   ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:        NOT TRENDABLE WITH CHIS 2001 AB18

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB19

QNAME12: QA11\_B5

QNAME09: QA09\_B5

QNAME07: QA07\_B5

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		18601	91.38
1	NOT AT ALL		165	0.81
2	LESS THAN EVERY MONTH		750	3.68
3	EVERY MONTH		359	1.76
4	EVERY WEEK		220	1.08
5	EVERY DAY		260	1.28

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001 AB19 (UNIVERSE DIFFERENCES)

VARNAME: AH13A

QNAME12: QA11\_B6

QNAME09: QA09\_B6

QNAME07: QA07\_B6

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		18601	91.38
1	YES		159	0.78
2	NO		1595	7.84

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB66 QNAME12: QA11\_B10  
QNAME09: QA09\_B10 QNAME07: QA07\_B9

LABEL: HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	19376	95.19
1	NOT AT ALL	692	3.40
2	LESS THAN EVERY MONTH	200	0.98
3	EVERY MONTH	34	0.17
4	EVERY WEEK	21	0.10
5	EVERY DAY	32	0.16

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

VARNAME: AB66\_P1 QNAME12:

QNAME09: NA QNAME07: NA

LABEL: HOW OFTEN HAD ASTHMA SYMPTS PAST 12 MOS: PREV. ASTHM (PUF 1 YEAR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	19376	95.19
1	NOT AT ALL	692	3.40
2	LESS THAN EVERY MONTH	200	0.98
3	EVERY MONTH OR MORE	87	0.43

UNIVERSE: 'ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR: AB66

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42\_P1

QNAME12:

QNAME09: NA

QNAME07: NA

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18130	89.07
0	0 DAYS		2078	10.21
1	1-2 DAYS		59	0.29
3	3-4 DAYS		27	0.13
5	5+ DAYS		61	0.30

UNIVERSE: ALL ADULTS 69 OR YOUNGER WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR: AB42

NOTES: NOT AVAILABLE IN CHIS 2011

VARNAME: AB43

QNAME12: QA11\_B15

QNAME09: QA09\_B15

QNAME07: QA07\_B13

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		17622	86.57
1	YES		1566	7.69
2	NO		1167	5.73

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB98 QNAME12: QA11\_B16  
QNAME09: QA09\_B16 QNAME07: NA

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18789	92.31
1	YES		390	1.92
2	NO		1176	5.78

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS  
DEVELOP ASTHMA CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB108\_P1 QNAME12:

QNAME09: NA QNAME07: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17523	86.09
1	VERY CONFIDENT		2083	10.23
2	SOMEWHAT CONFIDENT		524	2.57
3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT		119	0.58

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: AB108

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB22 QNAME12: QA11\_B18  
QNAME09: QA09\_B18 QNAME07: QA07\_B14

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:			FREQ	%
1	YES		2348	11.54
2	NO		17610	86.51
3	BORDERLINE OR PRE-DIABETES		397	1.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AB99 QNAME12: QA11\_B19  
QNAME09: QA09\_B19 QNAME07: NA

LABEL: DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		397	1.95
1	YES		2023	9.94
2	NO		17935	88.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB23\_P1

QNAME12:

QNAME09: NA

QNAME07: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	18007	88.46
	1	AGES 18 AND UNDER	56	0.28
	2	AGES 19-29	108	0.53
	3	AGES 30-39	253	1.24
	4	AGES 40-49	487	2.39
	5	AGES 50-59	682	3.35
	6	AGES 60-69	470	2.31
	7	AGES 70-79	218	1.07
	8	AGES 80 AND OVER	74	0.36

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES: NOT AVAILABLE IN CHIS 2011

VARNAME: DIAMED

QNAME12:

QNAME09: NA

QNAME07: NA

LABEL: TAKING INSULIN OR PILLS

VALUE:			FREQ	%
-1	INAPPLICABLE		18007	88.46
1	TAKING INSULIN & PILLS		360	1.77
2	TAKING INSULIN ONLY		275	1.35
3	TAKING PILLS ONLY		1365	6.71
4	NOT TAKING INSULIN NOR PILLS		348	1.71

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24 AB25

NOTES: NOT AVAILABLE IN CHIS 2011



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB51\_P1

QNAME12:

QNAME09: NA

QNAME07: NA

LABEL: TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18102	88.93
1	TYPE I		254	1.25
2	TYPE 2		1999	9.82

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE TYPE 1/2 DIABETES

INPUT VAR: AB51

NOTES: NOT AVAILABLE IN CHIS 2011

VARNAME: AB24

QNAME12: QA11\_B22

QNAME09: QA09\_B22

QNAME07: QA07\_B17

LABEL: CURRENTLY TAKING INSULIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18007	88.46
1	YES		635	3.12
2	NO		1713	8.42

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB25 QNAME12: QA11\_B23  
QNAME09: QA09\_B24 QNAME07: QA07\_B18

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:			FREQ	%
-1	INAPPLICABLE		18007	88.46
1	YES		1725	8.47
2	NO		623	3.06

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB27\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: # OF TIMES DOC CHECKED HMGLBN A1C LAST YR (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18007	88.46
0	0 TIMES		236	1.16
1	1 TIMES		338	1.66
2	2 TIMES		528	2.59
3	3 TIMES		297	1.46
4	4 TIMES		559	2.75
5	5+ TIMES		145	0.71
995	R NEVER HEARD OF IT		245	1.20

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES: NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB28\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18007	88.46
0	0 TIMES	730	3.59
1	1 TIMES	513	2.52
2	2 TIMES	370	1.82
3	3 TIMES	170	0.84
4	4 TIMES	306	1.50
5	5+ TIMES	259	1.27

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB28

NOTES: NOT AVAILABLE IN CHIS 2011

VARNAME: AB63 QNAME12: QA11\_B27

QNAME09: QA09\_B32 QNAME07: QA07\_B22

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	18007	88.46
1	WITHIN THE PAST MONTH	367	1.80
2	1 TO 12 MOS AGO	1319	6.48
3	1 TO 2 YRS AGO	254	1.25
4	2 OR MORE YRS AGO	256	1.26
5	NEVER	152	0.75

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB112 QNAME12: QA11\_B31

QNAME09: QA09\_B36 QNAME07: NA

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		18007	88.46
1	YES		1815	8.92
2	NO		533	2.62

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

---

VARNAME: AB113 QNAME12: QA11\_B32

QNAME09: QA09\_B37 QNAME07: NA

LABEL: HAVE WRITTEN COPY OF DIABETES CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18540	91.08
1	YES		783	3.85
2	NO		1032	5.07

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND MEDICAL PROVIDERS DEVELOPED DIABETES CARE PLAN

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB114\_P1

QNAME12:

QNAME09: NA

QNAME07: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17925	88.06
1	VERY CONFIDENT		1343	6.60
2	SOMEWHAT CONFIDENT		803	3.94
3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT		178	0.87

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB114

NOTES:

VARNAME: AB29

QNAME12: QA11\_B35

QNAME09: QA09\_B41

QNAME07: QA07\_B24

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE:			FREQ	%
1	YES		7694	37.80
2	NO		12259	60.23
3	BORDERLINE HYPERTENSION		402	1.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB30 QNAME12: QA11\_B36

QNAME09: QA09\_B42 QNAME07: QA07\_B25

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		12661	62.20
1	YES		6081	29.87
2	NO		1613	7.92

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

VARNAME: AB34 QNAME12: QA11\_B37

QNAME09: QA09\_B43 QNAME07: QA07\_B26

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		2004	9.85
2	NO		18351	90.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB52 QNAME12: QA11\_B38

QNAME09: QA09\_B44 QNAME07: QA07\_B27

LABEL: EVER TOLD HAVE HEART FAILURE/CONGESTIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		18351	90.15
1	YES		604	2.97
2	NO		1400	6.88

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

---

VARNAME: AB115 QNAME12: QA11\_B39

QNAME09: QA09\_B45 QNAME07: NA

LABEL: VISITED ER FOR HEART DISEASE IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		18351	90.15
1	YES		322	1.58
2	NO		1682	8.26

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB116\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: VISITED ER FOR HRT DX UNABLE TO SEE OWN DR (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	20038	98.44
	2	NO	120	0.59
			197	0.97

UNIVERSE: 'ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND VISITED ER  
FOR HEART DISEASE IN PAST 12 MOS

INPUT VAR: AB116

NOTES: NOT AVAILABLE IN CHIS 2011

---

VARNAME: AB117 QNAME12: QA11\_B41

QNAME09: QA09\_B47 QNAME07: NA

LABEL: ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18351	90.15
	2	NO	293	1.44
			1711	8.41

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB118 QNAME12: QA11\_B42  
QNAME09: QA09\_B48 QNAME07: NA

LABEL: MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18351	90.15
1	YES		1505	7.39
2	NO		499	2.45

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB119 QNAME12: QA11\_B43  
QNAME09: QA09\_B49 QNAME07: NA

LABEL: HAVE WRITTEN COPY OF HEART DISEASE CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		18850	92.61
1	YES		467	2.29
2	NO		1038	5.10

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND MEDICAL PROVIDER DEVELOPED HEART DISEASE CARE PLAN

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB120\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		18279	89.80
1	VERY CONFIDENT		1106	5.43
2	SOMEWHAT CONFIDENT		694	3.41
3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT		170	0.84

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR: AB120

NOTES:

---

VARNAME: AC6 QNAME12: QA11\_B45

QNAME09: NA QNAME07: NA

LABEL: DOCTOR EVER TOLD HAD STROKE

VALUE:			FREQ	%
1	YES		766	3.76
2	NO		19589	96.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB64 QNAME12: QA11\_B46

QNAME09: NA QNAME07: NA

LABEL: DOCTOR EVER TOLD HAVE ARTH/GOUT/LUPUS

VALUE:			FREQ	%
1	YES		6138	30.15
2	NO		14217	69.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AB127 QNAME12: QA11\_B47

QNAME09: NA QNAME07: NA

LABEL: HAD JOINT PAIN, STIFFNESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	YES		9094	44.68
2	NO		11155	54.80

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB16 QNAME12: QA11\_B48  
QNAME09: NA QNAME07: NA

LABEL: LIMITATION OF ACTIVITIES B/C OF JOINT PROBLEMS

VALUE:			FREQ	%
-1	INAPPLICABLE		9984	49.05
1	NOT AT ALL		3121	15.33
2	A LITTLE BIT		3408	16.74
3	MODERATELY		2144	10.53
4	QUITE A LOT		1233	6.06
5	EXTREMELY		465	2.28

UNIVERSE: ALL ADULTS DIAGNOSED WITH ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA  
OR HAD SYMPTOMS OF JOINT PROBLEM IN PAST 30 DAYS

INPUT VAR:

NOTES: NOT TRENDABLE WITH AB16 IN CHIS 2001 AB16; NOT AVAILABLE IN CHIS  
2011

VARNAME: AE30 QNAME12: QA11\_B49  
QNAME09: QA09\_B51 QNAME07: QA07\_B28

LABEL: FLU SHOT/MIST IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		9618	47.25
2	NO		10737	52.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001-2007 AE30

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB100 QNAME12: QA11\_B50  
QNAME09: QA09\_B52 QNAME07: NA

LABEL: HAD FLU SHOT OR NASAL FLU VACCINE

VALUE:		FREQ	%
-1	INAPPLICABLE	10737	52.75
1	FLU SHOT	9391	46.14
2	NASAL / FLUMIST	183	0.90
3	BOTH	44	0.22

UNIVERSE: ALL ADULTS WHO HAD FLU VACCINE IN PAST 12 MOS

INPUT VAR:

NOTES:

---

VARNAME: AB57 QNAME12: QA11\_B51  
QNAME09: QA09\_B53 QNAME07: NA

LABEL: KIND OF PLACE GOT LAST FLU SHOT

VALUE:		FREQ	%
-1	INAPPLICABLE	10737	52.75
1	DOCTOR'S OFFICE/KAISER/HMO	4801	23.59
2	COMM HLTH CTR/HLTH DEPT CLINIC/OTHER CLI	1563	7.68
3	STORE (MARKET, DRUGSTORE, PHARMACY)	1643	8.07
4	WORKPLACE	682	3.35
5	SENIOR/RECREATION/COMMUNITY CENTER	125	0.61
6	HOSPITAL/EMERGENCY ROOM	610	3.00
7	PLACE OF WORSHIP	57	0.28
8	SCHOOL	26	0.13
9	RESIDENCE	25	0.12
10	FEDERAL FACILITY	52	0.26
11	OTHER	34	0.17

UNIVERSE: ALL ADULTS WHO HAD FLU SHOT IN PAST 12 MONTHS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC7 QNAME12: QA11\_B80  
QNAME09: NA QNAME07: NA

LABEL: FALLEN TO GROUND MORE THAN ONCE IN PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		13588	66.76
1	YES		825	4.05
2	NO		5942	29.19

UNIVERSE: ALL ADULTS OLDER THAN 65 YEARS

INPUT VAR:

NOTES:

VARNAME: AB91 QNAME12: QA11\_B81  
QNAME09: NA QNAME07: NA

LABEL: RECEIVED MEDICAL CARE BECAUSE OF FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		19530	95.95
1	YES		367	1.80
2	NO		458	2.25

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB92 QNAME12: QA11\_B84  
QNAME09: NA QNAME07: NA

LABEL: PROF TALKED ABOUT HOW TO AVOID FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		19530	95.95
1	YES		360	1.77
2	NO		465	2.28

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB142 QNAME12: QA11\_B85  
QNAME09: NA QNAME07: NA

LABEL: PROF MAKE RECOMNDS TO AVOID FALLING

VALUE:			FREQ	%
-1	INAPPLICABLE		19995	98.23
1	YES		241	1.18
2	NO		119	0.58

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND HAVE TALKED WITH HEALTH CARE  
PROFESSIONAL ABOUT HOW TO AVOID FALLING

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB93 QNAME12: QA11\_B86

QNAME09: NA QNAME07: NA

LABEL: PROF REVIEWED MEDS DUE TO FALLS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	19530	95.95
	2	NO	285	1.40
			540	2.65

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND HAVE TALKED WITH HEALTH CARE  
PROFESSIONAL ABOUT HOW TO AVOID FALLING

INPUT VAR:

NOTES:

---

VARNAME: AB143 QNAME12: QA11\_B87

QNAME09: NA QNAME07: NA

LABEL: PROF RECOMND CHANGE MEDS DUE TO FALLS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	20070	98.60
	2	NO	88	0.43
			197	0.97

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND HAD THEIR MEDICATIONS REVIEWED BY A  
HEALTH CARE PROFESSIONAL

INPUT VAR:

NOTES:

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB95 QNAME12: QA11\_B90

QNAME09: NA QNAME07: NA

LABEL: CHANGED HOME DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		19530	95.95
1	YES		232	1.14
2	NO		593	2.91

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

---

VARNAME: AB145 QNAME12: QA11\_B91

QNAME09: NA QNAME07: NA

LABEL: PROF RECOMND HOME CHANGES DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		20123	98.86
1	YES		91	0.45
2	NO		141	0.69

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND MADE CHANGES TO HOME, SUCH AS ADDING  
GRAB BARS OR REMOVING RUGS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB96

QNAME12: QA11\_B92

QNAME09: NA

QNAME07: NA

LABEL: STARTED TO USE CANE/WALKER DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		19530	95.95
1	YES		341	1.68
2	NO		484	2.38

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB146

QNAME12: QA11\_B93

QNAME09: NA

QNAME07: NA

LABEL: PROF RECOMND CANE/WALKER DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		20014	98.32
1	YES		202	0.99
2	NO		139	0.68

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND STARTED USING A CANE OR WALKER

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB97

QNAME12: QA11\_B94

QNAME09: NA

QNAME07: NA

LABEL: CHANGED DAILY ROUTINES DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		19530	95.95
1	YES		280	1.38
2	NO		545	2.68

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB147

QNAME12: QA11\_B95

QNAME09: NA

QNAME07: NA

LABEL: PROF RECOMND CHANGE ROUTINE DUE TO FALLS

VALUE:			FREQ	%
-1	INAPPLICABLE		20075	98.62
1	YES		118	0.58
2	NO		162	0.80

UNIVERSE: ALL ADULTS > 65 YEARS WHO HAVE FALLEN TO THE GROUND MORE THAN ONCE  
DURING THE PAST 12 MOS AND CHANGED THEIR DAILY ROUTINES

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section C: Health Behaviors

---

VARNAME: AD37W QNAME12: QA11\_C1  
QNAME09: QA09\_C1 QNAME07: NA

LABEL: WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

VALUE:			FREQ	%
1	YES		8943	43.94
2	NO		11250	55.27
3	UNABLE TO WALK		162	0.80

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AD38W\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: # TIMES WALK = 10 MIN TRANSPORT PAST 7 DAYS (PUF 1 YEAR RECODE)

MEAN STATISTICS	
N	8943
MIN	1
MAX	8
MEAN	3.81

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE IN PAST 7 DAYS

INPUT VAR: AD38W

NOTES: TOPCODE=8

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD39W QNAME12: QA11\_C3  
QNAME09: QA09\_C3 QNAME07: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION (MINS)

MEAN STATISTICS

N	8943
MIN	1
MAX	480
MEAN	27.35

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME  
PLACE IN PAST 7 DAYS

INPUT VAR:

NOTES:

VARNAME: AD40W QNAME12: QA11\_C4  
QNAME09: QA09\_C4 QNAME07: NA

LABEL: WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	162	0.80
1	YES	12752	62.65
2	NO	7441	36.56

UNIVERSE: ALL ADULTS ABLE TO WALK

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AD41W QNAME12: QA11\_C5  
QNAME09: QA09\_C5 QNAME07: NA

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

## MEAN STATISTICS

N	12752
MIN	1
MAX	77
MEAN	4.41

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN  
PAST 7 DAYS

INPUT VAR:

NOTES:

---

VARNAME: AD42W QNAME12: QA11\_C6  
QNAME09: QA09\_C6 QNAME07: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE (MINS)

## MEAN STATISTICS

N	12752
MIN	1
MAX	480
MEAN	34.30

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN  
PAST 7 DAYS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE2 QNAME12: QA11\_C7  
QNAME09: QA09\_C13 QNAME07: QA07\_C8

LABEL: # OF TIMES ATE FRUIT IN PAST MONTH

## MEAN STATISTICS

N	20355
MIN	0
MAX	600
MEAN	35.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AE3 QNAME12: QA11\_C8  
QNAME09: QA09\_C14 QNAME07: QA07\_C9

LABEL: # OF TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO

## MEAN STATISTICS

N	20355
MIN	0
MAX	150
MEAN	3.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE7 QNAME12: QA11\_C9  
QNAME09: QA09\_C15 QNAME07: QA07\_C10

LABEL: # OF TIMES ATE VEGETABLES IN PAST MONTH

## MEAN STATISTICS

N	20355
MIN	0
MAX	300
MEAN	32.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AE\_FRIES QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: # OF TIMES EATING FRIES PER WEEK

## MEAN STATISTICS

N	20355
MIN	0
MAX	35
MEAN	0.77

UNIVERSE: ALL ADULTS

INPUT VAR: AE3 AE3UNT

NOTES:

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE\_FRUIT QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: # OF TIMES EATING FRUIT PER WEEK

## MEAN STATISTICS

N	20355
MIN	0
MAX	139
MEAN	8.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AC11 QNAME12: QA11\_C10  
QNAME09: QA09\_C16 QNAME07: QA07\_C11

LABEL: # OF TIMES DRANK SODA LAST MONTH

## MEAN STATISTICS

N	20355
MIN	0
MAX	300
MEAN	6.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE\_SODA QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

MEAN STATISTICS

N	20355
MIN	0
MAX	69
MEAN	1.39

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:

VARNAME: AESODA\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
0	0 TIMES	13803	67.81
1	1 TIME	2501	12.29
2	2-3 TIMES	1740	8.55
3	4-6 TIMES	603	2.96
4	7-13 TIMES	1164	5.72
5	14-20 TIMES	329	1.62
6	21+ TIMES	215	1.06

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AE\_VEGI

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

## MEAN STATISTICS

N	20355
MIN	0
MAX	69
MEAN	7.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

VARNAME: AC31\_P1

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: # TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)

## MEAN STATISTICS

N	20355
MIN	0
MAX	9
MEAN	1.14

UNIVERSE: ALL ADULTS

INPUT VAR: AC31

NOTES: TOPCODE=9  
-----

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE15 QNAME12: QA11\_C16  
QNAME09: QA09\_C25 QNAME07: QA07\_C13

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE:			FREQ	%
1	YES		8084	39.72
2	NO		12271	60.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AE15A QNAME12: QA11\_C17  
QNAME09: QA09\_C26 QNAME07: QA07\_C14

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE:			FREQ	%
-1	INAPPLICABLE		12271	60.28
1	EVERY DAY		1575	7.74
2	SOME DAYS		685	3.37
3	NOT AT ALL		5824	28.61

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD32\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18780	92.26
0	0 CIGARETTES		5	0.02
1	1-5 CIGARETTES		304	1.49
6	6-10 CIGARETTES		593	2.91
11	11-15 CIGARETTES		209	1.03
16	16+ CIGARETTES		464	2.28

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW SMOKE EVERY DAY

INPUT VAR: AD32

NOTES: NOT AVAILABLE IN CHIS 2012

VARNAME: AE16\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19670	96.63
0	0 CIGARETTES		31	0.15
1	1 CIGARETTE		142	0.70
2	2 CIGARETTES		139	0.68
3	3 CIGARETTES		117	0.57
4	4 CIGARETTES		67	0.33
5	5 CIGARETTES		66	0.32
6	6-10 CIGARETTES		100	0.49
11	11+ CIGARETTES		23	0.11

UNIVERSE: ALL ADULTS WHO CURRENTLY DO NOT SMOKE EVERYDAY, BUT ON SOME DAYS

INPUT VAR: AE16

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC17 QNAME12: QA11\_C20  
QNAME09: QA09\_C31 QNAME07: QA07\_C17

LABEL: SMOKING EVER ALLOWED INSIDE HOME

VALUE:			FREQ	%
1	YES		1555	7.64
2	NO		18800	92.36

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: 2003 VARIABLE NAME: AD33

VARNAME: SMKCUR QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: CURRENT SMOKER

VALUE:			FREQ	%
1	CURRENT SMOKER		2260	11.10
2	NOT CURRENT SMOKER		18095	88.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SMOKING QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: CURRENT SMOKING HABITS

VALUE:			FREQ	%
1	CURRENTLY SMOKES		2260	11.10
2	QUIT SMOKING		5824	28.61
3	NEVER SMOKED REGULARLY		12271	60.28

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	NUMCIG	QNAME12:	NA		
		QNAME09:	NA	QNAME07:	NA
LABEL:	# OF CIGARETTES PER DAY				
				FREQ	%
VALUE:	1	NONE		18095	88.90
	2	<=1 CIGARETTES		198	0.97
	3	2-5 CIGARETTES		673	3.31
	4	6-10 CIGARETTES		693	3.40
	5	11-19 CIGARETTES		246	1.21
	6	20 OR MORE		450	2.21
UNIVERSE:	ALL ADULTS				
INPUT VAR:	AE15A AD32 AE16 AE15				

NOTES:

VARNAME:	HHSMK	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	HOUSEHOLD SMOKING			
			FREQ	%
VALUE:	1	NONE	18800	92.36
	2	SOMEDAYS	915	4.50
	3	EVERY DAY	640	3.14
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC32 QNAME12: QA11\_C22  
QNAME09: QA09\_C33 QNAME07: QA07\_C19

LABEL: HAD ALCOHOL PAST 12 MONTHS

VALUE:			FREQ	%
1	YES		13440	66.03
2	NO		6915	33.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: BINGE12 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

VALUE:		FREQ	%
1	NO BINGE DRINKING PAST YEAR	15721	77.23
2	ONCE A YEAR	738	3.63
3	LESS THAN MONTHLY, MORE THAN ONCE A YEAR	2018	9.91
4	MONTHLY	584	2.87
5	LESS THAN WEEKLY BUT MORE THAN MONTHLY	685	3.37
6	DAILY OR WEEKLY	609	2.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001/03 BINGE WHERE 5+ DRINKS FOR MALES  
AND FEMALES



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC42\_P

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)

VALUE:			FREQ	%
1	NEVER		831	4.08
2	SOMETIMES		1288	6.33
3	USUALLY		1711	8.41
4	ALWAYS		16100	79.10
5	DOESN'T EAT/SHOP FOR FRUITS AND VEGETABL	425		2.09

UNIVERSE: ALL ADULTS

INPUT VAR: AC42

NOTES:

VARNAME: AC43

QNAME12: QA11\_C14

QNAME09: NA

QNAME07: NA

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG NEAR WORK

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		6670	32.77
1	NEVER		1597	7.85
2	SOMETIMES		1939	9.53
3	USUALLY		1656	8.14
4	ALWAYS		5575	27.39
5	DOESN'T WORK		2363	11.61
6	WORKS AT HOME		227	1.12
7	OTHER NOT APPLICABLE		222	1.09

UNIVERSE: ALL ADULTS &gt; 65 WHO EAT FRESH FRUITS AND VEGETABLES

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AC44 QNAME12: QA11\_C13

QNAME09: NA QNAME07: NA

LABEL: NEIGHBORHOOD FRUIT/VEG AFFORDABLE

VALUE:		FREQ	%
-1	INAPPLICABLE	1256	6.17
1	NEVER	255	1.25
2	SOMETIMES	3235	15.89
3	USUALLY	5263	25.86
4	ALWAYS	10346	50.83

UNIVERSE: ALL ADULTS WHO CAN FIND FRESH FRUITS AND VEGETABLES IN NEIGHBORHOOD

INPUT VAR:

NOTES:

---

VARNAME: AC45 QNAME12: QA11\_C15

QNAME09: NA QNAME07: NA

LABEL: WORKPLACE FRUIT/VEG AFFORDABLE

VALUE:		FREQ	%
-2	PROXY SKIPPED	106	0.52
-1	INAPPLICABLE	11079	54.43
1	NEVER	174	0.85
2	SOMETIMES	1894	9.30
3	USUALLY	2570	12.63
4	ALWAYS	4532	22.26

UNIVERSE: ALL ADULTS >65 WHO EAT FRESH FRUITS/VEGETABLES AND CAN FIND FRESH FRUITS AND VEGETABLES AT OR NEAR WORKPLACE

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section D: General Health, Disability, and Sexual Health**

---

VARNAME: HGHTI\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS	
N	20355
MIN	42
MAX	77
MEAN	65.60

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

---

VARNAME: HGHTM\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS	
N	20355
MIN	1
MAX	2
MEAN	1.66

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAM :      HEIGHM\_P                          QNAME12 :    NA

   QNAME09 :    NA                          QNAME07 :    NA

LABEL:        HEIGHT: METERS - UCLA (PUF RECODE)

## MEAN STATISTICS

N	20355
MIN	1
MAX	2
MEAN	1.66

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

```
VARNAME:      WEIGHK_P              QNAME12:   NA
```

  

```
QNAME09:    NA                      QNAME07:    NA
```

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

## MEAN STATISTICS

N	20355
MIN	41
MAX	150
MEAN	75.38

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHTKG

NOTES: TOPCODE=150; BOTTOMCODE=41

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   WGHTK\_P                           QNAME12:   NA  
  QNAME09:   NA                           QNAME07:   NA

LABEL:       WEIGHT: KG (PUF RECODE)

MEAN STATISTICS	
N	20355
MIN	41
MAX	150
MEAN	75.38

UNIVERSE:   ALL ADULTS

INPUT VAR: WGHTK

NOTES:       TOPCODE=150; BOTTOMCODE=41

---

VARNAME:   WGHTP\_P                           QNAME12:   NA  
  QNAME09:   NA                           QNAME07:   NA

LABEL:       WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS	
N	20355
MIN	90
MAX	330
MEAN	166.18

UNIVERSE:   ALL ADULTS

INPUT VAR: WGHTP

NOTES:       TOPCODE=330; BOTTOMCODE=90

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: WT18K\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: WEIGHT AT 18: KILOS (PUF RECODE)

MEAN STATISTICS  
N 20149  
MIN 41  
MAX 150  
MEAN 61.97

UNIVERSE: ALL ADULTS 19 AND OLDER

INPUT VAR: WT18K

NOTES: TOPCODE=150; BOTTOMCODE=41

---

VARNAME: WT18P\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: WEIGHT AT 18: LBS (PUF RECODE)

MEAN STATISTICS  
N 20149  
MIN 90  
MAX 330  
MEAN 136.55

UNIVERSE: ALL ADULTS 19 AND OLDER

INPUT VAR: WT18P

NOTES: TOPCODE=330; BOTTOMCODE=90

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD50 QNAME12: QA11\_D4  
QNAME09: QA09\_D4 QNAME07: QA07\_D4

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

VALUE:	1	YES	FREQ	%
	2	NO	2151	10.57
			18204	89.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: BMI\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS	
N	20355
MIN	13
MAX	90
MEAN	27.26

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK\_P HEIGHM\_P

NOTES: SEE WEIGHK\_P AND HEIGHM\_P FOR BOTTOM AND TOP CODES

VARNAME:	RBMI	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	BMI DESCRIPTIVE			
			FREQ	%
VALUE:	1	UNDERWEIGHT 0-18.49	358	1.76
	2	NORMAL 18.5-24.99	7801	38.32
	3	OVERWEIGHT 25.0-29.99	7077	34.77
	4	OBESSE 30.0+	5119	25.15
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	OVRWT	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	OVERWEIGHT OR OBESE			
			FREQ	%
VALUE:	1	YES	12196	59.92
	2	NO	8159	40.08
UNIVERSE:	ALL ADULTS			
INPUT VAR:	RBMI			
NOTES:				



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD57 QNAME12: QA11\_D6  
QNAME09: QA09\_D6 QNAME07: QA07\_D6

LABEL: CONDITION LIMITS BASIC PHYS ACTIVITY

VALUE:			FREQ	%
1	YES		4611	22.65
2	NO		15744	77.35

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD51 QNAME12: QA11\_D7  
QNAME09: QA09\_D7 QNAME07: QA07\_D7

LABEL: HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING

VALUE:			FREQ	%
1	YES		3310	16.26
2	NO		17045	83.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD52 QNAME12: QA11\_D8  
QNAME09: QA09\_D8 QNAME07: QA07\_D8

LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND

VALUE:			FREQ	%
1	YES		1158	5.69
2	NO		19197	94.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD53 QNAME12: QA11\_D9  
QNAME09: QA09\_D9 QNAME07: QA07\_D9

LABEL: HAS DIFFICULTY GOING OUTSIDE HOME ALONE

VALUE:			FREQ	%
1	YES		1513	7.43
2	NO		18842	92.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD54 QNAME12: QA11\_D10  
QNAME09: QA09\_D10 QNAME07: QA07\_D10

LABEL: HAS DIFFICULTY WORKING AT A JOB

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		6663	32.73
1	YES		1572	7.72
2	NO		12014	59.02

UNIVERSE: ALL ADULTS UNDER 65 YEARS OLD

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	DISABLE	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION			
			FREQ	%
VALUE:	1	DISABLED	7512	36.90
	2	NOT DISABLED	12843	63.10
UNIVERSE:	ALL ADULTS			
INPUT VAR:	SRAGE AD50 AD51 AD52 AD53 AD54 AD57			
NOTES:	ADAPTED FROM AMERICAN COMMUNITY SURVEY; FOR 65+, AD54 IS EXCLUDED			

## Section E: Women's Health

VARNAME:	AD13	QNAME12:	QA11_E1		
		QNAME09:	QA09_E3	QNAME07:	QA07_E3
LABEL:	CURRENTLY PREGNANT				
				FREQ	%
VALUE:	-2	PROXY SKIPPED		106	0.52
	-1	INAPPLICABLE		16843	82.75
	1	YES		91	0.45
	2	NO		3315	16.29
UNIVERSE:	WOMEN 45 OR YOUNGER				
INPUT VAR:					
NOTES:	NOT AVAILABLE IN CHIS 2011				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD14 QNAME12: QA11\_E3  
QNAME09: NA QNAME07: NA

LABEL: EVER HAD A MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		9355	45.96
1	YES		9435	46.35
2	NO		1565	7.69

UNIVERSE: WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

VARNAME: AD17 QNAME12: QA11\_E8  
QNAME09: NA QNAME07: NA

LABEL: HOW LONG SINCE LAST MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		11341	55.72
1	WITHIN THE PAST YEAR		6209	30.50
2	1 TO 2 YRS AGO		1626	7.99
3	2 TO 3 YRS AGO		518	2.54
4	3 TO 5 YRS AGO		401	1.97
5	MORE THAN 5 YRS AGO		260	1.28

UNIVERSE: WOMEN 30 AND OLDER WHO HAD MAMMOGRAM WITHIN 6 YRS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD18 QNAME12: QA11\_E10  
QNAME09: NA QNAME07: NA

LABEL: MAIN REASON FOR HAVING LAST MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		12520	61.51
1	PART OF ROUTINE PHYSICAL EXAM		6298	30.94
2	DUE TO SPECIFIC BREAST PROBLEM		302	1.48
3	FOLLOW-UP PREV IDENTIFIED BREAST PROBLEM		632	3.10
4	DUE TO FAMILY HISTORY		603	2.96

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

VARNAME: AD19 QNAME12: QA11\_E12  
QNAME09: NA QNAME07: NA

LABEL: EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS

VALUE:			FREQ	%
-1	INAPPLICABLE		11341	55.72
1	YES		2853	14.02
2	NO		6161	30.27

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD20

QNAME12: QA11\_E13

QNAME09: NA

QNAME07: NA

LABEL: EVER HAD OPERATION TO REMOVE LUMP FROM BREAST

VALUE:			FREQ	%
-1	INAPPLICABLE		17502	85.98
1	YES		1084	5.33
2	NO		1769	8.69

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAD A MAMMOGRAM WITH ABNORMAL RESULTS

INPUT VAR:

NOTES:

VARNAME: AD21

QNAME12: QA11\_E14

QNAME09: NA

QNAME07: NA

LABEL: LUMP TURNED OUT TO BE CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		19271	94.67
1	YES		439	2.16
2	NO		645	3.17

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAD A MAMMOGRAM WITH ABNORMAL RESULTS  
AND LUMP REMOVED FROM BREAST

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD23

QNAME12: QA11\_E17

QNAME09: NA

QNAME07: NA

LABEL: EVER HAVE OTHER TESTS/SURGERIES WHEN MAMMOGRAM ABNORMAL

VALUE:			FREQ	%
-1	INAPPLICABLE		17502	85.98
1	YES		1785	8.77
2	NO		1068	5.25

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAD A MAMMOGRAM WITH ABNORMAL RESULTS

INPUT VAR:

NOTES:

VARNAME: AD26

QNAME12: QA11\_E19

QNAME09: NA

QNAME07: NA

LABEL: DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS

VALUE:			FREQ	%
-1	INAPPLICABLE		17190	84.45
1	YES		669	3.29
2	NO		2496	12.26

UNIVERSE: WOMEN 30 AND OLDER

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001, 2005 AD26

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE50

QNAME12: QA11\_E9

QNAME09: NA

QNAME07: NA

LABEL: MOST RECENT MAMMOGRAM RECOMENDED BY DOCT

VALUE:			FREQ	%
-1	INAPPLICABLE		11341	55.72
1	YES		7387	36.29
2	NO		1627	7.99

UNIVERSE: WOMEN AGE 30 AND OVER WHO HAVE HAD A MAMMOGRAM WITHIN LAST 2 YEARS

INPUT VAR:

NOTES:

VARNAME: AE91

QNAME12: QA11\_E11

QNAME09: NA

QNAME07: NA

LABEL: PROPORTION PAID FOR COST OF MOST RECENT MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		14146	69.50
1	NONE OF THE COST		4891	24.03
2	SOME OF THE COST		1167	5.73
3	ALL OF THE COST		151	0.74

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM IN PAST YR

INPUT VAR:

NOTES:



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE92

QNAME12: QA11\_E4

QNAME09: NA

QNAME07: NA

LABEL: DOCTOR EVER TOLD WOMEN OWN AGE NEED MAMMOGRAM EVERY OTHER YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		18710	91.92
1	YES		826	4.06
2	NO		713	3.50

UNIVERSE: WOMEN BETWEEN AGES 40 AND 49 YRS WHO HAD A MAMMOGRAM IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AE94

QNAME12: QA11\_E6

QNAME09: NA

QNAME07: NA

LABEL: DOCTOR EVER DISCUSSED WHEN TO STOP MAMMOGRAMS

VALUE:			FREQ	%
-1	INAPPLICABLE		17493	85.94
1	YES		320	1.57
2	NO		2542	12.49

UNIVERSE: WOMEN 70 YRS OR OLDER WHO HAD A MAMMOGRAM IN PAST YR

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF37

QNAME12: QA11\_E2

QNAME09: NA

QNAME07: NA

LABEL: DOCTOR EXAMINED BREAST FOR LUMPS PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		9355	45.96
1	YES		7483	36.76
2	NO		3517	17.28

UNIVERSE: WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

VARNAME: MAM\_SCRN

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: MAMMOGRAM IN PAST 2 YRS

VALUE:			FREQ	%
-1	SKIP, MALE OR FEMALE AGE<30		9355	45.96
1	WITHIN PAST 2 YRS		7835	38.49
2	OVER 2 YEARS AGO		1600	7.86
3	NEVER		1565	7.69

UNIVERSE: ADULT WOMEN 30 AND OLDER

INPUT VAR: AD14 AD17 AD16

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section F: Mental Health

---

VARNAME: AJ29 QNAME12: QA11\_F1  
QNAME09: QA09\_F1 QNAME07: QA07\_F1

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	ALL OF THE TIME		378	1.86
2	MOST OF THE TIME		804	3.95
3	SOME OF THE TIME		3676	18.06
4	A LITTLE OF THE TIME		6779	33.30
5	NOT AT ALL		8612	42.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AF65 QNAME12: QA11\_F10  
QNAME09: QA09\_F10 QNAME07: QA07\_F10

LABEL: FEEL RESTLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		16669	81.89
1	ALL OF THE TIME		346	1.70
2	MOST OF THE TIME		569	2.80
3	SOME OF THE TIME		1218	5.98
4	A LITTLE OF THE TIME		818	4.02
5	NOT AT ALL		629	3.09

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AF66 QNAME12: QA11\_F11

QNAME09: QA09\_F11 QNAME07: QA07\_F11

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	106	0.52
-1	INAPPLICABLE	16669	81.89
1	ALL OF THE TIME	241	1.18
2	MOST OF THE TIME	454	2.23
3	SOME OF THE TIME	800	3.93
4	A LITTLE OF THE TIME	760	3.73
5	NOT AT ALL	1325	6.51

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

---

VARNAME: AF67 QNAME12: QA11\_F12

QNAME09: QA09\_F12 QNAME07: QA07\_F12

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	106	0.52
-1	INAPPLICABLE	16669	81.89
1	ALL OF THE TIME	431	2.12
2	MOST OF THE TIME	651	3.20
3	SOME OF THE TIME	1065	5.23
4	A LITTLE OF THE TIME	796	3.91
5	NOT AT ALL	637	3.13

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF68 QNAME12: QA11\_F13  
QNAME09: QA09\_F13 QNAME07: QA07\_F13

LABEL: FEEL WORTHLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		16669	81.89
1	ALL OF THE TIME		212	1.04
2	MOST OF THE TIME		325	1.60
3	SOME OF THE TIME		684	3.36
4	A LITTLE OF THE TIME		646	3.17
5	NOT AT ALL		1713	8.42

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF69B QNAME12: QA11\_F14  
QNAME09: QA09\_F14 QNAME07: NA

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17661	86.76
1	A LOT		481	2.36
2	SOME		737	3.62
3	NOT AT ALL		444	2.18
4	DOES NOT WORK		926	4.55

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE OR SEVERE  
PSYCHOLOGICAL DISTRESS (K>8) IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF69 (2009); NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF70B QNAME12: QA11\_F15  
QNAME09: QA09\_F15 QNAME07: NA

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17298	84.98
1	A LOT		1064	5.23
2	SOME		1221	6.00
3	NOT AT ALL		666	3.27

UNIVERSE: ADULT WHO EXPERIENCED MODERATE OR SEVERE PSYCHOLOGICAL DISTRESS  
(K>8) IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

VARNAME: AF71B QNAME12: QA11\_F16  
QNAME09: QA09\_F16 QNAME07: NA

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17298	84.98
1	A LOT		1169	5.74
2	SOME		1218	5.98
3	NOT AT ALL		564	2.77

UNIVERSE: ADULT WHO EXPERIENCED MODERATE OR SEVERE PSYCHOLOGICAL DISTRESS  
(K>8) IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AF72B QNAME12: QA11\_F17

QNAME09: QA09\_F17 QNAME07: NA

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	106	0.52
-1	INAPPLICABLE	17298	84.98
1	A LOT	914	4.49
2	SOME	1408	6.92
3	NOT AT ALL	629	3.09

UNIVERSE: ADULT WHO EXPERIENCED MODERATE OR SEVERE PSYCHOLOGICAL DISTRESS  
(K>8) IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF72 (2009)

---

VARNAME: AJ30 QNAME12: QA11\_F2

QNAME09: QA09\_F2 QNAME07: QA07\_F2

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	106	0.52
1	ALL OF THE TIME	201	0.99
2	MOST OF THE TIME	319	1.57
3	SOME OF THE TIME	1519	7.46
4	A LITTLE OF THE TIME	2966	14.57
5	NOT AT ALL	15244	74.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ1 QNAME12: QA11\_F20  
QNAME09: QA09\_F20 QNAME07: NA

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17426	85.61
1	YES		1963	9.64
2	NO		547	2.69
3	NO INSURANCE		313	1.54

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: AJ31 QNAME12: QA11\_F3  
QNAME09: QA09\_F3 QNAME07: QA07\_F3

LABEL: FELL RESTLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	ALL OF THE TIME		432	2.12
2	MOST OF THE TIME		662	3.25
3	SOME OF THE TIME		3475	17.07
4	A LITTLE OF THE TIME		5155	25.33
5	NOT AT ALL		10525	51.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ32 QNAME12: QA11\_F4  
QNAME09: QA09\_F4 QNAME07: QA07\_F4

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	ALL OF THE TIME		168	0.83
2	MOST OF THE TIME		314	1.54
3	SOME OF THE TIME		1200	5.90
4	A LITTLE OF THE TIME		2080	10.22
5	NOT AT ALL		16487	81.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

VARNAME: AJ33 QNAME12: QA11\_F5  
QNAME09: QA09\_F5 QNAME07: QA07\_F5

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	ALL OF THE TIME		764	3.75
2	MOST OF THE TIME		781	3.84
3	SOME OF THE TIME		2683	13.18
4	A LITTLE OF THE TIME		3732	18.33
5	NOT AT ALL		12289	60.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ34 QNAME12: QA11\_F6  
QNAME09: QA09\_F6 QNAME07: QA07\_F6

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	ALL OF THE TIME		177	0.87
2	MOST OF THE TIME		280	1.38
3	SOME OF THE TIME		1031	5.07
4	A LITTLE OF THE TIME		1598	7.85
5	NOT AT ALL		17163	84.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

VARNAME: AF62 QNAME12: QA11\_F7  
QNAME09: QA09\_F7 QNAME07: QA07\_F7

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	YES		3580	17.59
2	NO		16669	81.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

MEAN STATISTICS

N	20249
MIN	0
MAX	21
MEAN	3.32

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED  
DATA. TOPCODE = 21; NOT AVAILABLE IN CHIS 2011

VARNAME: AF63 QNAME12: QA11\_F8  
QNAME09: QA09\_F8 QNAME07: QA07\_F8

LABEL: FEEL NERVOUS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	106	0.52
-1	INAPPLICABLE	16669	81.89
1	ALL OF THE TIME	443	2.18
2	MOST OF THE TIME	803	3.94
3	SOME OF THE TIME	1060	5.21
4	A LITTLE OF THE TIME	860	4.23
5	NOT AT ALL	414	2.03

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	YES		1373	6.75
2	NO		18876	92.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON DSTRSYR&gt;=13

VARNAME: AF64

QNAME12: QA11\_F9

QNAME09: QA09\_F9

QNAME07: QA07\_F9

LABEL: FEEL HOPELESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		16669	81.89
1	ALL OF THE TIME		253	1.24
2	MOST OF THE TIME		520	2.55
3	SOME OF THE TIME		988	4.85
4	A LITTLE OF THE TIME		834	4.10
5	NOT AT ALL		985	4.84

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS30 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE:	-2	PROXY SKIPPED	FREQ	%
	1	YES	106	0.52
	2	NO	741	3.64
			19508	95.84

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED on DISTRESS>=13

VARNAME: DSTRSYR QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS	
N	20249
MIN	0
MAX	24
MEAN	3.97

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES: NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: CHORES2 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17298	84.98
0	NONE		666	3.27
1	MODERATE		1221	6.00
2	SEVERE		1064	5.23

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

VARNAME: SOCIAL2 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17298	84.98
0	NONE		564	2.77
1	MODERATE		1218	5.98
2	SEVERE		1169	5.74

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: WORK2

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		18587	91.31
0	NONE		444	2.18
1	MODERATE		737	3.62
2	SEVERE		481	2.36

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES: CANNOT BE TRENDED WITH WORK (2009); NOT AVAILABLE IN CHIS 2011

VARNAME: FAMILY2

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		17298	84.98
0	NONE		629	3.09
1	MODERATE		1408	6.92
2	SEVERE		914	4.49

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section G: Demographic Information, Part II & Child Care**

---

VARNAME: AH33NEW QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: BORN IN U.S.

VALUE:			FREQ	%
1	BORN IN U.S.		14058	69.06
2	BORN OUTSIDE U.S.		6297	30.94

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

---

VARNAME: AH34NEW QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: MOTHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		6331	31.10
1	BORN IN U.S.		11948	58.70
2	BORN OUTSIDE U.S.		2076	10.20

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AH35NEW QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		6331	31.10
1	BORN IN U.S.		11762	57.78
2	BORN OUTSIDE U.S.		2262	11.11

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

---

VARNAME: CNTRYS QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: COUNTRY BORN

VALUE:			FREQ	%
1	UNITED STATES		14058	69.06
2	MEXICO		2484	12.20
3	CENTRAL AMERICA		467	2.29
4	OTHER LATIN AMERICA		213	1.05
5	ASIA & PACIFIC ISLANDS		2327	11.43
6	EUROPE		553	2.72
7	OTHER		253	1.24

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES: NOT AVAILABLE IN CHIS 2011

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   LNGHM\_P1

QNAME12:   NA

QNAME09:   NA

QNAME07:   NA

LABEL:       LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	ENGLISH		12857	63.16
2	SPANISH		1622	7.97
3	CHINESE		276	1.36
4	VIETNAMESE		447	2.20
5	KOREAN		412	2.02
6	OTHER ONE LANGUAGE ONLY		104	0.51
8	ENGLISH & SPANISH		2755	13.53
9	ENGLISH & CHINESE		206	1.01
10	ENGLISH & EUROPEAN LANGUAGE		418	2.05
11	ENGLISH & ANOTHER ASIAN LANGUAGE		592	2.91
12	ENGLISH & ONE OTHER LANGUAGE		208	1.02
13	OTHER LANGUAGES (2+)		458	2.25

UNIVERSE:   ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG20 QNAME12: QA11\_G5  
QNAME09: QA09\_G5 QNAME07: QA07\_G5A

LABEL: LANGUAGE SPEAK WITH FRIENDS

VALUE:			FREQ	%
-1	INAPPLICABLE		12856	63.16
1	ONLY ENGLISH		1780	8.74
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		2419	11.88
3	ONLY OTHER LANGUAGE(S)		3300	16.21

UNIVERSE: ALL ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER  
THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

VARNAME: AG21 QNAME12: QA11\_G6  
QNAME09: QA09\_G6 QNAME07: QA07\_G5B

LABEL: LANGUAGE OF TV, RADIO, NEWSPAPERS

VALUE:			FREQ	%
-1	INAPPLICABLE		12856	63.16
1	ONLY ENGLISH		2473	12.15
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		2634	12.94
3	ONLY OTHER LANGUAGE(S)		2392	11.75

UNIVERSE: ALL ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER  
THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH37 QNAME12: QA11\_G7  
QNAME09: QA09\_G7 QNAME07: QA07\_G6

LABEL: LEVEL OF ENGLISH PROFICIENCY: GENERAL

VALUE:			FREQ	%
-1	INAPPLICABLE		12850	63.13
1	VERY WELL		2383	11.71
2	WELL		1706	8.38
3	NOT WELL		2316	11.38
4	NOT AT ALL		1100	5.40

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR  
WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

VARNAME: SPK\_ENG QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: ENGLISH USE AND PROFICIENCY

VALUE:			FREQ	%
1	SPEAK ONLY ENGLISH		12857	63.16
2	VERY WELL/WELL		4083	20.06
3	NOT WELL/NOT AT ALL		3415	16.78

UNIVERSE: ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: CITIZEN2 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: CITIZENSHIP STATUS (3 LVLS)

VALUE:			FREQ	%
1	US-BORN CITIZEN		14058	69.06
2	NATURALIZED CITIZEN		3783	18.59
3	NON-CITIZEN		2514	12.35

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES:

---

VARNAME: YRUS\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		14058	69.06
1	<5 YEARS		255	1.25
3	5-9 YEARS		486	2.39
4	10-14 YEARS		785	3.86
5	15+ YEARS		4771	23.44

UNIVERSE: ALL ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO  
OR VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: PCTLF\_P QNAME12: QA11\_G11  
QNAME09: NA QNAME07: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

VALUE:			FREQ	%
1	0-20		663	3.26
2	21-40		1685	8.28
3	41-60		2129	10.46
4	61-80		1211	5.95
5	81+		14667	72.06

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

---

VARNAME: AH44 QNAME12: QA11\_G11  
QNAME09: QA09\_G11 QNAME07: QA07\_G11

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		8852	43.49
1	YES		11194	54.99
2	NO		309	1.52

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AH43A QNAME12: QA11\_G13  
QNAME09: QA09\_G13 QNAME07: QA07\_G13

LABEL: LIVING WITH A PARENT

VALUE:			FREQ	%
-1	INAPPLICABLE		18852	92.62
1	YES		1110	5.45
2	NO		393	1.93

UNIVERSE: ALL ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR  
(LIVING W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND  
LIVING W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

---

VARNAME: AH44A QNAME12: QA11\_G20  
QNAME09: QA09\_G19 QNAME07: QA07\_G19

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		15425	75.78
1	YES		1045	5.13
2	NO		3885	19.09

UNIVERSE: ALL ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001-2007 AH44A

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AHCHLDC QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		19310	94.87
1	\$0-9/WEEK		79	0.39
2	\$10-24/WEEK		86	0.42
3	\$25-49/WEEK		143	0.70
4	\$50-99/WEEK		206	1.01
5	\$100-199/WEEK		306	1.50
6	\$200+/WEEK		225	1.11

UNIVERSE: ALL ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE  
IN THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES:

VARNAME: ACHLDC\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19310	94.87
1	\$0-24/WEEK		165	0.81
3	\$25-49/WEEK		143	0.70
4	\$50-99/WEEK		206	1.01
5	\$100-199/WEEK		306	1.50
6	\$200+/WEEK		225	1.11

UNIVERSE: ALL ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE  
IN THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES:



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG22 QNAME12: QA11\_G23  
QNAME09: QA09\_G23 QNAME07: NA

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE:			FREQ	%
1	YES		2175	10.69
2	NO		18180	89.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SERVED QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

MEAN STATISTICS	
N	2175
MIN	1
MAX	5
MEAN	3.13

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG24UNIT AG24NUM AG23BEG AG23END

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK1 QNAME12: QA11\_G26  
QNAME09: QA09\_G22 QNAME07: QA07\_G22

LABEL: WORK STATUS LAST WEEK

VALUE:		FREQ	%
1	WORKING AT A JOB/BUSINESS	9063	44.52
2	WITH A JOB/BUSINESS BUT NOT AT WORK	416	2.04
3	LOOKING FOR WORK	1127	5.54
4	NOT WORKING JOB/BUSINESS (UNEMP)	9749	47.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK2\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	9063	44.52
1	TAKING CARE OF HOUSE OR FAMILY	1149	5.64
2	ON PLANNED VACATION	348	1.71
3	COULDN'T FIND A JOB	1022	5.02
4	GOING TO SCHOOL/STUDENT	386	1.90
5	RETIRED	5804	28.51
6	PHYSICAL DISABILITY	1201	5.90
7	UNABLE TO WORK TEMPORARILY	117	0.57
8	ON LAYOFF OR STRIKE	210	1.03
10	OFF SEASON	109	0.54
11	SICK	199	0.98
91	OTHER	747	3.67

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,  
OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR: AK2

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME12: QA11\_G28  
QNAME09: QA09\_G25 QNAME07: QA07\_G24

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		16068	78.94
1	YES		1127	5.54
2	NO		2221	10.91
3	LOOKING FOR WORK		939	4.61

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: WRKST\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: WORKING STATUS (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)		8430	41.41
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)		1583	7.78
3	OTHER EMPLOYED		69	0.34
4	UNEMPLOYED, LOOKING FOR WORK		1218	5.98
5	UNEMPLOYED, NOT LOOKING FOR WORK		9055	44.49

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: WRKST S QNAME12: NA

VARNAME: WRKST S

QNAME12: NA

ONAME09: NA

ONAME07: NA

LABEL: SPOUSE WORKING STATUS

VALUE:		FREQ	%
-1	INAPPLICABLE - NO SPOUSE	9903	48.65
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	5179	25.44
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	656	3.22
3	EMPLOYED, NOT AT WORK	55	0.27
4	UNEMPLOYED, LOOKING FOR WORK	357	1.75
5	UNEMPLOYED, NOT LOOKING FOR WORK	4205	20.66

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE

INPUT VAR: AH43 AK20 AG8 AG11

NOTES:

VARNAME: AL22

QNAME12: QA11 G29

QNAME09: QA09 G26

QNAME07: QA07 G25

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

		FREQ	%	
VALUE:	-1	INAPPLICABLE	16722	82.15
	1	YES	875	4.30
	2	NO	2758	13.55

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK4 QNAME12: QA11\_G30  
QNAME09: QA09\_G27 QNAME07: QA07\_G26

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	10154	49.88
1	PRIVATE COMPANY, NON-PROFIT ORG	6088	29.91
2	GOVERNMENT	1808	8.88
3	SELF-EMPLOYED	2110	10.37
4	FAMILY BUSINESS OR FARM	195	0.96

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: AG8 QNAME12: QA11\_G31  
QNAME09: QA09\_G28 QNAME07: QA07\_G27

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	9830	48.29
1	WORKING AT A JOB OR BUSINESS	5470	26.87
2	WITH A JOB/BUSINESS, BUT NOT AT WORK	231	1.13
3	LOOKING FOR WORK	311	1.53
4	NOT WORKING AT A JOB OR BUSINESS	4513	22.17

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG11 QNAME12: QA11\_G32  
QNAME09: QA09\_G29 QNAME07: QA07\_G28

LABEL: SPOUSE USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		15531	76.30
1	YES		306	1.50
2	NO		4241	20.84
3	LOOKING FOR WORK		277	1.36

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO QUESTION

INPUT VAR:

NOTES:

VARNAME: AG9 QNAME12: QA11\_G33  
QNAME09: QA09\_G30 QNAME07: QA07\_G29

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		14348	70.49
1	PRIVATE COMPANY/NON-PROFIT ORG		3659	17.98
2	GOVERNMENT		1063	5.22
3	SELF-EMPLOYED		1206	5.92
4	FAMILY BUSINESS/FARM		79	0.39

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG9\_P1

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		14348	70.49
1	PRIVATE COMPANY/NON-PROFIT ORG		3659	17.98
2	GOVERNMENT		1063	5.22
3	SELF-EMPLOYED/FAMILY BUSINESS/FARM		1285	6.31

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR: AG9

NOTES:

VARNAME: AHEDC\_P1

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	NO FORMAL EDUCATION OR GRADE 1-8		1758	8.64
2	GRADE 9-11		1128	5.54
3	GRADE 12/H.S. DIPLOMA		4567	22.44
4	SOME COLLEGE		3104	15.25
5	VOCATIONAL SCHOOL		645	3.17
6	AA OR AS DEGREE		1567	7.70
7	BA OR BS DEGREE/SOME GRAD SCHOOL		4510	22.16
8	MA OR MS DEGREE		2236	10.99
9	PH.D. OR EQUIVALENT		840	4.13

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: TIME AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	10120	49.72
0	<1 YEAR	732	3.60
1	1 YEAR	994	4.88
2	2 YEARS	765	3.76
3	3 YEARS	641	3.15
4	4 YEARS	500	2.46
5	5 YEARS	587	2.88
6	6-9 YEARS	1467	7.21
7	10-14 YEARS	1563	7.68
8	15-19 YEARS	790	3.88
9	20-29 YEARS	1314	6.46
10	30+ YEARS	882	4.33

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT  
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: FAMTYP\_P QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: FAMILY TYPE (PUF RECODE)

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		8100	39.79
2	SINGLE YOUNG ADULT, 19-20		378	1.86
3	MARRIED, NO KIDS		6428	31.58
4	MARRIED WITH KIDS		4123	20.26
5	SINGLE WITH KIDS		1129	5.55
6	SINGLE, 18 YEARS OLD		197	0.97

UNIVERSE: ALL ADULTS

INPUT VAR: FAM\_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

---

## Section H: Health Insurance

---

VARNAME: AH1 QNAME12: QA11\_H1

QNAME09: QA09\_H1 QNAME07: QA07\_H1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
1	YES		13055	64.14
2	NO		2322	11.41
3	DOCTOR / MY DOCTOR		3906	19.19
4	KAISER		1030	5.06
5	MORE THAN ONE PLACE		42	0.21

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH3\_P1

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		2322	11.41
1	DOCTOR'S OFFICE/KAISER/HMO		12860	63.18
2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC		4817	23.66
3	EMERGENCY ROOM		180	0.88
4	OTHER/NO ONE PLACE		176	0.86

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR: AH3

NOTES:

VARNAME: USOC

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		17859	87.74
2	NO		2496	12.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:			FREQ	%
1	YES		18033	88.59
2	NO		2322	11.41

UNIVERSE: ALL ADULTS

INPUT VAR: AH1

NOTES:

VARNAME: USUAL\_TP

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: USUAL SOURCE OF CARE (7 LVLS)

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		13646	67.04
2	COMMUN/GOV CLIN, COMMUN HOSP		4045	19.87
3	EMERGENCY ROOM		174	0.85
5	SOME OTHER PLACE		123	0.60
6	NO ONE PARTICULAR PLACE		45	0.22
7	NO USUAL SOURCE OF CARE		2322	11.41

UNIVERSE: ALL ADULTS

INPUT VAR: AH1 AH3

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: USUAL5TP QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		13646	67.04
2	COMMUN/GOV CLIN, COMMUN HOSP		4045	19.87
3	EMERGENCY ROOM/URGENT CARE		174	0.85
4	OTHER PLACE/NO ONE PLACE		168	0.83
5	NO USUAL SOURCE OF CARE		2322	11.41

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL\_TP

NOTES:

---

VARNAME: AH12 QNAME12: QA11\_H3

QNAME09: QA09\_H3 QNAME07: QA07\_H3

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		576	2.83
1	YES		3394	16.67
2	NO		16385	80.50

UNIVERSE: ALL ADULTS WHO DID NOT VISIT ER FOR ASTHMA/ DIABETES/ HEART DISEASE IN LAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001 AH12

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH49 QNAME12: QA11\_H8  
QNAME09: QA09\_H7 QNAME07: QA07\_H7

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		13059	64.16
1	YES		3417	16.79
2	NO		3879	19.06

UNIVERSE: ALL ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

VARNAME: AH50\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		63	0.31
-1	INAPPLICABLE		16938	83.21
1	KAISER		1387	6.81
2	BLUE CROSS		214	1.05
3	UNITED HEALTHCARE (FORMER PACIFICARE)		440	2.16
4	BLUE SHIELD		117	0.57
5	HEALTH NET		236	1.16
8	OTHER		960	4.72

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR: AH50

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AI4 QNAME12: QA11\_H10  
QNAME09: QA09\_H9 QNAME07: QA07\_H9

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		16462	80.87
1	YES		2175	10.69
2	NO		1718	8.44

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

---

VARNAME: AH52\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		14760	72.51
1	DIRECTLY		2611	12.83
2	CURRENT EMPLOYER		121	0.59
3	FORMER EMPLOYER		1475	7.25
4	UNION		122	0.60
6	AARP		503	2.47
7	SPOUSE'S EMPLOYER/SPOUSE'S UNION		278	1.37
8	OTHER		485	2.38

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR: AH52

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15 QNAME12: QA11\_H26  
QNAME09: QA09\_H25 QNAME07: QA07\_H25

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	19311	94.87
1	COVERED BY ANOTHER PLAN	536	2.63
2	TOO EXPENSIVE	379	1.86
3	DIDNT LIKE PLAN OFFERED	56	0.28
4	DONT NEED OR BELIEVE IN HEALTH INSURANCE	21	0.10
5	IN PROCESS	13	0.06
6	DIDNT TAKE UP - OTHER	37	0.18
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	2	0.01

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT  
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH  
ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI15A QNAME12: QA11\_H27  
QNAME09: QA09\_H26 QNAME07: QA07\_H26

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	19597	96.28
1	HAVENT WORKED HERE LONG ENOUGH	139	0.68
2	CONTRACT OR TEMP EMPLOYEE	129	0.63
3	DONT WORK ENOUGH HOURS PER WEEK	430	2.11
4	DOES NOT MEET AGE REQUIREMENTS	3	0.01
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	7	0.03
6	NOT ELIGIBLE - OTHER	24	0.12
7	HAS LEFT POSITION/RETIRED/LAID OFF	26	0.13

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT  
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AI37A QNAME12: QA11\_H39

QNAME09: QA09\_H38 QNAME07: QA07\_H37

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		18813	92.42
1	YES		1153	5.66
2	NO		389	1.91

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT COVERED BY HMO

INPUT VAR:

NOTES:

---

VARNAME: AI45\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: MAIN REASON SPOUSE NOT IN EMPLOYER HEALTH PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19271	94.67
1	COVERED BY ANOTHER PLAN		675	3.32
2	TOO EXPENSIVE		333	1.64
3	DIDNT LIKE PLAN OFFERED		48	0.24
4	OTHER REASON		28	0.14

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED AND ELIGIBLE

INPUT VAR: AI45

NOTES:

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45A\_P1

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: MAIN REASON SPOUSE INELIGIBLE EMPLOYER HEALTH PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19975	98.13
1	HAVENT WORKED HERE LONG ENOUGH		43	0.21
2	CONTRACT OR TEMP EMPLOYEE		57	0.28
3	DONT WORK ENOUGH HOURS PER WEEK		254	1.25
4	OTHER REASON		26	0.13

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR: AI45A

NOTES:

VARNAME: AI22C

QNAME12: QA11\_H57

QNAME09: QA09\_H56

QNAME07: QA07\_H55

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		6169	30.31
1	YES		5925	29.11
2	NO		8261	40.58

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR:

NOTES:

VARNAME:	HMO	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	HMO STATUS			
			FREQ	%
VALUE:	1 HMO		9411	46.23
	2 NON-HMO		8350	41.02
	3 UNINSURED		2594	12.74
UNIVERSE:	ALL ADULTS			
INPUT VAR:	INSTYPE AH49 AI22C AI22A AH50			
NOTES:				

DD-114

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25 QNAME12: QA11\_H59  
QNAME09: QA09\_H58 QNAME07: QA07\_H57

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE:			FREQ	%
-1	INAPPLICABLE		2586	12.70
1	YES		16485	80.99
2	NO		1284	6.31

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI25NEW QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: RX COVERAGE EDITED FOR MEDI-CAL/HF

VALUE:			FREQ	%
-1	INAPPLICABLE		2494	12.25
1	YES		16925	83.15
2	NO		936	4.60

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD INSHF AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		10850	53.30
1	YES		2587	12.71
2	NO		6918	33.99

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS

INPUT VAR: AH71

NOTES:

VARNAME: AH72\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		11869	58.31
1	YES		1143	5.62
2	NO		7343	36.07

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR: AH72

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH73 QNAME12: QA11\_H64  
QNAME09: QA09\_H61 QNAME07: QA07\_H60

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE:			FREQ	%
-1	INAPPLICABLE		17240	84.70
1	YES		924	4.54
2	NO		2191	10.76

UNIVERSE: ALL ADULTS NOT COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED  
HEALTH PLANS WITH A DEDUCTIBLE > \$2,000

INPUT VAR:

NOTES:

VARNAME: AI33\_6 QNAME12: QA11\_H67  
QNAME09: NA QNAME07: NA

LABEL: OTHER INS: BOUGHT DIRECT

VALUE:			FREQ	%
-1	INAPPLICABLE		18980	93.24
1	YES		239	1.17
2	NO		1136	5.58

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12  
CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY  
CURRENT INS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH74 QNAME12: QA11\_H71  
QNAME09: QA09\_H68 QNAME07: QA07\_H67

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		19770	97.13
1	YES		217	1.07
2	NO		368	1.81

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH75 QNAME12: QA11\_H73  
QNAME09: QA09\_H70 QNAME07: QA07\_H69

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		17769	87.30
1	YES		1028	5.05
2	NO		1558	7.65

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	AI28	QNAME12:	QA11_H75	
		QNAME09:	QA09_H72	QNAME07: QA07_H71
LABEL:	HOW LONG SINCE LAST HAD HEALTH INS			
			FREQ	%
VALUE:	-1	INAPPLICABLE	18261	89.71
	1	1 TO 3 YRS AGO	589	2.89
	2	MORE THAN 3 YRS AGO	992	4.87
	3	NEVER HAD HEALTH INSURANCE COVERAGE	513	2.52
UNIVERSE:	ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME DURING THE PAST 12 MONTHS			
INPUT VAR:				
NOTES:				

VARNAME:	AH14	QNAME12:	QA11_H83		
		QNAME09:	QA09_H75	QNAME07:	QA07_H74
LABEL:	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	YES		414	2.03
	2	NO		1853	9.10
				18088	88.86
UNIVERSE:	ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART DISEASE DURING THE PAST 12 MOS				
INPUT VAR:					
NOTES:	NOT TRENDABLE WITH CHIS 2001, 2007, 2009 AH14				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ER QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		3970	19.50
2	NO		16385	80.50

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

VARNAME: IHS QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		253	1.24
2	NO		20102	98.76

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: CURRENTLY INSURED

VALUE:			FREQ	%
1	YES		17761	87.26
2	NO		2594	12.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INS\_S                                   QNAME12:   NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       SPOUSE CURRENTLY INSURED

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	10088	49.56
	2	NO	9199	45.19
			1068	5.25

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME:   INS12M                               QNAME12:   NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       MOS COVERED BY HEALTH PLANS LAST 12 MOS

	MEAN STATISTICS	
	N	20355
	MIN	0
	MAX	12
	MEAN	10.42

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INS64\_P                                   QNAME12:   NA  
  QNAME09:   NA                                   QNAME07:   NA

LABEL:       CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		6767	33.24
1	UNINSURED		2550	12.53
2	MEDI-CAL (MEDICAID)		2069	10.16
3	MEDICARE		226	1.11
4	EMPLOYMENT-BASED		7340	36.06
5	PRIVATELY PURCHASED		917	4.51
6	CHIP/OTHER PUBLIC PRGM		486	2.39

UNIVERSE:   ALL ADULTS UNDER 65

INPUT VAR:   INS64

NOTES:

VARNAME:   INS64S\_P                                   QNAME12:   NA  
  QNAME09:   NA                                   QNAME07:   NA

LABEL:       SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		12931	63.53
1	UNINSURED		1047	5.14
2	MEDI-CAL (MEDICAID)		582	2.86
3	MEDICARE		272	1.34
4	EMPLOYMENT-BASED		4903	24.09
5	PRIVATELY PURCHASED		473	2.32
6	CHIP/OTHER PUBLIC PRGM		147	0.72

UNIVERSE:   ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR:   INS64\_S

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   INS65                                   QNAME12:   NA

QNAME09:   NA                                   QNAME07:   NA

LABEL:       TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:		FREQ	%
-1	SKIPPED - AGE < 65	13588	66.76
1	MEDICARE + MEDI-CAL (MEDICAID)	1251	6.15
2	MEDICARE + OTHER	4831	23.73
3	MEDICARE ONLY	399	1.96
4	OTHER ONLY	242	1.19
5	UNINSURED	44	0.22

UNIVERSE:   ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:       NOT AVAILABLE IN CHIS 2011

---

VARNAME:   INSANY                                   QNAME12:   NA

QNAME09:   NA                                   QNAME07:   NA

LABEL:       ANY INS IN LAST 12 MOS

VALUE:		FREQ	%
1	CURRENTLY UNINSURED	2594	12.74
2	UNINS. ANY PAST 12 MO	662	3.25
3	INSURED ALL PAST 12 MO	17099	84.00

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSEM	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	COVERED BY EMPLOYER-BASED PLANS			
			FREQ	%
VALUE:	1	YES	8610	42.30
	2	NO	11745	57.70
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	INSEM_S	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	SPOUSE COVERED BY EMPLOYER-BASED PLANS			
			FREQ	%
VALUE:	-1	INAPPLICABLE	10088	49.56
	1	YES	5628	27.65
	2	NO	4639	22.79
UNIVERSE:	ALL ADULTS WITH SPOUSE			
INPUT VAR:				
NOTES:				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSMC	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	COVERED BY MEDICARE			
			FREQ	%
VALUE:	1	YES	7034	34.56
	2	NO	13321	65.44
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	INSMC_S	QNAME12:	NA		
		QNAME09:	NA	QNAME07:	NA
LABEL:	SPOUSE COVERED BY MEDICARE				
				FREQ	%
VALUE:	-1	INAPPLICABLE		10088	49.56
	1	YES		2953	14.51
	2	NO		7314	35.93
UNIVERSE:	ALL ADULTS WITH SPOUSE				
INPUT VAR:					
NOTES:					

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   INSMD                                   QNAME12:   NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:       COVERED BY MEDI-CAL

VALUE:       1                   YES                                   FREQ       %

              2                   NO                                  3353       16.47

  17002       83.53

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME:   INSMD\_S                               QNAME12:   NA

  QNAME09:   NA                           QNAME07:   NA

LABEL:       SPOUSE COVERED BY MEDI-CAL

VALUE:       -1                   INAPPLICABLE                   FREQ       %

              1                   YES                               10088       49.56

              2                   NO                                  878        4.31

  9389       46.13

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   INSOG                                   QNAME12:   NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       COVERED BY OTHER GOVT PLANS

VALUE:	1	YES	FREQ	%
	2	NO	360	1.77
			19995	98.23

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME:   INSOG\_S                               QNAME12:   NA

  QNAME09:   NA                                   QNAME07:   NA

LABEL:       SPOUSE COVERED BY OTHER GOVT PLANS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	10088	49.56
	2	NO	144	0.71
			10123	49.73

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INSLT\_P QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE-AGE>=65		6767	33.24
1	MEDI-CAL (MEDICAID) ONLY		1758	8.64
2	EMPLOYER-BASED OR MILITARY ONLY		7131	35.03
3	UNINSURED ONLY		2102	10.33
4	PRIVATEDLY PURCHASED ONLY		835	4.10
5	PARTIALLY INSURED WITH MC/HF		348	1.71
6	PARTIALLY INSURED WITH NO MC/HF		702	3.45
7	INSURE ALL YEAR WITH SOME MC/HF		78	0.38
8	HEALTHY FAM ONLY/OTHER INSURED ALL YEAR		634	3.11

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12R

NOTES:

VARNAME: INSPR QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
1	YES		953	4.68
2	NO		19402	95.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSPR_S	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	SPOUSE COVERED BY PLANS PURCHASED ON OWN			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	10088	49.56
	2	NO	571	2.81
			9696	47.63
UNIVERSE:	ALL ADULTS WITH SPOUSE			
INPUT VAR:				
NOTES:				

VARNAME:	INSPS	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	PRIMARY OR SECONDARY COVERAGE			
			FREQ	%
VALUE:	-1	INAPPLICABLE	10910	53.60
	1	PRIMARY	6815	33.48
	2	SECONDARY	2630	12.92
UNIVERSE:	ALL ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS			
INPUT VAR:				
NOTES:				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSPS_S	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	SPOUSE PRIMARY OR SECONDARY COVERAGE			
			FREQ	%
VALUE:	-1	INAPPLICABLE	14727	72.35
	1	PRIMARY	3469	17.04
	2	SECONDARY	2159	10.61
UNIVERSE:	ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS			
INPUT VAR:				
NOTES:				

VARNAME:	INST_12	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS			
VALUE:			FREQ	%
	-1	INAPPLICABLE-AGE>=65	6767	33.24
	1	MEDI-CAL (MEDICAID) ONLY	1758	8.64
	2	EMPLOYER-BASED COVERAGE ONLY (EBI)	6996	34.37
	3	PRIVATE COVERAGE ONLY	835	4.10
	4	OTHER COVERAGE ONLY	614	3.02
	5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	233	1.14
	6	UNINSURED ONLY	2102	10.33
	7	UNINSURED + EMPLOYER-BASED ONLY	340	1.67
	8	ANY 1 OR MORE TYPES + UNINSURED	710	3.49
UNIVERSE:	ALL ADULTS UNDER 65			
INPUT VAR:	INSLT12			
NOTES:				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INSTYP\_P QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)

VALUE:			FREQ	%
1	UNINSURED		2594	12.74
2	MEDICARE & MEDICAID		1578	7.75
3	MEDICARE & OTHERS		4728	23.23
4	MEDICARE ONLY		728	3.58
5	MEDICAID		1770	8.70
6	EMPLOYMENT-BASED		7516	36.92
7	PRIVATELY PURCHASED		934	4.59
8	HEALTHY FAM/OTHER PUBLIC		507	2.49

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE

NOTES:

VARNAME: UNINSANY QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:			FREQ	%
-1	SKIPPED - AGES>=65		6767	33.24
1	UNINSURED ALL YEAR		2102	10.33
2	UNINSURED PART YEAR		1050	5.16
3	INSURED ALL YEAR		10436	51.27

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   OFFTK                                   QNAME12:   NA

QNAME09:   NA                                   QNAME07:   NA

LABEL:       OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

VALUE:	-1	UNEMPLOYED OR SELF-EMPLOYED	FREQ	%
	1	ACCEPTED EBI	10730	52.71
	2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	6128	30.11
	3	WAS OFFERED EBI, NOT ELIGIBLE	1040	5.11
	4	WAS NOT OFFERED EBI	754	3.70
			1703	8.37

UNIVERSE:   ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

---

VARNAME:   OFFTK\_S                               QNAME12:   NA

QNAME09:   NA                               QNAME07:   NA

LABEL:       OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE:	-1	UNEMPLOYED OR SELF-EMPLOYED	FREQ	%
	1	ACCEPTED EBI	15001	73.70
	2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	3515	17.27
	3	WAS OFFERED EBI, NOT ELIGIBLE	695	3.41
	4	WAS NOT OFFERED EBI	234	1.15
			910	4.47

UNIVERSE:   ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM\_S INSPS\_S AG8 AG11 AG9 AI43 AI44

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH95\_P

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		16385	80.50
0	0 TIME		68	0.33
1	1 TIME		2519	12.38
2	2 TIMES		798	3.92
3	3 TIMES		289	1.42
4	4 TIMES		113	0.56
5	5 TIMES		59	0.29
6	6 TIMES		41	0.20
7	7-8 TIMES		24	0.12
8	9-12 TIMES		37	0.18
9	13-24 TIMES		16	0.08
10	25+ TIMES		6	0.03

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES: NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH95\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		16385	80.50
0	0 TIMES		68	0.33
1	1 TIMES		2519	12.38
2	2 TIMES		798	3.92
3	3 TIMES		289	1.42
4	4 TIMES		113	0.56
5	5+ TIMES		183	0.90

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES:

VARNAME: AH96\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18334	90.07
1	YES		1019	5.01
2	NO		1002	4.92

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
INS WITH DEDUCTIBLE GREATER THAN \$1,001

INPUT VAR: AH96

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH97\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18644	91.59
	2	NO	702	3.45
			1009	4.96

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
INS WITH DEDUCTIBLE GREATER THAN \$2,001

INPUT VAR: AH97

NOTES:

VARNAME: AH98\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	VERY DIFFICULT	19739	96.97
	2	SOMEWHAT DIFFICULT	266	1.31
	3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	111	0.55
			239	1.17

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH98

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AH99\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19739	96.97
1	VERY DIFFICULT		343	1.69
2	SOMEWHAT DIFFICULT		124	0.61
3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT		149	0.73

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH99

NOTES:

---

VARNAME: AH100 QNAME12: QA11\_H81

QNAME09: NA QNAME07: NA

LABEL: ANYONE HELP FIND HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19739	96.97
1	YES		245	1.20
2	NO		371	1.82

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH101\_P QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		20110	98.80
1	BROKER		147	0.72
2	FAMILY MEMBER/FRIEND		74	0.36
3	INTERNET		7	0.03
4	OTHER/MULTIPLE REASONS		17	0.08

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES:

VARNAME: AH102\_P QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: # NIGHTS IN HOSPITAL PAST 12 MOS (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18088	88.86
0	0 NIGHT		42	0.21
1	1 NIGHT		540	2.65
2	2 NIGHTS		406	1.99
3	3 NIGHTS		343	1.69
4	4 NIGHTS		205	1.01
5	5 NIGHTS		150	0.74
6	6 NIGHTS		79	0.39
7	7-8 NIGHTS		149	0.73
8	9-12 NIGHTS		108	0.53
9	13-24 NIGHTS		154	0.76
10	25+ NIGHTS		91	0.45

UNIVERSE: ALL ADULTS WHO WERE HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART  
DISEASE DURING THE PAST 12 MOS

INPUT VAR: AH102

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH102\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: # NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)

MEAN STATISTICS

N	2267
MIN	0
MAX	9
MEAN	3.84

UNIVERSE: ALL ADULTS WHO WERE HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART DISEASE DURING THE PAST 12 MOS

INPUT VAR: AH102

NOTES: TOPCODE = 9

VARNAME: AH103 QNAME12: QA11\_H78  
QNAME09: NA QNAME07: NA

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

VALUE:		FREQ	%
-1	INAPPLICABLE	16137	79.28
1	YES	616	3.03
2	NO	3602	17.70

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS OR WHO BOUGHT INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section J: Health Care Utilization and Access

---

VARNAME: AH5 QNAME12: QA11\_J1  
QNAME09: QA09\_J1 QNAME07: QA07\_J1

LABEL: # OF TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS	
N	20355
MIN	0
MAX	365
MEAN	4.82

UNIVERSE: ALL ADULT

INPUT VAR:

NOTES:

---

VARNAME: AH6 QNAME12: QA11\_J2  
QNAME09: QA09\_J2 QNAME07: QA07\_J2

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:		FREQ	%
-1	INAPPLICABLE	17229	84.64
0	WITHIN THE PAST YR	456	2.24
1	1 TO 2 YRS AGO	1318	6.48
2	2 TO 5 YRS AGO	817	4.01
3	MORE THAN 5 YRS AGO	440	2.16
4	NEVER	95	0.47

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS OR REF/DK

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ACMDNUM QNAME12: NA

VARNAME: ACMDNUM

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0	TIME	3126	15.36
1	1	TIME	3567	17.52
2	2	TIMES	3307	16.25
3	3	TIMES	2361	11.60
4	4	TIMES	2065	10.14
5	5	TIMES	1112	5.46
6	6	TIMES	1202	5.91
7	7-8	TIMES	805	3.95
8	9-12	TIMES	1543	7.58
9	13-24	TIMES	821	4.03
10	25+	TIMES	446	2.19

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES :

VARNAME: DOCT\_YR

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: VISITED DOCTOR IN PAST 12 MOS

			FREQ	%
VALUE:	1	YES	17229	84.64
	2	NO	3126	15.36

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES :

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ77

QNAME12: QA11\_J3

QNAME09: QA09\_J3

QNAME07: NA

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE:			FREQ	%
-1	INAPPLICABLE		2322	11.41
1	YES		15938	78.30
2	NO		2095	10.29

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE ABOUT HEALTH

INPUT VAR:

NOTES:

VARNAME: AJ78

QNAME12: QA11\_J4

QNAME09: QA09\_J4

QNAME07: NA

LABEL: CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		1634	8.03
1	YES		6119	30.06
2	NO		12602	61.91

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN PAST 12 MOS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ79

QNAME12: QA11\_J5

QNAME09: QA09\_J5

QNAME07: NA

LABEL: HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE

VALUE:			FREQ	%
-1	INAPPLICABLE		14236	69.94
1	NEVER		171	0.84
2	SOMETIMES		508	2.50
3	USUALLY		1250	6.14
4	ALWAYS		4190	20.58

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN  
PAST 12 MOS AND CONTACTED DOC OFFICE WITH A MEDICAL QUESTION

INPUT VAR:

NOTES:

VARNAME: AJ80

QNAME12: QA11\_J11

QNAME09: QA09\_J6

QNAME07: NA

LABEL: DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS

VALUE:			FREQ	%
-1	INAPPLICABLE		15896	78.09
1	YES		3419	16.80
2	NO		1040	5.11

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND  
HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ8 QNAME12: QA11\_J12

QNAME09: QA09\_J7 QNAME07: QA07\_J3

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		1352	6.64
1	YES		653	3.21
2	NO		18244	89.63

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS

INPUT VAR:

NOTES:

VARNAME: AJ50\_P QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		13778	67.69
1	ENGLISH		3777	18.56
2	SPANISH		1613	7.92
3	VIETNAMESE		418	2.05
4	KOREAN		358	1.76
5	CANTONESE		126	0.62
6	MANDARIN		116	0.57
7	OTHER		63	0.31

UNIVERSE: ALL ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST  
APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	AJ9	QNAME12:	QA11_J14	
		QNAME09:	QA09_J9	QNAME07: QA07_J5
LABEL:	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND			
			FREQ	%
VALUE:	-2	PROXY SKIPPED	106	0.52
	-1	INAPPLICABLE	19596	96.27
	1	YES	407	2.00
	2	NO	246	1.21
UNIVERSE:	ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING DOCTOR			
INPUT VAR:				
NOTES:				

VARNAME:	AJ10	QNAME12:	QA11_J15	
		QNAME09:	QA09_J10	QNAME07: QA07_J6
LABEL:	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR			
VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	106	0.52
	1	YES	15819	77.72
	2	NO	712	3.50
			3718	18.27
UNIVERSE:	ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING DOCTOR			
INPUT VAR:				
NOTES:				



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ11 QNAME12: QA11\_J16  
QNAME09: QA09\_J11 QNAME07: QA07\_J7

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		19537	95.98
1	MINOR CHILD (UNDER AGE 18)		8	0.04
2	ADULT FAMILY MEMBER OF FRIEND OF MINE		184	0.90
3	NON-MEDICAL OFFICE STAFF		34	0.17
4	MEDICAL STAFF INCLUDING NURSES / DOCS		360	1.77
5	PROF INTERPRETER (PERSON/PHONE)		92	0.45
6	OTHER (PATIENTS, SOMEONE ELSE)		13	0.06
7	DID NOT HAVE SOMEONE TO HELP		21	0.10

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A  
HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED  
SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

VARNAME: AH16 QNAME12: QA11\_J20  
QNAME09: QA09\_J12 QNAME07: QA07\_J14

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

VALUE:			FREQ	%
1	YES		2233	10.97
2	NO		18122	89.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ19 QNAME12: QA11\_J21  
QNAME09: QA09\_J13 QNAME07: QA07\_J15

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE:			FREQ	%
-1	INAPPLICABLE		18122	89.03
1	YES		1074	5.28
2	NO		1159	5.69

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST  
12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ82 QNAME12: QA11\_J23  
QNAME09: QA09\_J15 QNAME07: NA

LABEL: DELAYED PRESCRIPTION FOR DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		20158	99.03
1	YES		100	0.49
2	NO		97	0.48

UNIVERSE: ALL ADULTS WITH DIABETES WHO CITED COST/LACK OF INSURANCE AS  
REASON FOR DELAY IN GETTING PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH22 QNAME12: QA11\_J25

QNAME09: QA09\_J17 QNAME07: QA07\_J16

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		2790	13.71
2	NO		17565	86.29

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ20 QNAME12: QA11\_J26

QNAME09: QA09\_J18 QNAME07: QA07\_J17

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		17565	86.29
1	YES		1482	7.28
2	NO		1308	6.43

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

```

VARNAM1:  AJ102                                QNAME12:  QA11_J8

                                QNAME09:  NA                      QNAME07:  NA

LABEL:      SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

                                FREQ      %
VALUE:      -1          INAPPLICABLE      1076      5.29
            1           YES                6352      31.21
            2           NO                 12927     63.51

UNIVERSE:   ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

```

VARNAME:	AJ103	QNAME12:	QA11_J9	
		QNAME09:	NA	QNAME07: NA
LABEL:	HOW OFTEN GET APPNT IN 2 DAYS			
			FREQ	%
VALUE:	-1	INAPPLICABLE	14003	68.79
	1	NEVER	527	2.59
	2	SOMETIMES	847	4.16
	3	USUALLY	1339	6.58
	4	ALWAYS	3639	17.88
UNIVERSE:	ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO TRIED TO GET A DOC APPT. WITH/IN TWO DAYS			
INPUT VAR:				
NOTES:				

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ104

QNAME12: QA11\_J10

QNAME09: NA

QNAME07: NA

LABEL: COULD GET APPNT W/DOC IN 2 DAYS IF NEEDED

VALUE:			FREQ	%
-1	INAPPLICABLE		7428	36.49
1	YES		11076	54.41
2	NO		1851	9.09

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

VARNAME: AJ105

QNAME12: QA11\_J17

QNAME09: NA

QNAME07: NA

LABEL: KNOW RIGHTS TO INTERPRETOR DURING MED VISIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		16837	82.72
1	YES		2084	10.24
2	NO		1328	6.52

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   AJ106                                   QNAME12:   QA11\_J18

QNAME09:   NA                                   QNAME07:   NA

LABEL:       USUAL PLACE FOR HLTH CARE CHANGED PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		3511	17.25
1	YES		1405	6.90
2	NO		15439	75.85

UNIVERSE:   ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE  
PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

---

VARNAME:   AJ107                                   QNAME12:   QA11\_J19

QNAME09:   NA                                   QNAME07:   NA

LABEL:       CHANGE USUAL PLACE DUE TO INSURANCE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18950	93.10
1	YES		452	2.22
2	NO		953	4.68

UNIVERSE:   ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE  
PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE AND CHANGED PLACE OF  
HEALTH CARE

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ108

QNAME12: QA11\_J30

QNAME09: NA

QNAME07: NA

LABEL: EVER USED INTERNET

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	YES		15181	74.58
2	NO		5068	24.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ109

QNAME12: QA11\_J31

QNAME09: NA

QNAME07: NA

LABEL: USED INTERNET TO FIND MED INFO PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		5068	24.90
1	YES		9787	48.08
2	NO		5394	26.50

UNIVERSE: ALL ADULTS WHO EVER USED INTERNET

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ110 QNAME12: QA11\_J32  
QNAME09: NA QNAME07: NA

LABEL: CONFIDENCE TO COMPLETE APPL ONLINE ON OWN

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		5068	24.90
1	VERY CONFIDENT		10756	52.84
2	SOMEWHAT CONFIDENT		2902	14.26
3	NOT TOO CONFIDENT		1070	5.26
4	NOT AT ALL CONFIDENT		453	2.23

UNIVERSE: ALL ADULTS WHO EVER USED INTERNET

INPUT VAR:

NOTES:

VARNAME: AJ111 QNAME12: QA11\_J33  
QNAME09: NA QNAME07: NA

LABEL: SOMEONE TO HELP FILL OUT APPL ONLINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		13658	67.10
1	YES		5025	24.69
2	NO		1566	7.69

UNIVERSE: ALL ADULTS WHO ARE NOT VERY CONFIDENT/NOT SOMEWHAT CONFIDENT WHEN  
FILLING OUT AN APPLICATION ON-LINE ON THEIR OWN

INPUT VAR:

NOTES:



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ112

QNAME12: QA11\_J6

QNAME09: NA

QNAME07: NA

LABEL: HOW OFTEN DOC LISTENS CAREFULLY

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		4417	21.70
1	NEVER		196	0.96
2	SOMETIMES		1142	5.61
3	USUALLY		3298	16.20
4	ALWAYS		11196	55.00

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

VARNAME: AJ113

QNAME12: QA11\_J7

QNAME09: NA

QNAME07: NA

LABEL: HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
-1	INAPPLICABLE		4417	21.70
1	NEVER		259	1.27
2	SOMETIMES		1102	5.41
3	USUALLY		3444	16.92
4	ALWAYS		11027	54.17

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section K: Employment, Income, Poverty Status & Food Security

---

VARNAME: AK8

QNAME12: QA11\_K3

QNAME09: QA09\_K3

QNAME07: QA07\_K3

LABEL: # OF PEOPLE WORKING FOR EMPLOYER/YOU

VALUE:		FREQ	%
-1	INAPPLICABLE	10120	49.72
1	1 OR 2	1963	9.64
2	3 - 9	1074	5.28
3	10 - 24	917	4.51
4	25 - 50	759	3.73
5	51 - 100	511	2.51
6	101 - 200	431	2.12
7	201 - 999	713	3.50
8	1,000 OR MORE	3867	19.00

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES: CATEGORY CHANGE IN CHIS 2011-2012

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AK10\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

## MEAN STATISTICS

N	10235
MIN	0
MAX	30000
MEAN	4500.66

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

---

VARNAME: AK10A\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

## MEAN STATISTICS

N	5879
MIN	0
MAX	30000
MEAN	4980.65

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK22\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

MEAN STATISTICS

N	20355
MIN	0
MAX	300000
MEAN	67470.23

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

VARNAME: AM1 QNAME12: QA11\_K23  
QNAME09: QA09\_K21 QNAME07: QA07\_K21

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	11316	55.59
1	OFTEN TRUE	770	3.78
2	SOMETIMES TRUE	2302	11.31
3	NEVER TRUE	5967	29.31

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS  
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM2 QNAME12: QA11\_K24  
QNAME09: QA09\_K22 QNAME07: QA07\_K22

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

VALUE:			FREQ	%
-1	INAPPLICABLE		11316	55.59
1	OFTEN TRUE		726	3.57
2	SOMETIMES TRUE		2387	11.73
3	NEVER TRUE		5926	29.11

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM3 QNAME12: QA11\_K25  
QNAME09: QA09\_K23 QNAME07: QA07\_K23

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-1	INAPPLICABLE		11316	55.59
1	YES		1626	7.99
2	NO		7413	36.42

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3A QNAME12: QA11\_K26  
QNAME09: QA09\_K24 QNAME07: QA07\_K24

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:		FREQ	%
-1	INAPPLICABLE	18729	92.01
1	ALMOST EVERY MONTH	557	2.74
2	SOME MONTHS BUT NOT EVERY MONTH	645	3.17
3	ONLY IN 1 OR 2 MONTHS	424	2.08

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS OR NOT KNOWN AND SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM4 QNAME12: QA11\_K27  
QNAME09: QA09\_K25 QNAME07: QA07\_K25

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

VALUE:		FREQ	%
-2	PROXY SKIPPED	106	0.52
-1	INAPPLICABLE	11254	55.29
1	YES	1714	8.42
2	NO	7281	35.77

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM5 QNAME12: QA11\_K28  
QNAME09: QA09\_K26 QNAME07: QA07\_K26

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	106	0.52
	1	YES	11254	55.29
	2	NO	1010	4.96
			7985	39.23

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS  
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: POVGWD\_P QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

	MEAN STATISTICS	
	N	20355
	MIN	0
	MAX	24
	MEAN	4.25

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   POVLL                                   QNAME12:   NA

QNAME09:   NA                                   QNAME07:   NA

LABEL:       POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	3374	16.58
2	100-199% FPL	3971	19.51
3	200-299% FPL	2854	14.02
4	300% FPL AND ABOVE	10156	49.89

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME:   ELIGPRG3                           QNAME12:   NA

QNAME09:   NA                                   QNAME07:   NA

LABEL:       MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:		FREQ	%
-5	INSURED	11038	54.23
-1	INAPPLICABLE-AGES>=65	6767	33.24
1	MEDI-CAL (MEDICAID) ELIG.	170	0.84
2	HEALTHY FAM ELIG.	10	0.05
3	NOT ELIG.	2370	11.64

UNIVERSE:   ALL ADULTS UNDER AGE 65 AND UNINSURED

INPUT VAR:

NOTES:

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ELIGPRG3\_P1 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED (PUF 1 YEAR RECODE)

VALUE:			FREQ	%
-5	INSURED		11038	54.23
-1	INAPPLICABLE-AGES>=65		6767	33.24
1	MEDI-CAL (MEDICAID) OR HEALTHLY FAMILIES		180	0.88
2	NOT ELIG.		2370	11.64

UNIVERSE: ALL ADULTS UNDER AGE 65 AND UNINSURED

INPUT VAR: ELIGPRG3

NOTES:

VARNAME: FSLEV QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: FOOD SECURITY STATUS LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		13049	64.11
1	FOOD SECURITY		4650	22.84
2	FOOD INSECURITY W/O HUNGER		1712	8.41
3	FOOD INSECURITY W/ HUNGER		944	4.64

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEVCB QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: FOOD SECURITY STATUS (2 LVLS)

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		13049	64.11
1	FOOD SECURITY		4650	22.84
2	FOOD INSECURITY WITH/ WITHOUT HUNGER		2656	13.05

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: ELDER\_IDX QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		13714	67.37
1	YES		2279	11.20
2	NO		4362	21.43

UNIVERSE: ADULTS 65 OR OVER LIVING ALONE OR W/ SPOUSE OR PARTNER

INPUT VAR: SRAGE SRTENR AM37 FAM\_SIZE MARIT2 AK22

NOTES: OFFICIAL INDEX ASSESSES INCOME INADEQUACY FOR SINGLES/COUPLES LIVING ALONE ONLY. CURRENT CHIS MEASURE MAY INCLUDE ELDERLY SINGLES/COUPLES LIVING WITH OTHERS IN A HOUSEHOLD. FOR MORE INFORMATION PLEASE SEE: <http://healthpolicy.ucla.edu/programs/health-disp>

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section L: Public Program Participation**

---

VARNAME: AL2 QNAME12: QA11\_L1  
QNAME09: QA09\_L1 QNAME07: QA07\_L1

LABEL: RECEIVING TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		8924	43.84
1	YES		393	1.93
2	NO		11038	54.23

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL OR HH POVERTY LEVEL NOT KNOWN

INPUT VAR:

NOTES: MAY NOT BE TRENDABLE WITH CHIS 2001 AL2; NOT AVAILABLE IN CHIS 2011

---

VARNAME: AL5 QNAME12: QA11\_L3  
QNAME09: QA09\_L3 QNAME07: QA07\_L3

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		8924	43.84
1	YES		1249	6.14
2	NO		10182	50.02

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES: MAY NOT BE TRENDABLE WITH CHIS 2001 AL5; NOT AVAILABLE IN CHIS 2011

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL6 QNAME12: QA11\_L5  
QNAME09: QA09\_L5 QNAME07: QA07\_L5

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		8924	43.84
1	YES		1203	5.91
2	NO		10228	50.25

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES: NOT TRENDABLE WITH CHIS 2001 AL6

VARNAME: AL7 QNAME12: QA11\_L6  
QNAME09: QA09\_L6 QNAME07: QA07\_L6

LABEL: CURRENTLY ON WIC

VALUE:			FREQ	%
-1	INAPPLICABLE		19387	95.24
1	YES		492	2.42
2	NO		476	2.34

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND HAS A CHILD UNDER AGE 7 OR IS PREGNANT

INPUT VAR:

NOTES: MAY NOT BE TRENDABLE WITH CHIS 2001 AL7; NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AL15 QNAME12: QA11\_L8

QNAME09: QA09\_L8 QNAME07: QA07\_L8

LABEL: RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	8924	43.84
	2	NO	909	4.47
			10522	51.69

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

---

VARNAME: AL18A QNAME12: QA11\_L12

QNAME09: QA09\_L12 QNAME07: QA07\_L12

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	15049	73.93
	2	NO	3701	18.18
			1605	7.89

UNIVERSE: (ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

## Section M: Housing & Community Involvement

VARNAME: AK23 QNAME12: QA11\_M1  
QNAME09: QA09\_M1 QNAME07: QA07\_M1

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE:		FREQ	%
1	HOUSE	14051	69.03
2	DUPLEX	891	4.38
3	BUILDING WITH 3 OR MORE UNITS	4373	21.48
4	MOBILE HOME	1040	5.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK25 QNAME12: QA11\_M2  
QNAME09: QA09\_M2 QNAME07: QA07\_M2

LABEL: OWN OR RENT HOME

VALUE:		FREQ	%
-9	NOT ASCERTAINED	107	0.53
-8	DON'T KNOW	21	0.10
-7	REFUSED	72	0.35
1	OWN	12645	62.12
2	RENT	6671	32.77
3	OTHER ARRANGEMENT	839	4.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM19

QNAME12: QA11\_M7

QNAME09: QA09\_M4

QNAME07: NA

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	STRONGLY AGREE		5004	24.58
2	AGREE		12177	59.82
3	DISAGREE		2510	12.33
4	STRONGLY DISAGREE		558	2.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM21

QNAME12: QA11\_M8

QNAME09: QA09\_M6

QNAME07: NA

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	STRONGLY AGREE		4777	23.47
2	AGREE		12191	59.89
3	DISAGREE		2730	13.41
4	STRONGLY DISAGREE		551	2.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM35 QNAME12: QA11\_M9  
QNAME09: QA09\_M7 QNAME07: NA

LABEL: NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	STRONGLY AGREE		4760	23.38
2	AGREE		10984	53.96
3	DISAGREE		2014	9.89
4	STRONGLY DISAGREE		379	1.86
5	NOT APPLICABLE		2112	10.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AK28 QNAME12: QA11\_M10  
QNAME09: QA09\_M8 QNAME07: QA07\_M4

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

VALUE:			FREQ	%
-2	PROXY SKIPPED		106	0.52
1	ALL OF THE TIME		10430	51.24
2	MOST OF THE TIME		7676	37.71
3	SOME OF THE TIME		1858	9.13
4	NONE OF THE TIME		285	1.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AM36 QNAME12: QA11\_M11  
QNAME09: QA09\_M9 QNAME07: NA

LABEL: DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR

VALUE:			FREQ	%
1	YES		8717	42.82
2	NO		11638	57.18

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

---

VARNAME: AM39 QNAME12: QA11\_M12  
QNAME09: NA QNAME07: NA

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		2797	13.74
2	NO		17558	86.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AM40 QNAME12: QA11\_M13  
QNAME09: NA QNAME07: NA

LABEL: MEET INFORMALLY TO DEAL W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		4350	21.37
2	NO		16005	78.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM37

QNAME12: QA11\_M3

QNAME09: NA

QNAME07: NA

LABEL: CURRENTLY PAYING OFF MORTGAGE/HOME LOAN

VALUE:			FREQ	%
-1	INAPPLICABLE		15426	75.78
1	YES		1983	9.74
2	NO		2946	14.47

UNIVERSE: ALL ADULTS WHO ARE &gt;= 65 AND OWN HOME

INPUT VAR:

NOTES:

VARNAME: AM38

QNAME12: QA11\_M6

QNAME09: NA

QNAME07: NA

LABEL: MAIN REASON FOR LAST MOVE

VALUE:			FREQ	%
-1	INAPPLICABLE		14633	71.89
1	CHANGE IN MARITAL/RELATIONSHIP STATUS		348	1.71
2	TO ESTABLISH OWN HOUSEHOLD		662	3.25
3	FOR CHILD'S EDUCATION		83	0.41
4	TO ATTEND OR LEAVE COLLEGE		104	0.51
5	WORK RELATED		474	2.33
6	COULDN'T AFFORD MORTGAGE/RENT		724	3.56
7	OTHER HOUSING RELATED		1818	8.93
8	BETTER NEIGHBORHOOD/LESS CRIME		343	1.69
91	OTHER		1166	5.73

UNIVERSE: ALL ADULTS WHO HAVE LIVED AT CURRENT ADDRESS FOR LESS THAN 5 YEARS

INPUT VAR:

NOTES: NOT AVAILABLE IN CHIS 2011

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM38\_P1 QNAME12: NA  
QNAME09: NA QNAME07: NA

LABEL: MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	14633	71.89
1	CHANGE IN MARITAL/RELATIONSHIP STATUS	348	1.71
2	TO ESTABLISH OWN HOUSEHOLD	662	3.25
3	FOR CHILD'S EDUC/ATTEND OR LEAVE COLLEGE	187	0.92
5	WORK RELATED	474	2.33
6	COULDN'T AFFORD MORTGAGE/RENT	724	3.56
7	OTHER HOUSING RELATED	1818	8.93
8	BETTER NEIGHBORHOOD/LESS CRIME	343	1.69
91	OTHER	1166	5.73

UNIVERSE: ALL ADULTS WHO HAVE LIVED AT CURRENT ADDRESS FOR LESS THAN 5 YEARS

INPUT VAR: AM38

NOTES:

## Section N: Demographic Info, Part III, Geographical Info.

VARNAME: AM34 QNAME12: QA11\_N10  
QNAME09: QA09\_N8 QNAME07: QA07\_N6B

LABEL: TELEPHONE CALLS RECEIVED

VALUE:		FREQ	%
-9	NOT ASCERTAINED	1	0.00
-8	DON'T KNOW	32	0.16
-7	REFUSED	14	0.07
-1	INAPPLICABLE	6292	30.91
1	ALL OR ALMOST ALL CALLS ON CELL PHONES	3796	18.65
2	SOME CALLS ON CELL, SOME REGULAR PHONES	5615	27.59
3	VERY FEW OR NO CALLS ON CELL PHONES	4605	22.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_BG

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:			FREQ	%
1	URBAN		7778	38.21
2	2ND CITY		3983	19.57
3	SUBURBAN		4503	22.12
4	TOWN AND RURAL		4091	20.10

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

VARNAME: UR\_CLRT

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		8400	41.27
2	2ND CITY		5191	25.50
3	SUBURBAN		3413	16.77
4	TOWN AND RURAL		3351	16.46

UNIVERSE: ALL ADULTS

INPUT VAR: BESTZIP

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_CLRT2 QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:	1	URBAN	FREQ	%
	2	RURAL	17004	83.54
			3351	16.46

UNIVERSE: ALL ADULTS

INPUT VAR: UR\_CLRT

NOTES:

VARNAME: UR\_IHS QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - IHS

VALUE:	1	URBAN	FREQ	%
	2	RURAL	12820	62.98
			7535	37.02

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR\_OMB QNAME12: NA

QNAME09: NA QNAME07: NA

LABEL: RURAL AND URBAN - OMB

VALUE:	1	METROPOLITAN	FREQ	%
	2	NON-METROPOLITAN	18959	93.14
			1396	6.86

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_RHP

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: RURAL AND URBAN - RHP

VALUE:			FREQ	%
1	URBAN		17552	86.23
2	RURAL		2803	13.77

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

VARNAME: UR\_TRACT

QNAME12: NA

QNAME09: NA

QNAME07: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

VALUE:			FREQ	%
1	URBAN		7881	38.72
2	2ND CITY		4206	20.66
3	SUBURBAN		4296	21.11
4	TOWN AND RURAL		3972	19.51

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section O: Full Design and Replicate Weight Series 0-80**

---

VARNAME: RAKEDW0 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - FULL SAMPLE  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW1 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 1  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW2 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 2  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW3 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 3  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW4 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 4  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW5 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 5  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW6 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 6  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW7 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 7  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW8 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 8  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW9 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 9  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW10 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 10  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW11 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 11  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW12 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 12  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW13 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 13  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW14 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 14  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW15 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 15  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW16 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 16  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW17 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 17  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW18 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 18  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW19 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 19  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW20 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 20  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW21 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 21  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW22 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 22  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW23 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 23  
VALUE: . 0 - HIGH FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW24 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 24  
VALUE: . 0 - HIGH FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW25 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 25  
VALUE: . 0 - HIGH FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW26 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 26  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW27 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 27  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW28 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 28  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW29 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 29  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW30 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 30  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW31 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 31  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW32 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 32  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW33 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 33  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW34 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 34  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW35 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 35  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW36 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 36  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW37 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 37  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW38 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 38  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW39 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 39  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW40 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 40  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW41 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 41  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW42 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 42  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW43 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 43  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW44 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 44  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW45 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 45  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW46 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 46  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW47 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 47  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW48 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 48  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW49 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 49  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW50 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 50  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW51 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 51  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW52 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 52  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW53 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 53  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW54 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 54  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW55 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 55  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW56 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 56  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW57 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 57  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW58 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 58  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW59 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 59  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW60 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 60  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW61 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 61  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW62 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 62  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW63 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 63  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW64 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 64  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW65 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 65  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW66 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 66  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW67 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 67  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW68 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 68  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW69 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 69  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW70 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 70  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW71 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 71  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW72 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 72  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW73 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 73  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW74 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 74  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW75 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 75  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW76 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 76  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---



2012 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW77 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 77  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW78 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 78  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME: RAKEDW79 QNAME12: NA  
QNAME09: NA QNAME07: NA  
LABEL: CHIS2011 RAKED WEIGHT - REPLICATE 79  
VALUE: . 0 - HIGH  
FREQ %  
20355 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES: RAKED WEIGHTS FOR CHIS 2012 DATAFILE

---

VARNAME:	RAKEDW80	QNAME12:	NA	
		QNAME09:	NA	QNAME07: NA
LABEL:	CHIS2011 RAKED WEIGHT - REPLICATE 80			
VALUE:	.	0 - HIGH	FREQ 20355	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:	NA			
NOTES:	RAKED WEIGHTS FOR CHIS 2012 DATAFILE			