



california
health
interview
survey

CHIS 2013 DATA DICTIONARY

Public Use File

Adult Survey

June 2016



CHIS 2013 DATA DICTIONARY

Adult Survey

Public Use File

June 2016

adult.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2016 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2013 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: June 2016.

TABLE OF CONTENTS

1. Introduction	2
1.1 CHIS 2013 Adult Survey Data File	2
1.2 Accompanying Files	2
2. What's New in CHIS 2013-2014.....	2
3. CHIS 2013-2014 Design and Methodology Summary	4
3.1 Overview	4
3.2 Switch to a Continuous Survey	5
3.3 Sample Design Objectives.....	6
3.4 Data Collection	8
3.5 Response Rates	9
3.6 Weighting the Sample	10
3.7 Imputation Methods.....	11
4. How to Use the Data Dictionary.....	13
5. Sample Code for Analysis and Pooling of CHIS data.....	14
6. Data Dictionary Variable Listings	15
A. Variable Name (alphabetical)	15
B. Variable name (by Location in CHIS 2013-14 Adult Questionnaire)	26
C. Restricted Variables	39
7. Data Dictionary.....	40
Section Q: Screening Information	40
Section A: Demographic Information, Part I.....	42
Section B: General Health Condition	52
Section C: Health Behaviors.....	74
Section D: General Health, Disability, and Sexual Health	88
Section F: Mental Health	99
Section G: Demographic Information, Part II & Child Care.....	112
Section H: Health Insurance	124
Section J: Health Care Utilization and Access	154
Section K: Employment, Income, Poverty Status & Food Security.....	180
Section L: Public Program Participation	198
Section M: Housing & Community Involvement.....	201
Section N: Demographic Info Part III, Geographic Info	207
Section O: Full Design and Replicate Weight Series 0-80.....	210

1. Introduction

1.1 CHIS 2013 Adult Survey Data File

The 2013 California Health Interview Survey (CHIS 2013) Adult Data File consists of individual records obtained from the 2013 data collection period of the CHIS 2013-2014 Adult survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 11-000068) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data use agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data use agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu.

1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT_PROC_FORMAT.SAS
- c. **Format file:** ADULT_FORMAT.SAS
- d. **Label file:** ADULT_LABEL.SAS
- e. **Imputation flag file:** adultf.sas7bdat, adultf.sav, adultf.dta
See Section 3.7 for descriptions of imputation flag variables and values.
- f. **Others:** ADULT.XPT, ADULTF.XPT

2. What's New in CHIS 2013-2014

As an ongoing cross-sectional survey of California's population, each CHIS 2-year data cycle has its own unique features. **This document describes the main cycle-specific methodological changes that were implemented in CHIS 2013-2014.** It is recommended that CHIS data users review the information below and detailed online documentation as necessary before analyzing or reporting CHIS data.

CHIS Methodological Documentation Online:

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>

- 1) **One-Year Data File Release** – CHIS 2013 and 2014 public use files (PUFs) were released as separate, one-year data files (one file for each year), which is different from the combined two-year data files released in the past. The switch to single-year data files was facilitated by continuous data collection, which began in the CHIS 2011-2012 data collection cycle. The CHIS 2013-2014 data

collection cycle includes interviews conducted between February 2013 and early January 2015 with approximately half of the interviews conducted during calendar year 2013 and the other half during calendar year 2014. We will re-release CHIS 2011 and 2012 data files as separate, one-year files later in 2015 for researchers who want to make single year estimates across this four-year timespan. Two-year data files for the CHIS 2013-2014 cycle can be requested later this year via our Data Access Center (DAC, see <http://healthpolicy.ucla.edu/chis/data/Pages/GetCHISData.aspx>).

As of the CHIS 2013 and 2014 data file release (August 2015), AskCHIS (<http://ask.chis.ucla.edu>) included individual year data for CHIS 2011, 2012, 2013, and 2014, so users can produce single-year estimates. In future years, we anticipate releasing one-year PUFs and updating AskCHIS annually, which will provide CHIS users with much more timely data and greater flexibility in structuring their analyses. Users should be cautious examining indicators for small populations (such as child, teen, or racial/ethnic groups) due to the smaller sample sizes of the one-year data; pooling two or more cycles of one-year data is generally advised.

Users who need more information about pooling/trending data over time should review the Analyze CHIS Data website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx> or go to the Analyze CHIS Data user forum at <http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>.

- 2) **Measuring Modified Adjusted Gross Income (MAGI) and Medi-Cal Eligibility** – CHIS has always included adult survey questions to estimate eligibility for California’s Medicaid program, Medi-Cal. The 2010 Patient Protection and Affordable Care Act (ACA) included numerous changes to Medi-Cal eligibility. Effective January 1, 2014, income-based eligibility for Medi-Cal and Healthy Families (California’s Children’s Health Insurance Program) participation is determined by Modified Adjusted Gross Income (MAGI). CHIS 2014 (and CHIS 2013, but most relevant to 2014) included the following changes to approximate a respondent’s MAGI.
 - a. Added two questions to identify households receiving workers’ compensation in the past month and the amount received in order to exclude workers’ compensation income from total income (AL32, AL33);
 - b. Modified questions on child support to eliminate “other” income sources (government or veterans’ programs) (AL15, AL16) to exclude child support income from total income;
 - c. Added two questions clarifying whether there is anyone else not living in the household, but living in the U.S., who is supported by the total household income reported (AK32, AK33).

The MAGI approximation informed the construction of the CHIS 2014 variable, **ELGMAGI3**, capturing uninsured individuals who are “newly eligible” for Medi-Cal under the ACA.

ELGMAGI3 also categorizes many uninsured individuals eligible for Healthy Families as *Medi-Cal eligible* due to the transition of Healthy Families enrollees into the Targeted Low Income Medicaid Program.

Detailed documentation about the MAGI variable is forthcoming. See the Analyze CHIS Data forum for more information (<http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>).

- 3) **New and Updated Survey Questions** – Most CHIS questions are included in every CHIS cycle, but some are added or removed depending on both stake-holder input on public health importance and funding availability. Noteworthy changes include:
 - a. New content CHIS 2013-2014:
 - i. 2014 only: Questions to determine Covered California (the state health insurance marketplace) participation and experience shopping for coverage in the individual market

- ii. 2013-2014: Contraception use, access to general and specialty care, dental insurance, industry and occupation, teen and child sedentary behavior, and teen grade level and organizational involvement.
 - b. Removed content: falls among older adults; moderate and vigorous activity in the past week; fruit and vegetable consumption in the past month; mammography; teen drug use/sexual behavior and STI testing; and, bullying and interpersonal violence among teens.
- 4) **Japanese American Oversample and Tagalog Interviewing** – A special oversample of Japanese Americans was conducted using telephone numbers associated with Japanese first and last names. These phone numbers were used to increase the yield of Californians of Japanese descent for an oversample of about 130 Japanese Americans. The *CHIS 2013-2014 Methodology Report 1 – Sample Design* includes more information about this oversample. CHIS continued to oversample Koreans and Vietnamese as well. CHIS 2013-2014 also includes interviews in Tagalog, in addition to its usual languages: English, Spanish, Chinese (Cantonese and Mandarin dialects), Korean and Vietnamese.
- 5) **County Oversamples** – As before, some counties funded additional interviews. In CHIS 2013-2014, approximately 1,600 additional households were sampled in San Diego County to provide sub-county estimates (as has been done since 2005). Three other counties also included supplemental oversamples (Calaveras, Siskiyou, and Tuolumne) of about 400 additional households each. An address-based sample was used in Sonoma County to complete interviews in about 500 additional households.
- 6) **Dual-Frame Cell Phone & Landline RDD Sample** – In CHIS 2013-2014, 7,752 adult interviews were conducted from the cell phone sample (19.3% of adult interviews). In CHIS 2011-2012, 9,151 adult interviews were conducted from the cell phone sample (21.3% of adult interviews). CHIS 2009 had 3,047 (6.4% of adult interviews) interviews conducted from the cell phone sample. Like CHIS 2011-2012, CHIS 2013-2014 used county-level goals for the cell phone RDD sample. The complete sample design is in *CHIS 2013-2014 Methodology Report 5 – Sample Design* (to be released Fall 2015). For more about cell phone sampling from the American Association for Public Opinion Research see http://www.aapor.org/Cell_Phone_Task_Force_Report.htm

3. CHIS 2013-2014 Design and Methodology Summary

3.1 Overview

A series of five methodology reports will be available with more detail about the methods used in CHIS 2013-2014:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu> or contact CHIS at CHIS@ucla.edu.

The CHIS is a population-based telephone survey of California's population conducted every other year since 2001 and continually beginning in 2011. CHIS is the largest state health survey and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health and the Department of Health Care Services. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues.

The sample is designed to meet and optimize two objectives:

- 1) Provide estimates for large- and medium-sized counties in the state, and for groups of the smallest counties (based on population size), and
- 2) Provide statewide estimates for California's overall population, its major racial and ethnic groups, as well as several racial and ethnic subgroups.

The CHIS sample is representative of California's non-institutionalized population living in households. CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (visit UCLA-CHPR's publication page at: http://healthpolicy.ucla.edu/publications/Pages/default.aspx_for_examples_of_CHIS_studies).

3.2 Switch to a Continuous Survey

From the first CHIS cycle in 2001 through 2009, CHIS data was collected during a 7-9 month period every other year. Beginning in 2011, CHIS data have been collected continually over a 2-year cycle. This change was driven by several factors including the ability to track and release information about health in California on a more frequent and timely basis and to eliminate potential seasonality in the biennial data.

CHIS 2013-2014 data were collected between February 2013 and early January 2015. Approximately half of the interviews were conducted during the 2013 calendar year and half during the 2014 calendar year. As in previous CHIS cycles, weights are included with the data files and are based on the State of California's Department of Finance population estimates and projections, adjusted to remove the population living in group quarters (such as nursing homes, prisons, etc.) and thus not eligible to participate in CHIS. When the weights are applied to the data, the results represent California's residential population during that year for the age group corresponding to the data file in use (adult, adolescent, or child).

In order to provide CHIS data users with more complete and up-to-date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample code, is available at: <http://healthpolicy.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

Additional documentation on constructing the CHIS sampling weights is available in CHIS 2013-2014 Methods Report #5—Weighting and Variance Estimation, available at: <http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>. Other helpful information for understanding the CHIS sample design and data collection processing can be found in the four other methodology reports for each CHIS cycle year.

3.3 Sample Design Objectives

The CHIS 2013-2014 sample was designed to meet the two sampling objectives discussed above: (1) provide estimates for adults in most counties and in groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller racial and ethnic subgroups.

To achieve these objectives, CHIS employed a dual-frame, multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. The random-digit-dial (RDD) sample was designed to achieve completed adult interviews with approximately 80% landline and 20% cellular phone numbers. For the landline RDD sample, the 58 counties in the state were grouped into 44 geographic sampling strata, and 14 sub-strata were created within the two most populous counties in the state (Los Angeles and San Diego). The Los Angeles County stratum included 8 sub-strata for Service Planning Areas, and the San Diego County stratum included 6 sub-strata for Health Service Districts. Approximately 1,600 additional households were sampled in San Diego County to obtain the sub-county estimates. Most of the strata (39 of 44) are made up of a single county with no sub-strata (counties 3-41 in Table 1-1), with three multi-county strata comprised of the 17 remaining counties (see Table 1-1). CHIS 2013-2014 also included supplemental geographic oversamples of landlines in 3 small counties (Calaveras, Siskiyou, and Tuolumne) that were part of multi-county strata (about 400 additional households for each county). An address-based sample of an additional 500 households was conducted in Sonoma County and oversamples of about 130 Japanese Americans, 104 Korean Americans, and 120 Vietnamese Americans were completed using list samples. A sufficient number of adult interviews were allocated to each stratum and sub-stratum to support the first sample design objective—to provide health estimates for adults at the local level. The same landline geographic stratification of the state has been used since CHIS 2005.

Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

The RDD CHIS sample is of sufficient size to accomplish the second objective (produce estimates for the state's major racial/ethnic groups, as well as many ethnic subgroups). However, given the smaller sample sizes of one-year data files, two or more pooled cycles of CHIS data are generally required to produce statistically stable estimates for small population groups such as racial/ethnic subgroups, children, teens, etc. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames, drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese. Surname and given name lists were used similarly to increase the yield of Californians of Japanese descent.

Table 3-1. California county and county group strata used in the CHIS 2013-2014 sample design

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings

1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glen, Tehama
3. Orange	23. San Luis Obispo	43. Plumas, Sierra, Siskiyou,
4. Santa Clara	24. Placer	Lassen, Modoc, Trinity, Del Norte
5. San Bernardino	25. Merced	44. Mariposa, Mono, Tuolumne,
6. Riverside	26. Butte	Alpine, Amador, Calaveras, Inyo

Source: UCLA Center for Health Policy Research, 2013-2014 California Health Interview Survey.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2013-2014, the goal was to complete approximately 8,000 interviews (20% of all RDD interviews statewide) with adults from the cell phone sample. Although the geographic information available for cell phone numbers is not as precise as that for landlines, cell phone numbers were assigned to the same 44 strata (i.e., 41 strata defined by a single county and 3 strata created by multiple counties). The cell phone stratification closely resembles that of the landline sample and has the same stratum names, though the cell phone strata represent slightly different geographic areas than the landline strata. As in CHIS 2011-2012, if a sampled cell number was shared by two or more adult members of a household, one household member was selected for the adult interview; otherwise the adult owner of the sampled number was selected. Cell numbers used exclusively by children under 18 were considered ineligible. About 480 teen interviews and 1,250 child interviews were completed from the cell phone sample in CHIS 2013-2014.

The cell phone sampling method used in CHIS has evolved since its first implementation in 2007 when only cell numbers belonging to adults in cell-only households were eligible for sampling adults. There have been two significant changes to the cell phone sample since 2009. First, all cell phone sample numbers used for non-business purposes by adults living in California were eligible for the extended interview. Thus, adults in households with landlines who had their own cell phones or shared one with another adult household member could have been selected through either the cell or landline sample. The second change was the inclusion of child and adolescent extended interviews.

The cell phone sample design and targets by stratum of the cell phone sample have also changed throughout the cycles of the survey. In CHIS 2007 a non-overlapping dual-frame design was implemented where cell phone only users were screened and interviewed in the cell phone sample. Beginning in 2009, an overlapping dual-frame design has been implemented. In this design, dual phone users (e.g., those with both cell and landline service) can be selected and interviewed from either the landline or cellphone samples.

The number of strata has also evolved as more information about cell numbers has become available. In CHIS 2007 the cell phone frame was stratified into 7 geographic sampling strata created using telephone area codes. In CHIS 2009 and 2011-2012, the number of cell phone strata was increased to 28. These strata were created using both area codes and the geographic information assigned to the number. In CHIS 2011-2013, with the availability of more detailed geographic information, the number of strata was

increased to 44 geographic areas that correspond to single and grouped counties similar to the landline strata.

3.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in six languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, Korean, and, for the first time, Tagalog. These languages were chosen based on analysis of 2010 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted CHIS 2013-2014 data collection under contract with the UCLA Center for Health Policy Research. For all samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if they were present in the household and the sampled adult was their parent or legal guardian. Thus, up to three interviews could have been completed in each household. Children and adolescents were generally sampled at the end of the adult interview. In landline, list, and ABS sample households with children where the screener respondent was someone other than the sampled adult, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was first used in CHIS 2005 and has been continued in subsequent CHIS cycles because it substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview for child-first cases, the final data contain completed child and adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2013-2014 by the type of sample (landline RDD, surname list, cell RDD, and Sonoma ABS). These numbers are provided in greater detail in *CHIS 2013-2014 Methodology Series: Report 2 – Data Collection*. Note that these figures were accurate as of data collection completion and may differ slightly from numbers in the data files due to data cleaning and edits. Sample sizes to compare against data files you are using are found online at <http://healthpolicy.ucla.edu/chis/design/Pages/sample.aspx>.

Table 3-2. Number of completed CHIS 2013-2014 interviews by type of sample and instrument

Type of sample	Adult*	Child	Adolescent
Total all samples	40,240 ¹	5,512	2,253
Landline RDD	31,615	4,164	1,738
Surname list	392	50	18
Cell RDD	7,752	1,256	482
Sonoma ABS	481	42	15

*Includes interviews meeting the criteria as partially complete

Source: UCLA Center for Health Policy Research, 2013-2014 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 36 minutes to complete. The average child and adolescent interviews took about 16 minutes and 23 minutes, respectively. For “child-first”

¹Numbers in this table represent the data publically released and available through our Data Access Center. Total sample sizes may differ for specific calculations within the five methodology reports, or for specific analyses based on CHIS data.

interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 11 percent of the adult interviews were completed in a language other than English, as were about 23 percent of all child (parent proxy) interviews and 5 percent of all adolescent interviews.

3.5 Response Rates

The overall response rate for CHIS 2013-2014 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for 50.7 percent of the landline RDD sample telephone numbers not identified by the sample vendor as business or nonworking numbers, and for 82.2 percent of surname list sample numbers. Addresses were not available for the cell sample. As in all CHIS cycles since CHIS 2005, a \$2 bill was included with the CHIS 2013-2014 advance letter to encourage cooperation.

The CHIS 2013-2014 screener response rate for the landline/list sample was 28.8 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener response rate was 30.7 percent. The extended interview response rate for the landline/list sample varied across the adult (44.8 percent), child (68.9 percent) and adolescent (40.2 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview response rate for the cell sample was 52.1 percent, the child rate was 72.2 percent, and the adolescent rate 41.0 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2013-2014, the landline/list sample household response rate was 14.8 percent (the product of the screener response rate and the extended interview response rate at the household level of 51.4 percent). The cell sample household response rate was 16.6 percent, incorporating a household-level extended interview response rate of 53.9 percent. All of the household and person level response rates vary by sampling stratum.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. However, comparing the CHIS and BRFSS response rates requires recomputing the CHIS response rates so they match the BRFSS response rate calculation methods. The 2013 California BRFSS landline response rate is 38.9 percent, the cell phone response rate is 39.3 percent, and the combined landline and cell phone rate is 39.0 percent.² Recalculating the CHIS response rates using the BRFSS method, the CHIS 2013-2014 landline response rate is 39.5, cell phone response rate is 32.1 percent, and the combined landline and cell phone response rate is 37.2 percent. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. For example, based on the last reported BRFSS refusal rates in 2011; the refusal rate for California (31.4%) was the highest in the nation and was twice the national median (16.0%). Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. For more information about the CHIS 2013-2014 response rates please see *CHIS Methodology Series: Report 4 – Response Rates*.

² As reported in the Behavioral Risk Factor Surveillance System: 2013 Summary Data Quality Report. Retrieved May 22, 2015, available online at http://www.cdc.gov/brfss/annual_data/2013/pdf/2013_dqr.pdf

Further information about CHIS data quality and nonresponse bias is available at <http://healthpolicy.ucla.edu/chis/design/Pages/data-quality.aspx>.

After all follow-up attempts to complete the full questionnaire were exhausted, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as “complete.” At least some responses in the employment and income series, or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview. They were imputed to enhance the analytic utility of the data (see section 2.6 on imputation methods for more information).

Proxy interviews were conducted for any adult who was unable to complete the extended adult interview for themselves, in order to avoid biases for health estimates of chronically-ill or handicapped people. Eligible selected persons were re-contacted and offered a proxy option. For 248 adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered.

3.6 Weighting the Sample

To produce population estimates from CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2013-2014 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because non-respondents may have different characteristics than respondents;
- Adjust, to the extent possible, for under-coverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using an iterative proportional fitting method, or “raking” as it is commonly called, so that CHIS estimates are consistent with the marginal population control totals. This iterative procedure forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a pre-specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2013-2014 were created primarily from the California Department of Finance’s (DOF) 2014 Population Estimates and 2014 Population Projections. The raking procedure used 12 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic

variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance (DOF) data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

The 2014 DOF control totals used to create the CHIS 2013-2014 weights are based on 2010 Census counts, as were those used for the 2011-2012 cycle. Please pay close attention when comparing estimates using CHIS 2013-2014 data with estimates using data from CHIS cycles before 2010. The most accurate California population figures are available when the US population count is conducted (every 10 years). Population-based surveys like CHIS must use estimates and projections based on the decennial population count data between Censuses. For example, population control totals for CHIS 2009 were based on 2009 DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information. For more information about the CHIS 2013-2014 response rates please see *CHIS 2013-2014 Methodology Series: Report 4 – Response Rates*.

3.7 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly every other variable.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is one of the most commonly used methods for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents who answer a survey item form a pool of donors, while the item non-respondents form a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Westat used hot deck imputation to impute the same items in all CHIS cycles since 2003 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2013-2014 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation without donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponds to the nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included standard measures of demographic and socioeconomic characteristics, as well as geographic region; however, the full set of control variables varies depending on which variable is being imputed. Most imputation models included additional characteristics, such as health status or access to care, which are used to improve the quality of the donor-recipient match. Among the standard list of control variables, gender, age, race/ethnicity and region of California were imputed by Westat. UCLA-CHPR begins their imputation process by imputing household income and educational attainment, so that these characteristics are available for the imputation of other variables. Sometimes CHIS collects bracketed information about the range in which the respondent's value falls when the respondent will not or cannot report an exact amount. Household income, for example, was imputed using the hot-deck method within ranges defined by a set of auxiliary variables such as bracketed income range and/or poverty level.

The imputation order of the other variables generally followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

4. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2013 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009 and CHIS 2011-12 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://healthpolicy.ucla.edu/chis/design/Pages/questionnaires.aspx>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME13:** The names of the 2013-14 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QNAME11:** The names of 2011-12 survey items identical or similar to the 2013-14 items.
- **QNAME09:** The names of 2009 survey items identical or similar to the 2013-14 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: CHILD/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

5. Sample Code for Analysis and Pooling of CHIS data

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx>

6. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

VARIABLE	LABEL	PAGE
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-11
AB1	GENERAL HEALTH CONDITION	DD-13
AB106_P	ER/URGT CARE VISIT FOR ASTHMA PAST YR B/C CAN'T SEE OWN DR (PUF RECODE)	DD-17
AB108_P1	CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)	DD-20
AB109	VISITED ER FOR DIABETES IN PAST 12 MOS	DD-26
AB110_P	VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)	DD-27
AB111	ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS	DD-27
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-28
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-28
AB114_P1	CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)	DD-29
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-32
AB116_P1	ER VISIT FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF 1 YR RECODE)	DD-32
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS	DD-33
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-33
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-34
AB120_P1	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)	DD-34
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-14
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-17
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-18
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-21
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	DD-22
AB24	CURRENTLY TAKING INSULIN	DD-24
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-24
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-25
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE)	DD-22
AB28_P1	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)	DD-25
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-30
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-30
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-31
AB40	STILL HAS ASTHMA	DD-14
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-15

VARIABLE	LABEL	PAGE
AB42 P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	DD-19
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-19
AB51 P1	TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)	DD-23
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-31
AB63	LAST EYE EXAM DILATED PUPILS	DD-26
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-29
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-20
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-21
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-37
AC31 P1	# TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)	DD-38
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-43
AC34 P1	# DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)	DD-44
AC35 P1	# DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)	DD-45
AC42	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB	DD-46
AC42 P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	DD-47
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	DD-47
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	DD-48
AC47 P1	# OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE)	DD-48
AC48 P1	# OF GLASSES NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE)	DD-49
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	DD-41
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	DD-41
ACHLDC P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	DD-80
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-118
AD32 P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	DD-40
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-35
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-35
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-36
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE	DD-36
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-52
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-54
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-55
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-55
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-55
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-54
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-39
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-39
AE16 P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	DD-40
AESODA P1	# OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)	DD-37
AE SODA	# OF TIMES DRINKING SODA PER WEEK	DD-38
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-67
AF63	FEEL NERVOUS WORST MONTH	DD-68
AF64	FEEL HOPELESS WORST MONTH	DD-70
AF65	FEEL RESTLESS WORST MONTH	DD-60

VARIABLE	LABEL	PAGE
AF66	FEEL DEPRESSED WORST MONTH	DD-61
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-61
AF68	FEEL WORTHLESS WORST MONTH	DD-62
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-62
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-63
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-63
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-64
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	DD-137
AG10	RESPONDENT USUALLY WORKS	DD-82
AG11	SPOUSE USUALLY WORKS	DD-83
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-76
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-81
AG3	HAVE ANY KIND OF DENTAL INSURANCE	DD-137
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-83
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	DD-84
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-115
AH100	ANYONE HELP FIND HEALTH PLAN	DD-110
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	DD-111
AH102_P1	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)	DD-111
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	DD-112
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-136
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-18
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-96
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	DD-123
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	DD-125
AH33NEW	BORN IN U.S.	DD-74
AH34NEW	MOTHER BORN IN U.S.	DD-74
AH35NEW	FATHER BORN IN U.S.	DD-75
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	DD-76
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	DD-115
AH43A	LIVING WITH A PARENT	DD-79
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-79
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	DD-80
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-85
AH50_P1	NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE)	DD-86
AH52_P1	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)	DD-87
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-118
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	DD-93
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	DD-93
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-110
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-94

VARIABLE	LABEL	PAGE
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-95
AH95 P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	DD-112
AH96 P1	HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)	DD-113
AH97 P1	PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)	DD-113
AH98 P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	DD-114
AH99 P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	DD-114
AHEDC P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	DD-84
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-87
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-88
AI22A P	NAME OF HEALTH PLAN (PUF RECODE)	DD-91
AI22C	MAIN HEALTH PLAN IS HMO	DD-90
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-92
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	DD-92
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-95
AI33 6	OTHER INS: BOUGHT DIRECT	DD-94
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-88
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-86
AI45A P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	DD-89
AI45 P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	DD-89
AJ1	INS COVERS TREATMENT FOR MNTHL HEALTH PROBLEMS	DD-65
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-122
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	DD-126
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	DD-126
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	DD-127
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	DD-127
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	DD-128
AJ108	EVER USED INTERNET	DD-128
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-123
AJ110	CONFIDENCE TO COMPLETE APPL ONLINE ON OWN	DD-129
AJ111	SOMEONE TO HELP FILL OUT APPL ONLINE	DD-129
AJ112	HOW OFTEN DOC LISTENS CAREFULLY	DD-130
AJ113	HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO	DD-130
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	DD-131
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	DD-131
AJ131 P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	DD-132
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	DD-132
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	DD-133
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	DD-133
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	DD-134
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	DD-134
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	DD-135

VARIABLE	LABEL	PAGE
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	DD-135
AJ140	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	DD-56
AJ141	RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR	DD-57
AJ142_P1	MAIN TYPE BIRTH CONTROL RECVD FROM DR PAST YR (PUF 1 YR RECODE)	DD-57
AJ143_P1	PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE)	DD-58
AJ144	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	DD-58
AJ145	RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR	DD-59
AJ146	PLACE RECEIVED MAIN BIRTH CONTROL METHOD	DD-59
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-124
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-125
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-60
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-64
AJ31	FELL RESTLESS PAST 30 DAYS	DD-65
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-66
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-66
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-67
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-121
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-119
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-120
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-120
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-121
AJ81	DELAYED PRESCRIPTION FOR ASTHMA	DD-124
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-122
AK1	WORK STATUS LAST WEEK	DD-141
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-150
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-149
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-150
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-162
AK25	OWN OR RENT HOME	DD-163
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-165
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	DD-142
AK32	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH	DD-151
AK33_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)	DD-151
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-143
AK7_P1	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)	DD-147
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	DD-149
AKWKLNG	TIME AT MAIN JOB	DD-148
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-162
AL2	RECEIVING TANF OR CALWORKS	DD-159
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-161
AL32	RECD ANY WORKERS COMPENSATION LAST MO	DD-161

VARIABLE	LABEL	PAGE
AL5	RECEIVING FOOD STAMP BENEFITS	DD-159
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-160
AL7	CURRENTLY ON WIC	DD-160
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-152
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-163
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-152
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	DD-164
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-164
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-153
AM34	TELEPHONE CALLS RECEIVED	DD-168
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	DD-165
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	DD-166
AM37	CURRENTLY PAYING OFF MORTGAGE/HOME LOAN	DD-167
AM38 P1	MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)	DD-167
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	DD-166
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-153
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-154
AM40	MEET INFORMALLY TO DEAL W/COMM PROB PAST YR	DD-166
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-154
ASTCUR	CURRENT ASTHMA STATUS	DD-15
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-16
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-16
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-46
BMI P	BODY MASS INDEX (PUF RECODE)	DD-53
CARE PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	DD-138
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	DD-71
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-77
DIABCK P1	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE)	DD-23
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-56
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-68
DOCT YR	VISITED DOCTOR IN PAST 12 MOS	DD-119
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-69
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-70
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-71
DSTRS P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	DD-69
ELDER_IDX	ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD	DD-158
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-158
ER	ER VISIT WITHIN THE PAST YEAR	DD-136
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-73

VARIABLE	LABEL	PAGE
FAMSIZE2 P1	FAMILY SIZE: INCL. ALL PEOPLE SUPT'D BY HH INCOME (PUF 1 YR RECODE)	DD-73
FAMTYP P	FAMILY TYPE (PUF RECODE)	DD-85
FORGO	HAD TO FORGO NECESSARY CARE	DD-138
FPG	FEDERAL POVERTY GUIDELINE	DD-156
FSLEV	FOOD SECURITY STATUS LEVEL	DD-155
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	DD-155
HEIGHM P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-50
HGHTI P	HEIGHT: INCHES (PUF RECODE)	DD-49
HGHTM P	HEIGHT: METERS (PUF RECODE)	DD-50
HHSIZE P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	DD-1
HMO	HMO STATUS	DD-90
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-96
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2010 INDUSTRY CLASSIFICATION SCHEM	DD-144
IND_FLAG	CENSUS INDUSTRY CODE - CODING METHOD	DD-145
INS	CURRENTLY INSURED	DD-97
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-98
INS64S P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-99
INS64 P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-98
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-99
INS65 S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-100
INSANY	ANY INS IN LAST 12 MOS	DD-100
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-101
INSEM S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-101
INSLT P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	DD-105
INSMC	COVERED BY MEDICARE	DD-102
INSMC S	SPOUSE COVERED BY MEDICARE	DD-102
INSMD	COVERED BY MEDI-CAL	DD-103
INSMD S	SPOUSE COVERED BY MEDI-CAL	DD-103
INSOG	COVERED BY OTHER GOVT PLANS	DD-104
INSOG S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-104
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-105
INSPR S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-106
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-106
INSPS S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-107
INSTYP P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)	DD-108
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-107
INS S	SPOUSE CURRENTLY INSURED	DD-97
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
LATIN2TP	LATIN/HISPANIC SUBTYPES - 2 LVLS	DD-13
LNGHM P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	DD-75
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-11

VARIABLE	LABEL	PAGE
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-12
MARIT 45	MARITAL STATUS - AGE 45 AND OLDER	DD-12
NUMCIG	# OF CIGARETTES PER DAY	DD-43
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2010 OCCUPATION CLASSIFICATION S	DD-146
OCC_FLAG	CENSUS OCCUPATION CODE - CODING METHOD	DD-147
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-109
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-109
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-7
OVRWT	OVERWEIGHT OR OBESE	DD-54
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	DD-78
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE	DD-138
PC_NEWP	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENTS	DD-139
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-157
POVLL	POVERTY LEVEL	DD-157
POVLL_ACA	FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)	DD-156
PROXY	A PROXY INTERVIEW	DD-2
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	DD-1
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	DD-8
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-8
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	DD-9
RAKEDW0	CHIS2013 RAKED WEIGHT - FULL SAMPLE	DD-171
RAKEDW1	CHIS2013 RAKED WEIGHT - REPLICATE 1	DD-172
RAKEDW10	CHIS2013 RAKED WEIGHT - REPLICATE 10	DD-175
RAKEDW11	CHIS2013 RAKED WEIGHT - REPLICATE 11	DD-175
RAKEDW12	CHIS2013 RAKED WEIGHT - REPLICATE 12	DD-175
RAKEDW13	CHIS2013 RAKED WEIGHT - REPLICATE 13	DD-176
RAKEDW14	CHIS2013 RAKED WEIGHT - REPLICATE 14	DD-176
RAKEDW15	CHIS2013 RAKED WEIGHT - REPLICATE 15	DD-176
RAKEDW16	CHIS2013 RAKED WEIGHT - REPLICATE 16	DD-177
RAKEDW17	CHIS2013 RAKED WEIGHT - REPLICATE 17	DD-177
RAKEDW18	CHIS2013 RAKED WEIGHT - REPLICATE 18	DD-177
RAKEDW19	CHIS2013 RAKED WEIGHT - REPLICATE 19	DD-178
RAKEDW2	CHIS2013 RAKED WEIGHT - REPLICATE 2	DD-172
RAKEDW20	CHIS2013 RAKED WEIGHT - REPLICATE 20	DD-178
RAKEDW21	CHIS2013 RAKED WEIGHT - REPLICATE 21	DD-178
RAKEDW22	CHIS2013 RAKED WEIGHT - REPLICATE 22	DD-179
RAKEDW23	CHIS2013 RAKED WEIGHT - REPLICATE 23	DD-179
RAKEDW24	CHIS2013 RAKED WEIGHT - REPLICATE 24	DD-179
RAKEDW25	CHIS2013 RAKED WEIGHT - REPLICATE 25	DD-180
RAKEDW26	CHIS2013 RAKED WEIGHT - REPLICATE 26	DD-180
RAKEDW27	CHIS2013 RAKED WEIGHT - REPLICATE 27	DD-180

VARIABLE	LABEL	PAGE
RAKEDW28	CHIS2013 RAKED WEIGHT - REPLICATE 28	DD-181
RAKEDW29	CHIS2013 RAKED WEIGHT - REPLICATE 29	DD-181
RAKEDW3	CHIS2013 RAKED WEIGHT - REPLICATE 3	DD-172
RAKEDW30	CHIS2013 RAKED WEIGHT - REPLICATE 30	DD-181
RAKEDW31	CHIS2013 RAKED WEIGHT - REPLICATE 31	DD-182
RAKEDW32	CHIS2013 RAKED WEIGHT - REPLICATE 32	DD-182
RAKEDW33	CHIS2013 RAKED WEIGHT - REPLICATE 33	DD-182
RAKEDW34	CHIS2013 RAKED WEIGHT - REPLICATE 34	DD-183
RAKEDW35	CHIS2013 RAKED WEIGHT - REPLICATE 35	DD-183
RAKEDW36	CHIS2013 RAKED WEIGHT - REPLICATE 36	DD-183
RAKEDW37	CHIS2013 RAKED WEIGHT - REPLICATE 37	DD-184
RAKEDW38	CHIS2013 RAKED WEIGHT - REPLICATE 38	DD-184
RAKEDW39	CHIS2013 RAKED WEIGHT - REPLICATE 39	DD-184
RAKEDW4	CHIS2013 RAKED WEIGHT - REPLICATE 4	DD-173
RAKEDW40	CHIS2013 RAKED WEIGHT - REPLICATE 40	DD-185
RAKEDW41	CHIS2013 RAKED WEIGHT - REPLICATE 41	DD-185
RAKEDW42	CHIS2013 RAKED WEIGHT - REPLICATE 42	DD-185
RAKEDW43	CHIS2013 RAKED WEIGHT - REPLICATE 43	DD-186
RAKEDW44	CHIS2013 RAKED WEIGHT - REPLICATE 44	DD-186
RAKEDW45	CHIS2013 RAKED WEIGHT - REPLICATE 45	DD-186
RAKEDW46	CHIS2013 RAKED WEIGHT - REPLICATE 46	DD-187
RAKEDW47	CHIS2013 RAKED WEIGHT - REPLICATE 47	DD-187
RAKEDW48	CHIS2013 RAKED WEIGHT - REPLICATE 48	DD-187
RAKEDW49	CHIS2013 RAKED WEIGHT - REPLICATE 49	DD-188
RAKEDW5	CHIS2013 RAKED WEIGHT - REPLICATE 5	DD-173
RAKEDW50	CHIS2013 RAKED WEIGHT - REPLICATE 50	DD-188
RAKEDW51	CHIS2013 RAKED WEIGHT - REPLICATE 51	DD-188
RAKEDW52	CHIS2013 RAKED WEIGHT - REPLICATE 52	DD-189
RAKEDW53	CHIS2013 RAKED WEIGHT - REPLICATE 53	DD-189
RAKEDW54	CHIS2013 RAKED WEIGHT - REPLICATE 54	DD-189
RAKEDW55	CHIS2013 RAKED WEIGHT - REPLICATE 55	DD-190
RAKEDW56	CHIS2013 RAKED WEIGHT - REPLICATE 56	DD-190
RAKEDW57	CHIS2013 RAKED WEIGHT - REPLICATE 57	DD-190
RAKEDW58	CHIS2013 RAKED WEIGHT - REPLICATE 58	DD-191
RAKEDW59	CHIS2013 RAKED WEIGHT - REPLICATE 59	DD-191
RAKEDW6	CHIS2013 RAKED WEIGHT - REPLICATE 6	DD-173
RAKEDW60	CHIS2013 RAKED WEIGHT - REPLICATE 60	DD-191
RAKEDW61	CHIS2013 RAKED WEIGHT - REPLICATE 61	DD-192
RAKEDW62	CHIS2013 RAKED WEIGHT - REPLICATE 62	DD-192
RAKEDW63	CHIS2013 RAKED WEIGHT - REPLICATE 63	DD-192
RAKEDW64	CHIS2013 RAKED WEIGHT - REPLICATE 64	DD-193
RAKEDW65	CHIS2013 RAKED WEIGHT - REPLICATE 65	DD-193
RAKEDW66	CHIS2013 RAKED WEIGHT - REPLICATE 66	DD-193
RAKEDW67	CHIS2013 RAKED WEIGHT - REPLICATE 67	DD-194
RAKEDW68	CHIS2013 RAKED WEIGHT - REPLICATE 68	DD-194

VARIABLE	LABEL	PAGE
RAKEDW69	CHIS2013 RAKED WEIGHT - REPLICATE 69	DD-194
RAKEDW7	CHIS2013 RAKED WEIGHT - REPLICATE 7	DD-174
RAKEDW70	CHIS2013 RAKED WEIGHT - REPLICATE 70	DD-195
RAKEDW71	CHIS2013 RAKED WEIGHT - REPLICATE 71	DD-195
RAKEDW72	CHIS2013 RAKED WEIGHT - REPLICATE 72	DD-195
RAKEDW73	CHIS2013 RAKED WEIGHT - REPLICATE 73	DD-196
RAKEDW74	CHIS2013 RAKED WEIGHT - REPLICATE 74	DD-196
RAKEDW75	CHIS2013 RAKED WEIGHT - REPLICATE 75	DD-196
RAKEDW76	CHIS2013 RAKED WEIGHT - REPLICATE 76	DD-197
RAKEDW77	CHIS2013 RAKED WEIGHT - REPLICATE 77	DD-197
RAKEDW78	CHIS2013 RAKED WEIGHT - REPLICATE 78	DD-197
RAKEDW79	CHIS2013 RAKED WEIGHT - REPLICATE 79	DD-198
RAKEDW8	CHIS2013 RAKED WEIGHT - REPLICATE 8	DD-174
RAKEDW80	CHIS2013 RAKED WEIGHT - REPLICATE 80	DD-198
RAKEDW9	CHIS2013 RAKED WEIGHT - REPLICATE 9	DD-174
RBMI	BMI DESCRIPTIVE	DD-53
RN_FORGO	REASONS FORGONE NECESSARY CARE	DD-139
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE	DD-140
SC_NEWP	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENTS	DD-140
SECTION A	DEMOGRAPHIC INFORMATION, PART I	DD-3
SECTION B	GENERAL HEALTH CONDITION	DD-13
SECTION C	HEALTH BEHAVIORS	DD-35
SECTION D	GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH	DD-49
SECTION F	MENTAL HEALTH	DD-60
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	DD-73
SECTION H	HEALTH INSURANCE	DD-85
SECTION J	HEALTH CARE UTILIZATION AND ACCESS	DD-115
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	DD-141
SECTION L	PUBLIC PROGRAM PARTICIPATION	DD-159
SECTION M	HOUSING & COMMUNITY INVOLVEMENT	DD-162
SECTION N	DEMOGRAPHIC INFO PART III, GEOGRAPHIC INFO	DD-168
SECTION O	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-171
SECTION Q	SCREENING INFORMATION	DD-1
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-81
SMKCUR	CURRENT SMOKER	DD-42
SMOKING	CURRENT SMOKING HABITS	DD-42
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-72
SPK_ENG	ENGLISH USE AND PROFICIENCY	DD-77
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-10
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	DD-3
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-10
SRAS	SELF-REPORTED ASIAN	DD-4
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-4

VARIABLE	LABEL	PAGE
SRCH	SELF-REPORTED CHINESE	DD-5
SRH	SELF-REPORTED LATINO/HISPANIC	DD-6
SRJP	SELF-REPORTED JAPANESE	DD-7
SRKR	SELF-REPORTED KOREAN	DD-5
SRO	SELF-REPORTED OTHER RACE	DD-6
SRPH	SELF-REPORTED FILIPINO	DD-5
SRSEX	SELF-REPORTED GENDER	DD-4
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SRVT	SELF-REPORTED VIETNAMESE	DD-6
SRW	SELF-REPORTED WHITE	DD-9
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	DD-141
UNINSANY	UNINSURED IN PAST 12 MOS	DD-108
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-168
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-169
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-169
UR_IHS	RURAL AND URBAN - IHS	DD-170
UR_OMB	RURAL AND URBAN - OMB	DD-170
UR_RHP	RURAL AND URBAN - RHP	DD-170
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-171
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-116
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-116
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-117
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	DD-117
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-51
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-51
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-52
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	DD-72
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	DD-82
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	DD-78

B. Variable name (by Location in CHIS 2013-14 Adult Questionnaire)

VARIABLE	LABEL	PAGE
SECTION Q	SCREENING INFORMATION	DD-1
PUF1Y ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	DD-1
HHSIZE P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	DD-1
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
PROXY	A PROXY INTERVIEW	DD-2
SECTION A	DEMOGRAPHIC INFORMATION, PART I	DD-3
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SRAGE P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	DD-3
SRSEX	SELF-REPORTED GENDER	DD-4
SRAS	SELF-REPORTED ASIAN	DD-4
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-4
SRCH	SELF-REPORTED CHINESE	DD-5
SRKR	SELF-REPORTED KOREAN	DD-5
SRPH	SELF-REPORTED FILIPINO	DD-5
SRVT	SELF-REPORTED VIETNAMESE	DD-6
SRH	SELF-REPORTED LATINO/HISPANIC	DD-6
SRO	SELF-REPORTED OTHER RACE	DD-6
SRJP	SELF-REPORTED JAPANESE	DD-7
OMBSRR P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-7
RACECN P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	DD-8
RACEDF P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-8
RACEHP2 P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	DD-9
SRW	SELF-REPORTED WHITE	DD-9
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-10
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-10
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-11
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-11
MARIT 45	MARITAL STATUS - AGE 45 AND OLDER	DD-12
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-12
LATIN2TP	LATIN/HISPANIC SUBTYPES - 2 LVLS	DD-13
SECTION B	GENERAL HEALTH CONDITION	DD-13
AB1	GENERAL HEALTH CONDITION	DD-13
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-14
AB40	STILL HAS ASTHMA	DD-14

VARIABLE	LABEL	PAGE
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-15
ASTCUR	CURRENT ASTHMA STATUS	DD-15
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-16
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-16
AB106 P	ER/URGT CARE VISIT FOR ASTHMA PAST YR B/C CAN'T SEE OWN DR (PUF RECODE)	DD-17
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-17
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-18
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-18
AB42_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	DD-19
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-19
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-20
AB108_P1	CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)	DD-20
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-21
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-21
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	DD-22
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE)	DD-22
DIABCK_P1	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE)	DD-23
AB51_P1	TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)	DD-23
AB24	CURRENTLY TAKING INSULIN	DD-24
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-24
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-25
AB28_P1	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)	DD-25
AB63	LAST EYE EXAM DILATED PUPILS	DD-26
AB109	VISITED ER FOR DIABETES IN PAST 12 MOS	DD-26
AB110_P	VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)	DD-27
AB111	ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS	DD-27
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-28
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-28
AB114_P1	CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)	DD-29
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-29
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-30

VARIABLE	LABEL	PAGE
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-30
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-31
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-31
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-32
AB116_P1	ER VISIT FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF 1 YR RECODE)	DD-32
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS	DD-33
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-33
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-34
AB120_P1	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)	DD-34
SECTION C	HEALTH BEHAVIORS	DD-35
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-35
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-35
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-36
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE	DD-36
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-37
AESODA_P1	# OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)	DD-37
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-38
AC31_P1	# TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)	DD-38
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-39
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-39
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	DD-40
AE16_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	DD-40
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	DD-41
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	DD-41
SMKCUR	CURRENT SMOKER	DD-42
SMOKING	CURRENT SMOKING HABITS	DD-42
NUMCIG	# OF CIGARETTES PER DAY	DD-43
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-43
AC34_P1	# DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)	DD-44
AC35_P1	# DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)	DD-45
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-46
AC42	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB	DD-46
AC42_P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	DD-47
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	DD-47

VARIABLE	LABEL	PAGE
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	DD-48
AC47_P1	# OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE)	DD-48
AC48_P1	# OF GLASSES NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE)	DD-49
SECTION D	GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH	DD-49
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-49
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-50
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-50
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-51
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-51
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-52
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-52
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-53
RBMI	BMI DESCRIPTIVE	DD-53
OVRWT	OVERWEIGHT OR OBESE	DD-54
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-54
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-54
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-55
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-55
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-55
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-56
AJ140	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	DD-56
AJ141	RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR	DD-57
AJ142_P1	MAIN TYPE BIRTH CONTROL RECVD FROM DR PAST YR (PUF 1 YR RECODE)	DD-57
AJ143_P1	PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE)	DD-58
AJ144	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	DD-58
AJ145	RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR	DD-59
AJ146	PLACE RECEIVED MAIN BIRTH CONTROL METHOD	DD-59
SECTION F	MENTAL HEALTH	DD-60
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-60
AF65	FEEL RESTLESS WORST MONTH	DD-60
AF66	FEEL DEPRESSED WORST MONTH	DD-61
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-61
AF68	FEEL WORTHLESS WORST MONTH	DD-62
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-62
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-63

VARIABLE	LABEL	PAGE
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-63
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-64
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-64
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-65
AJ31	FELL RESTLESS PAST 30 DAYS	DD-65
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-66
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-66
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-67
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-67
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-68
AF63	FEEL NERVOUS WORST MONTH	DD-68
DSTRS P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	DD-69
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-69
AF64	FEEL HOPELESS WORST MONTH	DD-70
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-70
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-71
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	DD-71
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-72
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	DD-72
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-73
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	DD-73
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL PEOPLE SUPT'D BY HH INCOME (PUF 1 YR RECODE)	DD-73
AH33NEW	BORN IN U.S.	DD-74
AH34NEW	MOTHER BORN IN U.S.	DD-74
AH35NEW	FATHER BORN IN U.S.	DD-75
LNGHM P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	DD-75
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-76
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	DD-76
SPK_ENG	ENGLISH USE AND PROFICIENCY	DD-77
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-77
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	DD-78
PCTLF P	PERCENT LIFE IN US (PUF RECODE)	DD-78
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-79
AH43A	LIVING WITH A PARENT	DD-79
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	DD-80
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	DD-80

VARIABLE	LABEL	PAGE
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-81
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-81
AG10	RESPONDENT USUALLY WORKS	DD-82
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	DD-82
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-83
AG11	SPOUSE USUALLY WORKS	DD-83
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	DD-84
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	DD-84
FAMTYP_P	FAMILY TYPE (PUF RECODE)	DD-85
SECTION H	HEALTH INSURANCE	DD-85
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-85
AH50_P1	NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE)	DD-86
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-86
AH52_P1	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)	DD-87
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-87
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-88
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-88
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	DD-89
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	DD-89
AI22C	MAIN HEALTH PLAN IS HMO	DD-90
HMO	HMO STATUS	DD-90
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-91
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-92
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	DD-92
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	DD-93
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	DD-93
AI33_6	OTHER INS: BOUGHT DIRECT	DD-94
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-94
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-95
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-95
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-96
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-96
INS	CURRENTLY INSURED	DD-97
INS_S	SPOUSE CURRENTLY INSURED	DD-97
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-98

VARIABLE	LABEL	PAGE
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-98
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-99
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-99
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-100
INSANY	ANY INS IN LAST 12 MOS	DD-100
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-101
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-101
INSMC	COVERED BY MEDICARE	DD-102
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-102
INSMD	COVERED BY MEDI-CAL	DD-103
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-103
INSOG	COVERED BY OTHER GOVT PLANS	DD-104
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-104
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	DD-105
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-105
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-106
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-106
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-107
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-107
INSTYP_P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)	DD-108
UNINSANY	UNINSURED IN PAST 12 MOS	DD-108
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-109
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-109
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-110
AH100	ANYONE HELP FIND HEALTH PLAN	DD-110
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	DD-111
AH102_P1	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)	DD-111
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	DD-112
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	DD-112
AH96_P1	HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)	DD-113
AH97_P1	PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)	DD-113
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	DD-114
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	DD-114
SECTION J	HEALTH CARE UTILIZATION AND ACCESS	DD-115

VARIABLE	LABEL	PAGE
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-115
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	DD-115
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-116
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-116
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	DD-117
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-117
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-118
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-118
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-119
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-119
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-120
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-120
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-121
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-121
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-122
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-122
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-123
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	DD-123
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-124
AJ81	DELAYED PRESCRIPTION FOR ASTHMA	DD-124
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	DD-125
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-125
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	DD-126
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	DD-126
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	DD-127
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	DD-127
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	DD-128
AJ108	EVER USED INTERNET	DD-128
AJ110	CONFIDENCE TO COMPLETE APPL ONLINE ON OWN	DD-129
AJ111	SOMEONE TO HELP FILL OUT APPL ONLINE	DD-129
AJ112	HOW OFTEN DOC LISTENS CAREFULLY	DD-130
AJ113	HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO	DD-130
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	DD-131
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	DD-131
AJ131_P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	DD-132

VARIABLE	LABEL	PAGE
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	DD-132
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	DD-133
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	DD-133
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	DD-134
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	DD-134
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	DD-135
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	DD-135
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-136
ER	ER VISIT WITHIN THE PAST YEAR	DD-136
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	DD-137
AG3	HAVE ANY KIND OF DENTAL INSURANCE	DD-137
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	DD-138
FORGO	HAD TO FORGO NECESSARY CARE	DD-138
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THE INSURANCE	DD-138
PC_NEWP	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENTS	DD-139
RN_FORGO	REASONS FORGONE NECESSARY CARE	DD-139
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE	DD-140
SC_NEWP	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENTS	DD-140
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	DD-141
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	DD-141
AK1	WORK STATUS LAST WEEK	DD-141
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	DD-142
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-143
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2010 INDUSTRY CLASSIFICATION SCHEM	DD-144
IND_FLAG	CENSUS INDUSTRY CODE - CODING METHOD	DD-145
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2010 OCCUPATION CLASSIFICATION S	DD-146
OCC_FLAG	CENSUS OCCUPATION CODE - CODING METHOD	DD-147
AK7_P1	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)	DD-147
AKWKLNG	TIME AT MAIN JOB	DD-148
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	DD-149
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-149
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-150
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-150
AK32	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH	DD-151

VARIABLE	LABEL	PAGE
AK33 P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)	DD-151
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-152
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-152
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-153
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-153
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-154
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-154
FSLEV	FOOD SECURITY STATUS LEVEL	DD-155
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	DD-155
FPG	FEDERAL POVERTY GUIDELINE	DD-156
POVLL ACA	FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)	DD-156
POVGWD P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-157
POVLL	POVERTY LEVEL	DD-157
ELDER_IDX	ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD	DD-158
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-158
SECTION L	PUBLIC PROGRAM PARTICIPATION	DD-159
AL2	RECEIVING TANF OR CALWORKS	DD-159
AL5	RECEIVING FOOD STAMP BENEFITS	DD-159
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-160
AL7	CURRENTLY ON WIC	DD-160
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-161
AL32	RECD ANY WORKERS COMPENSATION LAST MO	DD-161
AL18A	RECD SOCIAL SECURITY OR PENSION LAST MONTH	DD-162
SECTION M	HOUSING & COMMUNITY INVOLVEMENT	DD-162
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-162
AK25	OWN OR RENT HOME	DD-163
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-163
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	DD-164
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-164
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	DD-165
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-165
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	DD-166
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	DD-166
AM40	MEET INFORMALLY TO DEAL W/COMM PROB PAST YR	DD-166

VARIABLE	LABEL	PAGE
AM37	CURRENTLY PAYING OFF MORTGAGE/HOME LOAN	DD-167
AM38_P1	MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)	DD-167
SECTION N	DEMOGRAPHIC INFO PART III, GEOGRAPHIC INFO	DD-168
AM34	TELEPHONE CALLS RECEIVED	DD-168
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-168
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-169
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-169
UR_IHS	RURAL AND URBAN - IHS	DD-170
UR_OMB	RURAL AND URBAN - OMB	DD-170
UR_RHP	RURAL AND URBAN - RHP	DD-170
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-171
SECTION O	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-171
RAKEDW0	CHIS2013 RAKED WEIGHT - FULL SAMPLE	DD-171
RAKEDW1	CHIS2013 RAKED WEIGHT - REPLICATE 1	DD-172
RAKEDW2	CHIS2013 RAKED WEIGHT - REPLICATE 2	DD-172
RAKEDW3	CHIS2013 RAKED WEIGHT - REPLICATE 3	DD-172
RAKEDW4	CHIS2013 RAKED WEIGHT - REPLICATE 4	DD-173
RAKEDW5	CHIS2013 RAKED WEIGHT - REPLICATE 5	DD-173
RAKEDW6	CHIS2013 RAKED WEIGHT - REPLICATE 6	DD-173
RAKEDW7	CHIS2013 RAKED WEIGHT - REPLICATE 7	DD-174
RAKEDW8	CHIS2013 RAKED WEIGHT - REPLICATE 8	DD-174
RAKEDW9	CHIS2013 RAKED WEIGHT - REPLICATE 9	DD-174
RAKEDW10	CHIS2013 RAKED WEIGHT - REPLICATE 10	DD-175
RAKEDW11	CHIS2013 RAKED WEIGHT - REPLICATE 11	DD-175
RAKEDW12	CHIS2013 RAKED WEIGHT - REPLICATE 12	DD-175
RAKEDW13	CHIS2013 RAKED WEIGHT - REPLICATE 13	DD-176
RAKEDW14	CHIS2013 RAKED WEIGHT - REPLICATE 14	DD-176
RAKEDW15	CHIS2013 RAKED WEIGHT - REPLICATE 15	DD-176
RAKEDW16	CHIS2013 RAKED WEIGHT - REPLICATE 16	DD-177
RAKEDW17	CHIS2013 RAKED WEIGHT - REPLICATE 17	DD-177
RAKEDW18	CHIS2013 RAKED WEIGHT - REPLICATE 18	DD-177
RAKEDW19	CHIS2013 RAKED WEIGHT - REPLICATE 19	DD-178
RAKEDW20	CHIS2013 RAKED WEIGHT - REPLICATE 20	DD-178
RAKEDW21	CHIS2013 RAKED WEIGHT - REPLICATE 21	DD-178
RAKEDW22	CHIS2013 RAKED WEIGHT - REPLICATE 22	DD-179
RAKEDW23	CHIS2013 RAKED WEIGHT - REPLICATE 23	DD-179

VARIABLE	LABEL	PAGE
RAKEDW24	CHIS2013 RAKED WEIGHT - REPLICATE 24	DD-179
RAKEDW25	CHIS2013 RAKED WEIGHT - REPLICATE 25	DD-180
RAKEDW26	CHIS2013 RAKED WEIGHT - REPLICATE 26	DD-180
RAKEDW27	CHIS2013 RAKED WEIGHT - REPLICATE 27	DD-180
RAKEDW28	CHIS2013 RAKED WEIGHT - REPLICATE 28	DD-181
RAKEDW29	CHIS2013 RAKED WEIGHT - REPLICATE 29	DD-181
RAKEDW30	CHIS2013 RAKED WEIGHT - REPLICATE 30	DD-181
RAKEDW31	CHIS2013 RAKED WEIGHT - REPLICATE 31	DD-182
RAKEDW32	CHIS2013 RAKED WEIGHT - REPLICATE 32	DD-182
RAKEDW33	CHIS2013 RAKED WEIGHT - REPLICATE 33	DD-182
RAKEDW34	CHIS2013 RAKED WEIGHT - REPLICATE 34	DD-183
RAKEDW35	CHIS2013 RAKED WEIGHT - REPLICATE 35	DD-183
RAKEDW36	CHIS2013 RAKED WEIGHT - REPLICATE 36	DD-183
RAKEDW37	CHIS2013 RAKED WEIGHT - REPLICATE 37	DD-184
RAKEDW38	CHIS2013 RAKED WEIGHT - REPLICATE 38	DD-184
RAKEDW39	CHIS2013 RAKED WEIGHT - REPLICATE 39	DD-184
RAKEDW40	CHIS2013 RAKED WEIGHT - REPLICATE 40	DD-185
RAKEDW41	CHIS2013 RAKED WEIGHT - REPLICATE 41	DD-185
RAKEDW42	CHIS2013 RAKED WEIGHT - REPLICATE 42	DD-185
RAKEDW43	CHIS2013 RAKED WEIGHT - REPLICATE 43	DD-186
RAKEDW44	CHIS2013 RAKED WEIGHT - REPLICATE 44	DD-186
RAKEDW45	CHIS2013 RAKED WEIGHT - REPLICATE 45	DD-186
RAKEDW46	CHIS2013 RAKED WEIGHT - REPLICATE 46	DD-187
RAKEDW47	CHIS2013 RAKED WEIGHT - REPLICATE 47	DD-187
RAKEDW48	CHIS2013 RAKED WEIGHT - REPLICATE 48	DD-187
RAKEDW49	CHIS2013 RAKED WEIGHT - REPLICATE 49	DD-188
RAKEDW50	CHIS2013 RAKED WEIGHT - REPLICATE 50	DD-188
RAKEDW51	CHIS2013 RAKED WEIGHT - REPLICATE 51	DD-188
RAKEDW52	CHIS2013 RAKED WEIGHT - REPLICATE 52	DD-189
RAKEDW53	CHIS2013 RAKED WEIGHT - REPLICATE 53	DD-189
RAKEDW54	CHIS2013 RAKED WEIGHT - REPLICATE 54	DD-189
RAKEDW55	CHIS2013 RAKED WEIGHT - REPLICATE 55	DD-190
RAKEDW56	CHIS2013 RAKED WEIGHT - REPLICATE 56	DD-190
RAKEDW57	CHIS2013 RAKED WEIGHT - REPLICATE 57	DD-190
RAKEDW58	CHIS2013 RAKED WEIGHT - REPLICATE 58	DD-191
RAKEDW59	CHIS2013 RAKED WEIGHT - REPLICATE 59	DD-191

VARIABLE	LABEL	PAGE
RAKEDW60	CHIS2013 RAKED WEIGHT - REPLICATE 60	DD-191
RAKEDW61	CHIS2013 RAKED WEIGHT - REPLICATE 61	DD-192
RAKEDW62	CHIS2013 RAKED WEIGHT - REPLICATE 62	DD-192
RAKEDW63	CHIS2013 RAKED WEIGHT - REPLICATE 63	DD-192
RAKEDW64	CHIS2013 RAKED WEIGHT - REPLICATE 64	DD-193
RAKEDW65	CHIS2013 RAKED WEIGHT - REPLICATE 65	DD-193
RAKEDW66	CHIS2013 RAKED WEIGHT - REPLICATE 66	DD-193
RAKEDW67	CHIS2013 RAKED WEIGHT - REPLICATE 67	DD-194
RAKEDW68	CHIS2013 RAKED WEIGHT - REPLICATE 68	DD-194
RAKEDW69	CHIS2013 RAKED WEIGHT - REPLICATE 69	DD-194
RAKEDW70	CHIS2013 RAKED WEIGHT - REPLICATE 70	DD-195
RAKEDW71	CHIS2013 RAKED WEIGHT - REPLICATE 71	DD-195
RAKEDW72	CHIS2013 RAKED WEIGHT - REPLICATE 72	DD-195
RAKEDW73	CHIS2013 RAKED WEIGHT - REPLICATE 73	DD-196
RAKEDW74	CHIS2013 RAKED WEIGHT - REPLICATE 74	DD-196
RAKEDW75	CHIS2013 RAKED WEIGHT - REPLICATE 75	DD-196
RAKEDW76	CHIS2013 RAKED WEIGHT - REPLICATE 76	DD-197
RAKEDW77	CHIS2013 RAKED WEIGHT - REPLICATE 77	DD-197
RAKEDW78	CHIS2013 RAKED WEIGHT - REPLICATE 78	DD-197
RAKEDW79	CHIS2013 RAKED WEIGHT - REPLICATE 79	DD-198
RAKEDW80	CHIS2013 RAKED WEIGHT - REPLICATE 80	DD-198

C. Restricted Variables

The following geographic variables are not located in the funder files, but may be accessible upon request and IRB approval (UCLA & CPHS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS.
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.
SCH_LON	SCHOOL LONGITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	PUFLY_ID	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES			
VALUE:	.	0 - HIGH	FREQ 20724	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

LABEL: HOUSEHOLD SIZE (PUF 1 YR RECODE)

N	20724
MIN	1
MAX	10
MEAN	2.46

NOTES: ADLTCNT + KIDCNT; TOPCODE = 10

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INTVLANG QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: LANGUAGE OF INTERVIEW

VALUE:	1	ENGLISH	FREQ	%
	2	SPANISH	18689	90.18
	3	VIETNAMESE	1707	8.24
	4	KOREAN	54	0.26
	5	CANTONESE	147	0.71
	6	MANDARIN	68	0.33
	8	MANDARIN	58	0.28
		FILIPINO / TAGALOG	1	0.00

UNIVERSE: ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME: PROXY QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: A PROXY INTERVIEW

VALUE:	1	YES	FREQ	%
	2	NO	134	0.65
			20590	99.35

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

VARNAME:	SRTENR	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SELF-REPORTED HOUSEHOLD TENURE (HH)			
			FREQ	%
VALUE:	1	OWN	13881	66.98
	2	RENT/SOME OTHER ARRANGEMENT	6843	33.02
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

Section A: Demographic Information, Part I

VARNAME:	SRAGE_P1	QNAME13:	NA		
		QNAME11:	NA	QNAME09:	NA
LABEL:	SELF-REPORTED AGE (PUF 1 YR RECODE)				
				FREQ	%
VALUE:	18	18-25 YEARS		1418	6.84
	26	26-29 YEARS		506	2.44
	30	30-34 YEARS		776	3.74
	35	35-39 YEARS		925	4.46
	40	40-44 YEARS		1206	5.82
	45	45-49 YEARS		1449	6.99
	50	50-54 YEARS		1871	9.03
	55	55-59 YEARS		2268	10.94
	60	60-64 YEARS		2457	11.86
	65	65-69 YEARS		2235	10.78
	70	70-74 YEARS		1917	9.25
	75	75-79 YEARS		1431	6.91
	80	80-84 YEARS		1194	5.76
	85	85+ YEARS		1071	5.17
UNIVERSE:	ALL ADULTS				
INPUT VAR:	SRAGE				
NOTES:					

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRSEX QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED GENDER

VALUE:	1	MALE	FREQ	%
	2	FEMALE	8529	41.16
			12195	58.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED ASIAN

VALUE:	1	YES	FREQ	%
	2	NO	1664	8.03
			19060	91.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:	1	YES	FREQ	%
	2	NO	514	2.48
			20210	97.52

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME:	SRCH	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SELF-REPORTED CHINESE			
			FREQ	%
VALUE:	1	YES	530	2.56
	2	NO	20194	97.44
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	SRKR	QNAME13:	NA		
		QNAME11:	NA	QNAME09:	NA
LABEL:	SELF-REPORTED KOREAN				
				FREQ	%
VALUE:	1	YES		229	1.10
	2	NO		20495	98.90
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	SRPH	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SELF-REPORTED FILIPINO			
			FREQ	%
VALUE:	1	YES	310	1.50
	2	NO	20414	98.50
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	SRVT	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SELF-REPORTED VIETNAMESE			
			FREQ	%
VALUE:	1	YES	148	0.71
	2	NO	20576	99.29
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	SRH	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SELF-REPORTED LATINO/HISPANIC			
			FREQ	%
VALUE:	1	YES	4203	20.28
	2	NO	16521	79.72
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	SRO	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SELF-REPORTED OTHER RACE			
			FREQ	%
VALUE:	1	YES	1843	8.89
	2	NO	18881	91.11
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRJP QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED JAPANESE

VALUE:			FREQ	%
1	YES		207	1.00
2	NO		20517	99.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: OMBSRR_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	HISPANIC		4203	20.28
2	WHITE, NON-HISPANIC (NH)		13359	64.46
3	AFRICAN AMERICAN ONLY, NOT HISPANIC		985	4.75
4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH		165	0.80
5	ASIAN ONLY, NH		1495	7.21
6	OTHER, NH		33	0.16
7	TWO OR MORE RACES, NH		484	2.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACECN_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	OTHER SINGLE RACE		1875	9.05
2	AMERICAN INDIAN/ALASKAN NATIVE		326	1.57
3	ASIAN		1527	7.37
4	AFRICAN AMERICAN		1022	4.93
5	WHITE		15415	74.38
7	MORE THAN ONE RACE		559	2.70

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:

VARNAME: RACEDF_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	LATINO		4203	20.28
2	NON-LATINO OTHER, ONE RACE		71	0.34
3	NON-LATINO AMERICAN INDIAN/ALASKAN NATIV		165	0.80
4	NON-LATINO ASIAN		1491	7.19
5	NON-LATINO AFR. AMER.		979	4.72
6	NON-LATINO WHITE		13324	64.29
8	NON-LATINO, TWO+ RACES		491	2.37

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEHP2_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	LATINO		2676	12.91
2	OTHER SINGLE/MULTIPLE RACE		1531	7.39
3	AMERICAN INDIAN/ALASKAN NATIVE		244	1.18
4	ASIAN		1516	7.32
5	AFRICAN AMERICAN		1039	5.01
6	WHITE		13718	66.19

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: SRW QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		15911	76.78
2	NO		4813	23.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAA QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:			FREQ	%
1	YES		1161	5.60
2	NO		19563	94.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAI QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		678	3.27
2	NO		20046	96.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AA5C QNAME13: QA13_A10
QNAME11: QA11_A10 QNAME09: QA09_A10

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:			FREQ	%
-8	DON'T KNOW		12	0.06
-7	REFUSED		1	0.00
-1	INAPPLICABLE		20115	97.06
1	YES		126	0.61
2	NO		470	2.27

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: MARIT QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		10105	48.76
2	OTHERWID/SEP/DIV/LIVING W/PARTNER		7116	34.34
3	NEVER MARRIED		3503	16.90

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MARIT_45 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MARITAL STATUS - AGE 45 AND OLDER

VALUE:			FREQ	%
-1	INAPPLICABLE		4831	23.31
1	MARRIED		8090	39.04
2	LIVING WITH PARTNER		590	2.85
3	WIDOWED		2796	13.49
4	DIVORCED/SEPARATED		2922	14.10
5	NEVER MARRIED		1495	7.21

UNIVERSE: ALL ADULTS AGE 45 AND OLDER

INPUT VAR: AH43 SRAGE

NOTES:

VARNAME: MARIT2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MARITAL STATUS- 4 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		10105	48.76
2	LIVING W/ PARTNER		1030	4.97
3	WID/SEP/DIV		6086	29.37
4	NEVER MARRIED		3503	16.90

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	LATIN2TP	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	LATIN/HISPANIC SUBTYPES - 2 LVLS			
			FREQ	%
VALUE:	-1	NON-LATINO	16521	79.72
	1	MEXICAN	3364	16.23
	2	OTHER	839	4.05
UNIVERSE:	ADULTS WHO ARE LATINO OR HISPANIC			
INPUT VAR:				
NOTES:				

Section B: General Health Condition

VARNAME:	AB1	QNAME13:	QA13_B1	
		QNAME11:	QA11_B1	QNAME09: QA09_B1
LABEL:	GENERAL HEALTH CONDITION			
			FREQ	%
VALUE:	1	EXCELLENT	3745	18.07
	2	VERY GOOD	6523	31.48
	3	GOOD	6177	29.81
	4	FAIR	3149	15.19
	5	POOR	1130	5.45
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB17 QNAME13: QA13_B2
QNAME11: QA11_B2 QNAME09: QA09_B2

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE:			FREQ	%
1	YES		2976	14.36
2	NO		17748	85.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB40 QNAME13: QA13_B3
QNAME11: QA11_B3 QNAME09: QA09_B3

LABEL: STILL HAS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		17748	85.64
1	YES		1822	8.79
2	NO		1154	5.57

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB41 QNAME13: QA13_B4

QNAME11: QA11_B4 QNAME09: QA09_B4

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	17748	85.64
	2	NO	949	4.58
			2027	9.78

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: ASTCUR QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CURRENT ASTHMA STATUS

VALUE:	1	CURRENT ASTHMA	FREQ	%
	2	NO CURRENT ASTHMA	1893	9.13
			18831	90.87

UNIVERSE: ADULTS WHO HAVE EVER BEEN DIAGNOSED WITH ASTHMA

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	ASTS	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA			
			FREQ	%
VALUE:	-1	INAPPLICABLE	17748	85.64
	1	SYMPTOMS	2005	9.67
	2	NO SYMPTOMS	971	4.69
UNIVERSE:	ALL ADULTS DIAGNOSED WITH ASTHMA			
INPUT VAR:	AB19 AB66			
NOTES:				

VARNAME:	ASTYR	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA			
			FREQ	%
VALUE:	-1	INAPPLICABLE	18831	90.87
	1	SYMPTOMS	1693	8.17
	2	NO SYMPTOMS	200	0.97
UNIVERSE:	ALL ADULTS WITH ASTHMA			
INPUT VAR:	AB19			
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB106_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		20562	99.22
1	YES		83	0.40
2	NO		79	0.38

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE/VISIT ER DUE TO ASTHMA IN LAST 12 MOS)

INPUT VAR: AB106

NOTES:

VARNAME: AB18 QNAME13: QA13_B9

QNAME11: QA11_B9 QNAME09: QA09_B9

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		17748	85.64
1	YES		1022	4.93
2	NO		1954	9.43

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB19 QNAME13: QA13_B5
QNAME11: QA11_B5 QNAME09: QA09_B5

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	18831	90.87
1	NOT AT ALL	200	0.97
2	LESS THAN EVERY MONTH	769	3.71
3	EVERY MONTH	378	1.82
4	EVERY WEEK	244	1.18
5	EVERY DAY	302	1.46

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AH13A QNAME13: QA13_B6
QNAME11: QA11_B6 QNAME09: QA09_B6

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	18831	90.87
1	YES	162	0.78
2	NO	1731	8.35

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18428	88.92
0	0 DAYS		2188	10.56
1	1-2 DAYS		40	0.19
3	3-4 DAYS		26	0.13
5	5+ DAYS		42	0.20

UNIVERSE: ALL ADULTS 69 OR YOUNGER WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR: AB42

NOTES:

VARNAME: AB43 QNAME13: QA13_B15

QNAME11: QA11_B15 QNAME09: QA09_B15

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		17748	85.64
1	YES		1719	8.29
2	NO		1257	6.07

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB98 QNAME13: QA13_B16
QNAME11: QA11_B16 QNAME09: QA09_B16

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19005	91.71
1	YES		423	2.04
2	NO		1296	6.25

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS
DEVELOP ASTHMA CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB108_P1 QNAME13: NA
QNAME11: QA11_B17 QNAME09:

LABEL: CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		17622	85.03
1	VERY CONFIDENT		2316	11.18
2	SOMEWHAT CONFIDENT		552	2.66
3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT		100	0.48

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: AB108

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB22 QNAME13: QA13_B18
QNAME11: QA11_B18 QNAME09: QA09_B18

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:			FREQ	%
1	YES		2406	11.61
2	NO		17847	86.12
3	BORDERLINE OR PRE-DIABETES		471	2.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB99 QNAME13: QA13_B19
QNAME11: QA11_B19 QNAME09: QA09_B19

LABEL: DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		471	2.27
1	YES		2412	11.64
2	NO		17841	86.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB23_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18318	88.39
1	AGES 18 AND UNDER	70	0.34
2	AGES 19-29	111	0.54
3	AGES 30-39	227	1.10
4	AGES 40-49	479	2.31
5	AGES 50-59	666	3.21
6	AGES 60-69	518	2.50
7	AGES 70-79	254	1.23
8	AGES 80 AND OVER	81	0.39

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES:

VARNAME: AB27_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18318	88.39
0	0 TIMES	201	0.97
1	1 TIMES	380	1.83
2	2 TIMES	600	2.90
3	3 TIMES	279	1.35
4	4 TIMES	530	2.56
5	5+ TIMES	140	0.68
995	R NEVER HEARD OF IT	276	1.33

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES: EXCLUDED VALUE "995" IN CALCULATING THE MEAN

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	DIABCK_P1	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE)			

MEAN STATISTICS

N	2406
MIN	0
MAX	150
MEAN	39.74

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR: AB26 AB26UNT

NOTES: TOPCODE = 150

```

VARNAME:      AB51_P1                      QNAME13:   NA
                                           QNAME11:   NA
                                           QNAME09:   NA

```

LABEL: TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)

		FREQ	%	
VALUE:	-1	INAPPLICABLE	18348	88.54
	1	TYPE 1	219	1.06
	2	TYPE 2	2157	10.41

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR: AB51

NOTES: EXCLUDES INDIVIDUALS WHO REPORTED ANOTHER TYPE OF DIABETES

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB24 QNAME13: QA13_B22

QNAME11: QA11_B22 QNAME09: QA09_B22

LABEL: CURRENTLY TAKING INSULIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18318	88.39
1	YES		659	3.18
2	NO		1747	8.43

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB25 QNAME13: QA13_B23

QNAME11: QA11_B23 QNAME09: QA09_B24

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:			FREQ	%
-1	INAPPLICABLE		18318	88.39
1	YES		1724	8.32
2	NO		682	3.29

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB26 QNAME13: QA13_B24
QNAME11: QA11_B24 QNAME09: QA09_B29

LABEL: # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE

MEAN STATISTICS

N	2406
MIN	0
MAX	5475
MEAN	501.48

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB28_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18318	88.39
0	0 TIMES	680	3.28
1	1 TIMES	516	2.49
2	2 TIMES	410	1.98
3	3 TIMES	191	0.92
4	4 TIMES	324	1.56
5	5+ TIMES	285	1.38

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB28

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB63 QNAME13: QA13_B27
QNAME11: QA11_B27 QNAME09: QA09_B32

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	18318	88.39
1	WITHIN THE PAST MONTH	393	1.90
2	1 TO 12 MOS AGO	1450	7.00
3	1 TO 2 YRS AGO	233	1.12
4	2 OR MORE YRS AGO	242	1.17
5	NEVER	88	0.42

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB109 QNAME13: QA13_B28
QNAME11: QA11_B28 QNAME09: QA09_B33

LABEL: VISITED ER FOR DIABETES IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	18318	88.39
1	YES	141	0.68
2	NO	2265	10.93

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB110_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	20583	99.32
	2	NO	65	0.31
			76	0.37

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND VISITED ER FOR DIATBETES IN PAST 12 MOS

INPUT VAR: AB110

NOTES:

VARNAME: AB111 QNAME13: QA13_B30

QNAME11: QA11_B30 QNAME09: QA09_B35

LABEL: ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18318	88.39
	2	NO	86	0.41
			2320	11.19

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB112 QNAME13: QA13_B31
QNAME11: QA11_B31 QNAME09: QA09_B36

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		18318	88.39
1	YES		1941	9.37
2	NO		465	2.24

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB113 QNAME13: QA13_B32
QNAME11: QA11_B32 QNAME09: QA09_B37

LABEL: HAVE WRITTEN COPY OF DIABETES CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18783	90.63
1	YES		812	3.92
2	NO		1129	5.45

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND MEDICAL PROVIDERS
DEVELOPED DIABETES CARE PLAN

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB114_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)

VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	134	0.65
	1	VERY CONFIDENT	18215	87.89
	2	SOMEWHAT CONFIDENT	1440	6.95
	3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT	761	3.67
			174	0.84

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB114

NOTES:

VARNAME: AB81 QNAME13: QA13_B34

QNAME11: QA11_B34 QNAME09: QA09_B39

LABEL: DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	8529	41.16
	2	NO	494	2.38
	3	BORDERLINE GESTATIONAL DIABETES	11622	56.08
			79	0.38

UNIVERSE: NON-DIABETIC WOMEN

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB29 QNAME13: QA13_B35

QNAME11: QA11_B35 QNAME09: QA09_B41

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE:			FREQ	%
1	YES		8115	39.16
2	NO		12189	58.82
3	BORDERLINE HYPERTENSION		420	2.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB30 QNAME13: QA13_B36

QNAME11: QA11_B36 QNAME09: QA09_B42

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		12609	60.84
1	YES		6632	32.00
2	NO		1483	7.16

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB34 QNAME13: QA13_B37

QNAME11: QA11_B37 QNAME09: QA09_B43

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		2239	10.80
2	NO		18485	89.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB52 QNAME13: QA13_B38

QNAME11: QA11_B38 QNAME09: QA09_B44

LABEL: EVER TOLD HAVE HEART FAILURE/CONGESTIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		18485	89.20
1	YES		630	3.04
2	NO		1609	7.76

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB115 QNAME13: QA13_B39
QNAME11: QA11_B39 QNAME09: QA09_B45

LABEL: VISITED ER FOR HEART DISEASE IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		18485	89.20
1	YES		335	1.62
2	NO		1904	9.19

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB116_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: ER VISIT FOR HEART DISEASE BECAUSE UNABLE TO SEE OWN DR (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		20391	98.39
1	YES		111	0.54
2	NO		222	1.07

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND VISITED ER FOR HEART DISEASE IN PAST 12 MOS

INPUT VAR: AB116

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB117 QNAME13: QA13_B41
QNAME11: QA11_B41 QNAME09: QA09_B47

LABEL: ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		18485	89.20
1	YES		285	1.38
2	NO		1954	9.43

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB118 QNAME13: QA13_B42
QNAME11: QA11_B42 QNAME09: QA09_B48

LABEL: MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18485	89.20
1	YES		1670	8.06
2	NO		569	2.75

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB119 QNAME13: QA13_B43
QNAME11: QA11_B43 QNAME09: QA09_B49

LABEL: HAVE WRITTEN COPY OF HEART DISEASE CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		19054	91.94
1	YES		553	2.67
2	NO		1117	5.39

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND MEDICAL PROVIDER DEVELOPED HEART DISEASE CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB120_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		18397	88.77
1	VERY CONFIDENT		1230	5.94
2	SOMEWHAT CONFIDENT		787	3.80
3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT		176	0.85

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR: AB120

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section C: Health Behaviors

VARNAME: AD37W QNAME13: QA13_C1
QNAME11: QA11_C1 QNAME09: QA09_C1

LABEL: WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

VALUE:			FREQ	%
1	YES		8840	42.66
2	NO		11676	56.34
3	UNABLE TO WALK		208	1.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD40W QNAME13: QA13_C4
QNAME11: QA11_C4 QNAME09: QA09_C4

LABEL: WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		208	1.00
1	YES		12972	62.59
2	NO		7544	36.40

UNIVERSE: ALL ADULTS ABLE TO WALK

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AD41W

QNAME13: QA13_C5

QNAME11: QA11_C5

QNAME09: QA09_C5

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

MEAN STATISTICS

N	12972
MIN	1
MAX	99
MEAN	4.44

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN
PAST 7 DAYS

INPUT VAR:

NOTES:

VARNAME: AD42W

QNAME13: QA13_C6

QNAME11: QA11_C6

QNAME09: QA09_C6

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE

MEAN STATISTICS

N	12972
MIN	2
MAX	720
MEAN	34.57

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN
PAST 7 DAYS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC11 QNAME13: QA13_C7
QNAME11: QA11_C10 QNAME09: QA09_C16

LABEL: # OF TIMES DRANK SODA LAST MONTH

MEAN STATISTICS

N	20724
MIN	0
MAX	300
MEAN	5.80

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AESODA_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
0	0 TIMES	14756	71.20
1	1 TIME	2264	10.92
2	2-3 TIMES	1571	7.58
3	4-6 TIMES	509	2.46
4	7-13 TIMES	1030	4.97
5	14-20 TIMES	355	1.71
6	21+ TIMES	239	1.15

UNIVERSE: ALL ADULTS

INPUT VAR: AC11

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_SODA QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

MEAN STATISTICS

N	20724
MIN	0
MAX	69
MEAN	1.32

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:

VARNAME: AC31_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)

MEAN STATISTICS

N	20724
MIN	0
MAX	9
MEAN	1.16

UNIVERSE: ALL ADULTS

INPUT VAR: AC31

NOTES: TOPCODE = 9

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE15 QNAME13: QA13_C14

QNAME11: QA11_C16 QNAME09: QA09_C25

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE:			FREQ	%
1	YES		8658	41.78
2	NO		12066	58.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE15A QNAME13: QA13_C15

QNAME11: QA11_C17 QNAME09: QA09_C26

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE:			FREQ	%
-1	INAPPLICABLE		12066	58.22
1	EVERY DAY		1585	7.65
2	SOME DAYS		694	3.35
3	NOT AT ALL		6379	30.78

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD32_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	19139	92.35
0	0 CIGARETTES	3	0.01
1	1-5 CIGARETTES	291	1.40
6	6-10 CIGARETTES	541	2.61
11	11-15 CIGARETTES	245	1.18
16	16+ CIGARETTES	505	2.44

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW SMOKE EVERY DAY

INPUT VAR: AD32

NOTES:

VARNAME: AE16_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	20030	96.65
0	0 CIGARETTES	20	0.10
1	1 CIGARETTE	140	0.68
2	2 CIGARETTES	135	0.65
3	3 CIGARETTE	113	0.55
4	4 CIGARETTE	57	0.28
5	5 CIGARETTE	86	0.41
6	6-10 CIGARETTE	104	0.50
11	11+ CIGARETTE	39	0.19

UNIVERSE: ALL ADULTS WHO CURRENTLY DO NOT SMOKE EVERYDAY, BUT ON SOME DAYS

INPUT VAR: AE16

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC49

QNAME13: QA13_C18

QNAME11: NA

QNAME09: NA

LABEL: STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		18445	89.00
1	YES		1186	5.72
2	NO		1093	5.27

UNIVERSE: ADULTS WHO SMOKE DAILY/SOME DAYS PER WEEK AND HAD = 100 CIG. IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: AC50

QNAME13: QA13_C19

QNAME11: NA

QNAME09: NA

LABEL: THINK ABOUT QUIT SMOKING IN NEXT 6 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		18445	89.00
1	YES		1642	7.92
2	NO		637	3.07

UNIVERSE: ADULTS WHO SMOKE DAILY/SOME DAYS PER WEEK AND HAD = 100 CIG. IN LIFETIME

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SMKCUR QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CURRENT SMOKER

VALUE:			FREQ	%
1	CURRENT SMOKER		2279	11.00
2	NOT CURRENT SMOKER		18445	89.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SMOKING QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CURRENT SMOKING HABITS

VALUE:			FREQ	%
1	CURRENTLY SMOKES		2279	11.00
2	QUIT SMOKING		6379	30.78
3	NEVER SMOKED REGULARLY		12066	58.22

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: NUMCIG QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF CIGARETTES PER DAY

VALUE:			FREQ	%
1	NONE		18445	89.00
2	<=1 CIGARETTES		176	0.85
3	2-5 CIGARETTES		669	3.23
4	6-10 CIGARETTES		645	3.11
5	11-19 CIGARETTES		280	1.35
6	20 OR MORE		509	2.46

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

VARNAME: AC32 QNAME13: QA13_C20

QNAME11: QA11_C22 QNAME09: QA09_C33

LABEL: HAD ALCOHOL PAST 12 MONTHS

VALUE:			FREQ	%
1	YES		14171	68.38
2	NO		6553	31.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC34_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: # DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	14352	69.25
0	0 DAYS	3821	18.44
1	1 DAYS	317	1.53
2	2 DAYS	324	1.56
3	3 DAYS	205	0.99
4	4 DAYS	133	0.64
5	5 DAYS	186	0.90
6	6 DAYS	115	0.55
7	7 DAYS	53	0.26
8	8-10 DAYS	252	1.22
11	11-14 DAYS	131	0.63
15	15-19 DAYS	57	0.28
20	20-24 DAYS	179	0.86
25	25-29 DAYS	29	0.14
30	30+ DAYS	570	2.75

UNIVERSE: MALE WHO DRANK ALCOHOL IN THE PAST 12 MOS

INPUT VAR: AC34

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC35_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: # DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	12925	62.37
0	0 DAYS	5695	27.48
1	1 DAYS	376	1.81
2	2 DAYS	334	1.61
3	3 DAYS	199	0.96
4	4 DAYS	131	0.63
5	5 DAYS	150	0.72
6	6 DAYS	92	0.44
7	7 DAYS	34	0.16
8	8-10 DAYS	185	0.89
11	11-14 DAYS	122	0.59
15	15-19 DAYS	42	0.20
20	20-24 DAYS	105	0.51
25	25-29 DAYS	23	0.11
30	30+ DAYS	311	1.50

UNIVERSE: FEMALE WHO DRANK ALCOHOL IN THE PAST 12 MOS

INPUT VAR: AC35

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BINGE12 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

VALUE:			FREQ	%
1	NO BINGE DRINKING PAST YEAR		16069	77.54
2	ONCE A YEAR		693	3.34
3	LESS THAN MONTHLY, MORE THAN ONCE A YEAR		2033	9.81
4	MONTHLY		599	2.89
5	LESS THAN WEEKLY BUT MORE THAN MONTHLY		683	3.30
6	DAILY OR WEEKLY		647	3.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC42 QNAME13: QA13_C12

QNAME11: QA11_C12 QNAME09: NA

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB

VALUE:			FREQ	%
1	NEVER		836	4.03
2	SOMETIMES		1302	6.28
3	USUALLY		1783	8.60
4	ALWAYS		16545	79.83
5	DOESN'T EAT FRUITS AND VEGETABLES		23	0.11
6	DOESN'T SHOP FOR FRUITS AND VEGETABLES		101	0.49
7	DOESN'T SHOP IN HIS/HER NEIGHBORHOOD		134	0.65

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC42_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)

VALUE:			FREQ	%
1	NEVER		836	4.03
2	SOMETIMES		1302	6.28
3	USUALLY		1783	8.60
4	ALWAYS		16545	79.83
5	DOESN'T EAT/SHOP FOR FRUITS AND VEGETABL	258		1.24

UNIVERSE: ALL ADULTS

INPUT VAR: AC42

NOTES:

VARNAME: AC44 QNAME13: QA13_C13

QNAME11: QA11_C13 QNAME09: NA

LABEL: NEIGHBORHOOD FRUIT/VEG AFFORDABLE

VALUE:			FREQ	%
-1	INAPPLICABLE		1094	5.28
1	NEVER		274	1.32
2	SOMETIMES		3147	15.19
3	USUALLY		5219	25.18
4	ALWAYS		10990	53.03

UNIVERSE: ALL ADULTS WHO CAN FIND FRESH FRUITS AND VEGETABLES IN NEIGHBORHOOD

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC46 QNAME13: QA13_C8
QNAME11: NA QNAME09: NA

LABEL: # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO

MEAN STATISTICS

N	20724
MIN	0
MAX	480
MEAN	4.52

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC47_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE)

MEAN STATISTICS

N	20724
MIN	0
MAX	99
MEAN	6.05

UNIVERSE: ALL ADULTS

INPUT VAR: AC47

NOTES: EXCLUDE VALUE "99" WHEN CALCULATING THE MEAN; TOPCODE = 20; "99"
REFERS TO LESS THAN 1 GLASS OF WATER

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC48_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF GLASSES NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE)

MEAN STATISTICS	
N	20724
MIN	0
MAX	6
MEAN	0.53

UNIVERSE: ALL ADULTS

INPUT VAR: AC48

NOTES: EXCLUDE VALUE "99" WHEN CALCULATING THE MEAN; TOPCODE = 6; "99"
REFERS TO LESS THAN 1 GLASS OF WATER

Section D: General Health, Disability, and Sexual Health

VARNAME: HGHTI_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS	
N	20724
MIN	42
MAX	77
MEAN	65.97

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HGHTM_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

N	20724
MIN	1
MAX	2
MEAN	1.67

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

VARNAME: HEIGHM_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

N	20724
MIN	1
MAX	2
MEAN	1.67

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WEIGHK_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

 MEAN STATISTICS

N	20724
MIN	41
MAX	150
MEAN	76.50

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHTKG

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WGHTK_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: WEIGHT: KG (PUF RECODE)

 MEAN STATISTICS

N	20724
MIN	41
MAX	150
MEAN	76.50

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WGHTP_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS

N	20724
MIN	90
MAX	330
MEAN	168.65

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

VARNAME: AD50 QNAME13: QA13_D3
 QNAME11: QA11_D4 QNAME09: QA09_D4

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

VALUE:			FREQ	%
1	YES		2087	10.07
2	NO		18637	89.93

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BMI_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

N	20724
MIN	11
MAX	79
MEAN	27.32

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK_P HEIGHM_P

NOTES: TOPCODE=12; BOTTOMECODE=99

VARNAME: RBMI QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: BMI DESCRIPTIVE

VALUE:		FREQ	%
1	UNDERWEIGHT 0-18.49	324	1.56
2	NORMAL 18.5-24.99	7735	37.32
3	OVERWEIGHT 25.0-29.99	7398	35.70
4	OBESE 30.0+	5267	25.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Updated category labels to reflect 2010 CDC recommendations for
overweight among teens.

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OVRWT QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: OVERWEIGHT OR OBESE

VALUE:			FREQ	%
1	YES		12665	61.11
2	NO		8059	38.89

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES:

VARNAME: AD57 QNAME13: QA13_D5

QNAME11: QA11_D6 QNAME09: QA09_D6

LABEL: CONDITION LIMITS BASIC PHYS ACTIVITY

VALUE:			FREQ	%
1	YES		5247	25.32
2	NO		15477	74.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD51 QNAME13: QA13_D6

QNAME11: QA11_D7 QNAME09: QA09_D7

LABEL: HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING

VALUE:			FREQ	%
1	YES		3220	15.54
2	NO		17504	84.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD52 QNAME13: QA13_D7

QNAME11: QA11_D8 QNAME09: QA09_D8

LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND

VALUE:			FREQ	%
1	YES		1271	6.13
2	NO		19453	93.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD53 QNAME13: QA13_D8

QNAME11: QA11_D9 QNAME09: QA09_D9

LABEL: HAS DIFFICULTY GOING OUTSIDE HOME ALONE

VALUE:			FREQ	%
1	YES		1653	7.98
2	NO		19071	92.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD54 QNAME13: QA13_D9

QNAME11: QA11_D10 QNAME09: QA09_D10

LABEL: HAS DIFFICULTY WORKING AT A JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		7848	37.87
1	YES		1665	8.03
2	NO		11211	54.10

UNIVERSE: ALL ADULTS UNDER 65 YEARS OLD

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DISABLE QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION

VALUE:			FREQ	%
1	DISABLED		7913	38.18
2	NOT DISABLED		12811	61.82

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE AD50 AD51 AD52 AD53 AD54 AD57

NOTES: ADAPTED FROM AMERICAN COMMUNITY SURVEY; FOR 65+, AD54 IS EXCLUDED

VARNAME: AJ140 QNAME13: QA13_J44

QNAME11: NA QNAME09: NA

LABEL: RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		18054	87.12
1	YES		797	3.85
2	NO		1873	9.04

UNIVERSE: WOMEN 18-44 YEARS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ141 QNAME13: QA13_J45
QNAME11: NA QNAME09: NA

LABEL: RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		18054	87.12
1	YES		786	3.79
2	NO		1884	9.09

UNIVERSE: WOMEN 18-44 YEARS

INPUT VAR:

NOTES:

VARNAME: AJ142_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: MAIN TYPE OF BIRTH CONTROL RECEIVED FROM DR PAST YR (PUF 1 YR RECODE)

VALUE:			FREQ	%
-9	NOT ASCERTAINED		2	0.01
-1	INAPPLICABLE		19938	96.21
3	IUD (MIRENA PARAGARD)		90	0.43
5	BIRTH CONTROL PILLS		491	2.37
6	OTHER HORMONAL METHODS (INJECTION/DEPO-P		111	0.54
91	OTHER BIRTH CONTROL		92	0.44

UNIVERSE: WOMEN 18-44 YRS RECEIVED BIRTH CONTROL METHOD/RX FROM DR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ143_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19938	96.21
1	PRIVATE DOCTOR'S OFFICE OR HMO FACILITY		392	1.89
3	HOSPITAL OR HOSPITAL CLINIC		127	0.61
4	PLANNED PARENTHOOD OR COUNTY HEALTH DEPT		187	0.90
6	OTHER		80	0.39

UNIVERSE: WOMEN 18-44 YEARS RECEIVING BIRTH CONTROL METHOD/PRESCRIPTION FROM DR

INPUT VAR: AJ143

NOTES:

VARNAME: AJ144

QNAME13: QA13_J48

QNAME11: NA

QNAME09: NA

LABEL: RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		18582	89.66
1	YES		121	0.58
2	NO		2021	9.75

UNIVERSE: MEN 18-44 YEARS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ145

QNAME13: QA13_J49

QNAME11: NA

QNAME09: NA

LABEL: RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		18582	89.66
1	YES		135	0.65
2	NO		2007	9.68

UNIVERSE: MEN 18-44 YEARS

INPUT VAR:

NOTES:

VARNAME: AJ146

QNAME13: QA13_J50

QNAME11: NA

QNAME09: NA

LABEL: PLACE RECEIVED MAIN BIRTH CONTROL METHOD

VALUE:			FREQ	%
-1	INAPPLICABLE		20589	99.35
1	PRIVATE DOCTOR'S OFFICE		38	0.18
2	HMO FACILITY		1	0.00
3	HOSPITAL OR HOSPITAL CLINIC		29	0.14
4	PLANNED PARENTHOOD		24	0.12
5	COUNTY HEALTH DEPARTMENT, CLINIC		17	0.08
6	SCHOOL OR SCHOOL-BASED CLINIC		9	0.04
9	PHARMACY		4	0.02
91	SOME OTHER PLACE		13	0.06

UNIVERSE: MEN 18-44 YEARS RECEIVING MALE BIRTH CONTROL METHOD FROM DR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section F: Mental Health

VARNAME: AJ29 QNAME13: QA13_F1
QNAME11: QA11_F1 QNAME09: QA09_F1

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	ALL OF THE TIME		288	1.39
2	MOST OF THE TIME		741	3.58
3	SOME OF THE TIME		3545	17.11
4	A LITTLE OF THE TIME		7042	33.98
5	NOT AT ALL		8974	43.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF65 QNAME13: QA13_F10
QNAME11: QA11_F10 QNAME09: QA09_F10

LABEL: FEEL RESTLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		16778	80.96
1	ALL OF THE TIME		346	1.67
2	MOST OF THE TIME		597	2.88
3	SOME OF THE TIME		1252	6.04
4	A LITTLE OF THE TIME		833	4.02
5	NOT AT ALL		784	3.78

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF66 QNAME13: QA13_F11
QNAME11: QA11_F11 QNAME09: QA09_F11

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	134	0.65
-1	INAPPLICABLE	16778	80.96
1	ALL OF THE TIME	238	1.15
2	MOST OF THE TIME	476	2.30
3	SOME OF THE TIME	787	3.80
4	A LITTLE OF THE TIME	881	4.25
5	NOT AT ALL	1430	6.90

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF67 QNAME13: QA13_F12
QNAME11: QA11_F12 QNAME09: QA09_F12

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	134	0.65
-1	INAPPLICABLE	16778	80.96
1	ALL OF THE TIME	504	2.43
2	MOST OF THE TIME	695	3.35
3	SOME OF THE TIME	1139	5.50
4	A LITTLE OF THE TIME	823	3.97
5	NOT AT ALL	651	3.14

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF68 QNAME13: QA13_F13
QNAME11: QA11_F13 QNAME09: QA09_F13

LABEL: FEEL WORTHLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		16778	80.96
1	ALL OF THE TIME		223	1.08
2	MOST OF THE TIME		359	1.73
3	SOME OF THE TIME		722	3.48
4	A LITTLE OF THE TIME		603	2.91
5	NOT AT ALL		1905	9.19

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF69B QNAME13: QA13_F14
QNAME11: QA11_F14 QNAME09: QA09_F14

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		18101	87.34
1	A LOT		487	2.35
2	SOME		667	3.22
3	NOT AT ALL		402	1.94
4	DOES NOT WORK		933	4.50

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF69 (2009)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF70B QNAME13: QA13_F15
QNAME11: QA11_F15 QNAME09: QA09_F15

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		17769	85.74
1	A LOT		1110	5.36
2	SOME		1141	5.51
3	NOT AT ALL		570	2.75

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

VARNAME: AF71B QNAME13: QA13_F16
QNAME11: QA11_F16 QNAME09: QA09_F16

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		17769	85.74
1	A LOT		1190	5.74
2	SOME		1164	5.62
3	NOT AT ALL		467	2.25

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF72B QNAME13: QA13_F17
QNAME11: QA11_F17 QNAME09: QA09_F17

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		17769	85.74
1	A LOT		946	4.56
2	SOME		1342	6.48
3	NOT AT ALL		533	2.57

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF72 (2009)

VARNAME: AJ30 QNAME13: QA13_F2
QNAME11: QA11_F2 QNAME09: QA09_F2

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	ALL OF THE TIME		134	0.65
2	MOST OF THE TIME		321	1.55
3	SOME OF THE TIME		1409	6.80
4	A LITTLE OF THE TIME		2740	13.22
5	NOT AT ALL		15986	77.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ1 QNAME13: QA13_F20
QNAME11: QA11_F20 QNAME09: QA09_F20

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		17597	84.91
1	YES		2185	10.54
2	NO		521	2.51
3	NO INSURANCE		287	1.38

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: AJ31 QNAME13: QA13_F3
QNAME11: QA11_F3 QNAME09: QA09_F3

LABEL: FELL RESTLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	ALL OF THE TIME		402	1.94
2	MOST OF THE TIME		597	2.88
3	SOME OF THE TIME		3446	16.63
4	A LITTLE OF THE TIME		5217	25.17
5	NOT AT ALL		10928	52.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ32 QNAME13: QA13_F4
QNAME11: QA11_F4 QNAME09: QA09_F4

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	ALL OF THE TIME		112	0.54
2	MOST OF THE TIME		324	1.56
3	SOME OF THE TIME		1085	5.24
4	A LITTLE OF THE TIME		1907	9.20
5	NOT AT ALL		17162	82.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ33 QNAME13: QA13_F5
QNAME11: QA11_F5 QNAME09: QA09_F5

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	ALL OF THE TIME		739	3.57
2	MOST OF THE TIME		834	4.02
3	SOME OF THE TIME		2715	13.10
4	A LITTLE OF THE TIME		3896	18.80
5	NOT AT ALL		12406	59.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ34 QNAME13: QA13_F6
QNAME11: QA11_F6 QNAME09: QA09_F6

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	ALL OF THE TIME		177	0.85
2	MOST OF THE TIME		268	1.29
3	SOME OF THE TIME		917	4.42
4	A LITTLE OF THE TIME		1521	7.34
5	NOT AT ALL		17707	85.44

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF62 QNAME13: QA13_F7
QNAME11: QA11_F7 QNAME09: QA09_F7

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	YES		3812	18.39
2	NO		16778	80.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DISTRESS QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS

N	20590
MIN	0
MAX	24
MEAN	3.17

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

VARNAME: AF63 QNAME13: QA13_F8
 QNAME11: QA11_F8 QNAME09: QA09_F8

LABEL: FEEL NERVOUS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	134	0.65
-1	INAPPLICABLE	16778	80.96
1	ALL OF THE TIME	434	2.09
2	MOST OF THE TIME	776	3.74
3	SOME OF THE TIME	1184	5.71
4	A LITTLE OF THE TIME	860	4.15
5	NOT AT ALL	558	2.69

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

MEAN STATISTICS

N	20590
MIN	0
MAX	21
MEAN	3.16

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED
DATA; TOPCODE = 21

VARNAME: DSTRS12 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	YES		1342	6.48
2	NO		19248	92.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON DSTRSYR>=13

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF64 QNAME13: QA13_F9
QNAME11: QA11_F9 QNAME09: QA09_F9

LABEL: FEEL HOPELESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		16778	80.96
1	ALL OF THE TIME		255	1.23
2	MOST OF THE TIME		532	2.57
3	SOME OF THE TIME		956	4.61
4	A LITTLE OF THE TIME		945	4.56
5	NOT AT ALL		1124	5.42

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: DSTRS30 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	YES		689	3.32
2	NO		19901	96.03

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED on DISTRESS>=13

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRSYR QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS

N	20590
MIN	0
MAX	24
MEAN	3.83

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES:

VARNAME: CHORES2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

VALUE:		FREQ	%
-2	PROXY SKIPPED	134	0.65
-1	INAPPLICABLE	17769	85.74
0	NONE	570	2.75
1	MODERATE	1141	5.51
2	SEVERE	1110	5.36

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SOCIAL2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		17769	85.74
0	NONE		467	2.25
1	MODERATE		1164	5.62
2	SEVERE		1190	5.74

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)

VARNAME: WORK2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		19034	91.85
0	NONE		402	1.94
1	MODERATE		667	3.22
2	SEVERE		487	2.35

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES: CANNOT BE TRENDED WITH WORK (2009)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMILY2 QNAME13: NA

QNAME11: NA QNAME09:

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		17769	85.74
0	NONE		533	2.57
1	MODERATE		1342	6.48
2	SEVERE		946	4.56

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

Section G: Demographic Information, Part II & Child Care

VARNAME: FAMSIZE2_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FAMILY SIZE: INCL. ALL PEOPLE SUPT'D BY HH INCOME (PUF 1 YR RECODE)

MEAN STATISTICS	
N	20724
MIN	1
MAX	8
MEAN	2.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY
HOUSEHOLD INCOME; TOPCODE = 8

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH33NEW QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: BORN IN U.S.

VALUE:	1	BORN IN U.S.	FREQ	%
	2	BORN OUTSIDE U.S.	16320	78.75
			4404	21.25

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: AH34NEW QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MOTHER BORN IN U.S.

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	BORN IN U.S.	4439	21.42
	2	BORN OUTSIDE U.S.	14044	67.77
			2241	10.81

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH35NEW QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		4439	21.42
1	BORN IN U.S.		13758	66.39
2	BORN OUTSIDE U.S.		2527	12.19

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

VARNAME: LNGHM_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	ENGLISH		15044	72.59
2	SPANISH		1119	5.40
3	CHINESE		131	0.63
4	VIETNAMESE		68	0.33
5	KOREAN		118	0.57
6	OTHER ONE LANGUAGE ONLY		69	0.33
8	ENGLISH & SPANISH		2410	11.63
9	ENGLISH & CHINESE		177	0.85
10	ENGLISH & EUROPEAN LANGUAGE		451	2.18
11	ENGLISH & ANOTHER ASIAN LANGUAGE		531	2.56
12	ENGLISH & ONE OTHER LANGUAGE		193	0.93
13	OTHER LANGUAGES (2+)		413	1.99

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1 AH36_2 AH36_3 AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG21 QNAME13: QA13_G5
QNAME11: QA11_G6 QNAME09: QA09_G6

LABEL: LANGUAGE OF TV, RADIO, NEWSPAPERS

VALUE:			FREQ	%
-1	INAPPLICABLE		15036	72.55
1	ONLY ENGLISH		2349	11.33
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		1925	9.29
3	ONLY OTHER LANGUAGE(S)		1414	6.82

UNIVERSE: ALL ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER
THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

VARNAME: AH37 QNAME13: QA13_G6
QNAME11: QA11_G7 QNAME09: QA09_G7

LABEL: LEVEL OF ENGLISH PROFICIENCY: GENERAL

VALUE:			FREQ	%
-1	INAPPLICABLE		15035	72.55
1	VERY WELL		2476	11.95
2	WELL		1410	6.80
3	NOT WELL		1122	5.41
4	NOT AT ALL		681	3.29

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR
WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	SPK_ENG	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	ENGLISH USE AND PROFICIENCY			
			FREQ	%
VALUE:	1	SPEAK ONLY ENGLISH	15044	72.59
	2	VERY WELL/WELL	3877	18.71
	3	NOT WELL/NOT AT ALL	1803	8.70
UNIVERSE:	ALL ADULTS			
INPUT VAR:	AH36_1	AH36_2	AH36_3	AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9
NOTES:				

VARNAME:	CITIZEN2	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	CITIZENSHIP STATUS (3 LVLS)			
			FREQ	%
VALUE:	1	US-BORN CITIZEN	16320	78.75
	2	NATURALIZED CITIZEN	2758	13.31
	3	NON-CITIZEN	1646	7.94
UNIVERSE:	ALL ADULTS			
INPUT VAR:	AH39 AH33 AH40			
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: YRUS_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		16320	78.75
1	<5 YEARS		142	0.69
3	5-9 YEARS		269	1.30
4	10-14 YEARS		502	2.42
5	15+ YEARS		3491	16.85

UNIVERSE: ALL ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO
OR VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES:

VARNAME: PCTLF_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

VALUE:			FREQ	%
1	0-20		360	1.74
2	21-40		939	4.53
3	41-60		1450	7.00
4	61-80		1053	5.08
5	81+		16922	81.65

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH44 QNAME13: QA13_G10
QNAME11: QA11_G11 QNAME09: QA09_G11

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		9575	46.20
1	YES		10884	52.52
2	NO		265	1.28

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

VARNAME: AH43A QNAME13: QA13_G12
QNAME11: QA11_G13 QNAME09: QA09_G13

LABEL: LIVING WITH A PARENT

VALUE:			FREQ	%
-1	INAPPLICABLE		19256	92.92
1	YES		1057	5.10
2	NO		411	1.98

UNIVERSE: ALL ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR
(LIVING W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND
LIVING W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH44A QNAME13: QA13_G19

QNAME11: QA11_G20 QNAME09: QA09_G19

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		16750	80.82
1	YES		919	4.43
2	NO		3055	14.74

UNIVERSE: ALL ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

VARNAME: ACHLDC_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19805	95.57
1	\$0-24/WEEK		143	0.69
3	\$25-49/WEEK		130	0.63
4	\$50-99/WEEK		204	0.98
5	\$100-199/WEEK		218	1.05
6	\$200+/WEEK		224	1.08

UNIVERSE: ALL ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE
IN THE PAST MONTH.

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG22 QNAME13: QA13_G22

QNAME11: QA11_G23 QNAME09: QA09_G23

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE:			FREQ	%
1	YES		2560	12.35
2	NO		18164	87.65

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SERVED QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

MEAN STATISTICS

N	2552
MIN	1
MAX	5
MEAN	3.07

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG24UNIT AG24NUM AG23BEG AG23END

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME13: QA13_G27
QNAME11: QA11_G28 QNAME09: QA09_G25

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		16945	81.77
1	YES		1040	5.02
2	NO		2001	9.66
3	LOOKING FOR WORK		738	3.56

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: WRKST_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: WORKING STATUS (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)		8204	39.59
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)		1630	7.87
3	OTHER EMPLOYED		76	0.37
4	UNEMPLOYED, LOOKING FOR WORK		985	4.75
5	UNEMPLOYED, NOT LOOKING FOR WORK		9829	47.43

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG8 QNAME13: QA13_G32
QNAME11: QA11_G31 QNAME09: QA09_G28

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		10554	50.93
1	WORKING AT A JOB OR BUSINESS		5153	24.86
2	WITH A JOB/BUSINESS, BUT NOT AT WORK		186	0.90
3	LOOKING FOR WORK		239	1.15
4	NOT WORKING AT A JOB OR BUSINESS		4592	22.16

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

VARNAME: AG11 QNAME13: QA13_G33
QNAME11: QA11_G32 QNAME09: QA09_G29

LABEL: SPOUSE USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		15893	76.69
1	YES		285	1.38
2	NO		4380	21.13
3	LOOKING FOR WORK		166	0.80

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO
IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO
QUESTION

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG9_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	15100	72.86
1	PRIVATE COMPANY/NON-PROFIT ORG	3267	15.76
2	GOVERNMENT	1100	5.31
3	SELF-EMPLOYED/FAMILY BUSINESS/FARM	1257	6.07

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR: AG9

NOTES:

VARNAME: AHEDC_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	NO FORMAL EDUCATION OR GRADE 1-8	1184	5.71
2	GRADE 9-11	928	4.48
3	GRADE 12/H.S. DIPLOMA	4370	21.09
4	SOME COLLEGE	3402	16.42
5	VOCATIONAL SCHOOL	695	3.35
6	AA OR AS DEGREE	1901	9.17
7	BA OR BS DEGREE/SOME GRAD SCHOOL	4822	23.27
9	MA OR MS DEGREE	2478	11.96
10	PH.D. OR EQUIVALENT	944	4.56

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMTYP_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FAMILY TYPE (PUF RECODE)

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		9063	43.73
2	SINGLE YOUNG ADULT, 19-20		394	1.90
3	MARRIED, NO KIDS		6899	33.29
4	MARRIED WITH KIDS		3251	15.69
5	SINGLE WITH KIDS		914	4.41
6	SINGLE 18 YEARS OLD		203	0.98

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

Section H: Health Insurance

VARNAME: AH49 QNAME13: QA13_H8

QNAME11: QA11_H8 QNAME09: QA09_H7

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

VALUE:			FREQ	%
-8	DON'T KNOW		51	0.25
-1	INAPPLICABLE		12379	59.73
1	YES		3769	18.19
2	NO		4525	21.83

UNIVERSE: ALL ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH50_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: NAME OF MEDICARE HMO PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		66	0.32
-1	INAPPLICABLE		16955	81.81
1	KAISER		1626	7.85
2	BLUE CROSS		171	0.83
3	UNITED HEALTHCARE (FORMER PACIFICARE)		499	2.41
4	BLUE SHIELD		175	0.84
5	HEALTH NET		253	1.22
8	OTHER		979	4.72

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR:

NOTES: CATEGORY CHANGE; CHIS 2013-14 NOW INCORPORATES UPCODING OF
OTHER-SPECIFY RESPONSES INTO THE PRE-EXISTING AH50 CATEGORIES (DID
NOT APPLY IN CHIS 2011 AND PRIOR)

VARNAME: AI4 QNAME13: QA13_H10

QNAME11: QA11_H10 QNAME09: QA09_H9

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		16154	77.95
1	YES		2897	13.98
2	NO		1673	8.07

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH52_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		14050	67.80
1	DIRECTLY		2975	14.36
2	CURRENT EMPLOYER		114	0.55
3	FORMER EMPLOYER		1921	9.27
4	UNION		134	0.65
6	AARP		622	3.00
7	SPOUSE'S EMPLOYER/SPOUSE'S UNION		290	1.40
8	OTHER		618	2.98

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR: AH52

NOTES:

VARNAME: AI15

QNAME13: QA13_H30

QNAME11: QA11_H26

QNAME09: QA09_H25

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19608	94.61
1	COVERED BY ANOTHER PLAN		643	3.10
2	TOO EXPENSIVE		347	1.67
3	DIDNT LIKE PLAN OFFERED		64	0.31
4	DONT NEED OR BELIEVE IN HEALTH INSURANCE		24	0.12
5	IN PROCESS		8	0.04
6	DIDNT TAKE UP - OTHER		24	0.12
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL		6	0.03

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH ELIGIBLE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15A

QNAME13: QA13_H31

QNAME11: QA11_H27

QNAME09: QA09_H26

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19905	96.05
1	HAVENT WORKED HERE LONG ENOUGH		150	0.72
2	CONTRACT OR TEMP EMPLOYEE		162	0.78
3	DONT WORK ENOUGH HOURS PER WEEK		444	2.14
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE		14	0.07
6	NOT ELIGIBLE - OTHER		23	0.11
7	HAS LEFT POSITION/RETIRED/LAID OFF		26	0.13

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

VARNAME: AI37A

QNAME13: QA13_H43

QNAME11: QA11_H39

QNAME09: QA09_H38

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		18852	90.97
1	YES		1459	7.04
2	NO		413	1.99

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT
COVERED BY HMO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		20043	96.71
1	COVERED BY ANOTHER PLAN		399	1.93
2	TOO EXPENSIVE		215	1.04
3	DIDNT LIKE PLAN OFFERED		33	0.16
4	OTHER REASON		34	0.16

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO
EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED
AND ELIGIBLE

INPUT VAR: AI45

NOTES:

VARNAME: AI45A_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		20484	98.84
1	HAVENT WORKED HERE LONG ENOUGH		29	0.14
2	CONTRACT OR TEMP EMPLOYEE		45	0.22
3	DONT WORK ENOUGH HOURS PER WEEK		146	0.70
4	OTHER REASON		20	0.10

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE
EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR: AI45A

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22C QNAME13: QA13_H63

QNAME11: QA11_H57 QNAME09: QA09_H56

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:			FREQ	%
-8	DON'T KNOW		84	0.41
-1	INAPPLICABLE		5934	28.63
1	YES		5760	27.79
2	NO		8946	43.17

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE
HMO

INPUT VAR:

NOTES:

VARNAME: HMO QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HMO STATUS

VALUE:			FREQ	%
1	HMO		9575	46.20
2	NON-HMO		9050	43.67
3	UNINSURED		2099	10.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22A_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		357	1.72
-1	INAPPLICABLE		5938	28.65
1	KAISER		2435	11.75
2	BLUE CROSS		3588	17.31
3	UNITED HEALTHCARE (FORMER PACIFICARE)		1444	6.97
4	BLUE SHIELD		1410	6.80
5	HEALTH NET		642	3.10
6	AETNA		759	3.66
7	CIGNA HEALTH CARE		383	1.85
8	OTHER		3768	18.18

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR: AI22A

NOTES: CATEGORY CHANGES; CHIS 2013-14 NOW INCORPORATES UPCODING OF OTHER-SPECIFY RESPONSES INTO THE PRE-EXISTING AI22A CATEGORIES (DID NOT APPLY IN CHIS 2011 AND PRIOR)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25 QNAME13: QA13_H65
QNAME11: QA11_H59 QNAME09: QA09_H58

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE:			FREQ	%
-1	INAPPLICABLE		2069	9.98
1	YES		17417	84.04
2	NO		1238	5.97

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI25NEW QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RX COVERAGE EDITED FOR MEDI-CAL/HF

VALUE:			FREQ	%
-1	INAPPLICABLE		2000	9.65
1	YES		17757	85.68
2	NO		967	4.67

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD INSHF AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		10916	52.67
1	YES		2791	13.47
2	NO		7017	33.86

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS

INPUT VAR: AH71

NOTES:

VARNAME: AH72_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		12051	58.15
1	YES		1240	5.98
2	NO		7433	35.87

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR: AH72

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI33_6 QNAME13: QA13_H73
QNAME11: QA11_H67 QNAME09: NA

LABEL: OTHER INS: BOUGHT DIRECT

VALUE:			FREQ	%
-1	INAPPLICABLE		19363	93.43
1	YES		262	1.26
2	NO		1099	5.30

UNIVERSE: ALL ADULTS WHO HAVE NOT HAD CURRENT HEALTH COVERAGE FOR PAST 12
CONSECUTIVE MOS AND HAVE USED ANOTHER INS WHEN NOT COVERED BY
CURRENT INS

INPUT VAR:

NOTES:

VARNAME: AH74 QNAME13: QA11_H71
QNAME11: QA11_H71 QNAME09: QA09_H68

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		20132	97.14
1	YES		231	1.11
2	NO		361	1.74

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH75 QNAME13: QA11_H73
QNAME11: QA11_H73 QNAME09: QA09_H70

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		18655	90.02
1	YES		848	4.09
2	NO		1221	5.89

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AI28 QNAME13: QA13_H81
QNAME11: QA11_H75 QNAME09: QA09_H72

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE:			FREQ	%
-1	INAPPLICABLE		19059	91.97
1	1 TO 3 YRS AGO		450	2.17
2	MORE THAN 3 YRS AGO		869	4.19
3	NEVER HAD HEALTH INSURANCE COVERAGE		346	1.67

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME
DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH14

QNAME13:

QNAME11: QA11_H83

QNAME09: QA09_H75

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		411	1.98
1	YES		1932	9.32
2	NO		18381	88.69

UNIVERSE: ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART DISEASE DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: IHS

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		78	0.38
2	NO		20646	99.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: CURRENTLY INSURED

VALUE:	1	YES	FREQ	%
	2	NO	18625	89.87
			2099	10.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS_S QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SPOUSE CURRENTLY INSURED

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	10769	51.96
	2	NO	9203	44.41
			752	3.63

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS12M QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

N	20724
MIN	0
MAX	12
MEAN	10.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INS64_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:		FREQ	%
-1	SKIPPED - AGE >= 65	7848	37.87
1	UNINSURED	2057	9.93
2	MEDI-CAL (MEDICAID)	1781	8.59
3	MEDICARE	243	1.17
4	EMPLOYMENT-BASED	7449	35.94
5	PRIVATELY PURCHASED	927	4.47
6	CHIP/OTHER PUBLIC PRGM	419	2.02

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64S_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

VALUE:		FREQ	%
-1	SKIPPED - AGE >= 65	14101	68.04
1	UNINSURED	739	3.57
2	MEDI-CAL (MEDICAID)	378	1.82
3	MEDICARE	203	0.98
4	EMPLOYMENT-BASED	4777	23.05
5	PRIVATELY PURCHASED	404	1.95
6	CHIP/OTHER PUBLIC PRGM	122	0.59

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64_S

NOTES:

VARNAME: INS65 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:		FREQ	%
-1	SKIPPED - AGE < 65	12876	62.13
1	MEDICARE + MEDI-CAL (MEDICAID)	1072	5.17
2	MEDICARE + OTHER	5994	28.92
3	MEDICARE ONLY	455	2.20
4	OTHER ONLY	285	1.38
5	UNINSURED	42	0.20

UNIVERSE: ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65_S QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

VALUE:		FREQ	%
-1	NO SPOUSE IN HH OR AGE < 65	17392	83.92
1	MEDICARE + MEDICAID	187	0.90
2	MEDICARE + OTHER	766	3.70
3	MEDICARE ONLY	2164	10.44
4	OTHER ONLY	202	0.97
5	UNINSURED	13	0.06

UNIVERSE: ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INSANY QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: ANY INS IN LAST 12 MOS

VALUE:		FREQ	%
1	CURRENTLY UNINSURED	2099	10.13
2	UNINS. ANY PAST 12 MO	654	3.16
3	INSURED ALL PAST 12 MO	17971	86.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
1	YES		8923	43.06
2	NO		11801	56.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM_S QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		10769	51.96
1	YES		5565	26.85
2	NO		4390	21.18

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME:	INSMC	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	COVERED BY MEDICARE			
			FREQ	%
VALUE:	1	YES	8093	39.05
	2	NO	12631	60.95
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	INSMC_S	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SPOUSE COVERED BY MEDICARE			
			FREQ	%
VALUE:	-1	INAPPLICABLE	10769	51.96
	1	YES	3369	16.26
	2	NO	6586	31.78
UNIVERSE:	ALL ADULTS WITH SPOUSE			
INPUT VAR:				
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMD QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: COVERED BY MEDI-CAL

VALUE: 1 YES FREQ %

 2 NO 2878 13.89

 17846 86.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSMD_S QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 10769 51.96

 2 NO 575 2.77

 9380 45.26

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSOG

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
1	YES		302	1.46
2	NO		20422	98.54

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSOG_S

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		10769	51.96
1	YES		109	0.53
2	NO		9846	47.51

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSLT_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE-AGE>=65		7848	37.87
1	MEDI-CAL (MEDICAID) ONLY		1505	7.26
2	EMPLOYER-BASED OR MILITARY ONLY		7187	34.68
3	UNINSURED ONLY		1678	8.10
4	PRIVATEDLY PURCHASED ONLY		849	4.10
5	PARTIALLY INSURED WITH MC/HF		293	1.41
6	PARTIALLY INSURED WITH NO MC/HF		680	3.28
7	INSURE ALL YEAR WITH SOME MC/HF		80	0.39
8	HEALTHY FAM ONLY/OTHER INSURED ALL YEAR		604	2.91

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12R

NOTES:

VARNAME: INSPR QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
1	YES		947	4.57
2	NO		19777	95.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME:	INSPR_S	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SPOUSE COVERED BY PLANS PURCHASED ON OWN			
			FREQ	%
VALUE:	-1	INAPPLICABLE	10769	51.96
	1	YES	524	2.53
	2	NO	9431	45.51
UNIVERSE:	ALL ADULTS WITH SPOUSE			
INPUT VAR:				
NOTES:				

VARNAME:	INSPS	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	PRIMARY OR SECONDARY COVERAGE			
			FREQ	%
VALUE:	-1	INAPPLICABLE	10966	52.91
	1	PRIMARY	7064	34.09
	2	SECONDARY	2694	13.00
UNIVERSE:	ALL ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS			
INPUT VAR:				
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSPS_S	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	SPOUSE PRIMARY OR SECONDARY COVERAGE			
			FREQ	%
VALUE:	-1	INAPPLICABLE	15159	73.15
	1	PRIMARY	3382	16.32
	2	SECONDARY	2183	10.53
UNIVERSE:	ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS			
INPUT VAR:				
NOTES:				

VARNAME:	INST_12	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS			
VALUE:	-1	INAPPLICABLE-AGE>=65	FREQ	%
	1	MEDI-CAL (MEDICAID) ONLY	7848	37.87
	2	EMPLOYER-BASED COVERAGE ONLY (EBI)	1505	7.26
	3	PRIVATE COVERAGE ONLY	7071	34.12
	4	OTHER COVERAGE ONLY	849	4.10
	5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	557	2.69
	6	UNINSURED ONLY	243	1.17
	7	UNINSURED + EMPLOYER-BASED ONLY	1678	8.10
	8	ANY 1 OR MORE TYPES + UNINSURED	363	1.75
			610	2.94
UNIVERSE:	ALL ADULTS UNDER 65			
INPUT VAR:	INSLT12			
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSTYP_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE)

VALUE:			FREQ	%
1	UNINSURED		2099	10.13
2	MEDICARE & MEDICAID		1401	6.76
3	MEDICARE & OTHERS		5876	28.35
4	MEDICARE ONLY		816	3.94
5	MEDICAID		1470	7.09
6	EMPLOYMENT-BASED		7669	37.01
7	PRIVATELY PURCHASED		944	4.56
8	HEALTHY FAM/OTHER PUBLIC		449	2.17

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE

NOTES:

VARNAME: UNINSANY QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:			FREQ	%
-1	SKIPPED - AGES>=65		7848	37.87
1	UNINSURED ALL YEAR		1678	8.10
2	UNINSURED PART YEAR		973	4.70
3	INSURED ALL YEAR		10225	49.34

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	11039	53.27
1	ACCEPTED EBI	6382	30.80
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	1114	5.38
3	WAS OFFERED EBI, NOT ELIGIBLE	814	3.93
4	WAS NOT OFFERED EBI	1375	6.63

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

VARNAME: OFFTK_S QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	15650	75.52
1	ACCEPTED EBI	3435	16.57
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	676	3.26
3	WAS OFFERED EBI, NOT ELIGIBLE	239	1.15
4	WAS NOT OFFERED EBI	724	3.49

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM_S INSPS_S AG8 AG11 AG9 AI43 AI44

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH73B QNAME13: QA13_H70
QNAME11: NA QNAME09: NA

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE:			FREQ	%
-1	INAPPLICABLE		11934	57.59
1	YES		2183	10.53
2	NO		6607	31.88

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES: Cannot trend with CHIS 2011 AH73 due to universe change.

VARNAME: AH100 QNAME13: QA13_H88
QNAME11: QA11_H81 QNAME09: NA

LABEL: ANYONE HELP FIND HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		20162	97.29
1	YES		204	0.98
2	NO		358	1.73

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH101_P QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	20520	99.02
1	BROKER	132	0.64
2	FAMILY MEMBER/FRIEND	50	0.24
3	INTERNET	7	0.03
4	OTHER/MULTIPLE REASONS	15	0.07

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES:

VARNAME: AH102_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)

MEAN STATISTICS	
N	2343
MIN	0
MAX	9
MEAN	3.89

UNIVERSE: ALL ADULTS WHO WERE HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART
DISEASE DURING THE PAST 12 MOS

INPUT VAR: AH102

NOTES: TOPCODE = 9

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH103 QNAME13: QA13_I81
QNAME11: QA11_H78 QNAME09: NA

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		16979	81.93
1	YES		562	2.71
2	NO		3183	15.36

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS OR WHO BOUGHT INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

VARNAME: AH95_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		16491	79.57
0	0 TIMES		78	0.38
1	1 TIMES		2642	12.75
2	2 TIMES		823	3.97
3	3 TIMES		315	1.52
4	4 TIMES		161	0.78
5	5+ TIMES		214	1.03

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH96_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18497	89.25
	2	NO	1135	5.48
			1092	5.27

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH
INS WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR: AH96

NOTES:

VARNAME: AH97_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18839	90.90
	2	NO	831	4.01
			1054	5.09

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH
INS WITH DEDUCTIBLE GREATER THAN \$2,000

INPUT VAR: AH97

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH98_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	VERY DIFFICULT	20162	97.29
	2	SOMEWHAT DIFFICULT	236	1.14
	3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	111	0.54
			215	1.04

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH98

NOTES:

VARNAME: AH99_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	VERY DIFFICULT	20162	97.29
	2	SOMEWHAT DIFFICULT	302	1.46
	3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	115	0.55
			145	0.70

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH99

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section J: Health Care Utilization and Access

VARNAME: AH1 QNAME13: QA13_H1
QNAME11: QA11_H1 QNAME09: QA09_H1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
1	YES		13712	66.16
2	NO		1975	9.53
3	DOCTOR / MY DOCTOR		4010	19.35
4	KAISER		968	4.67
5	MORE THAN ONE PLACE		59	0.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH3_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		1975	9.53
1	DOCTOR'S OFFICE/KAISER/HMO		13681	66.02
2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC		4725	22.80
3	EMERGENCY ROOM		169	0.82
4	OTHER/NO ONE PLACE		174	0.84

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR: AH3

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USOC QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		18586	89.68
2	NO		2138	10.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: USUAL QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:			FREQ	%
1	YES		18749	90.47
2	NO		1975	9.53

UNIVERSE: ALL ADULTS

INPUT VAR: AH1

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL_TP QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: USUAL SOURCE OF CARE (7 LVLS)

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		14523	70.08
2	COMMUN/GOV CLIN, COMMUN HOSP		3899	18.81
3	EMERGENCY ROOM		163	0.79
5	SOME OTHER PLACE		117	0.56
6	NO ONE PARTICULAR PLACE		47	0.23
7	NO USUAL SOURCE OF CARE		1975	9.53

UNIVERSE: ALL ADULTS

INPUT VAR: AH1 AH3

NOTES:

VARNAME: USUAL5TP QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		14523	70.08
2	COMMUN/GOV CLIN, COMMUN HOSP		3899	18.81
3	EMERGENCY ROOM/URGENT CARE		163	0.79
4	OTHER PLACE/NO ONE PLACE		164	0.79
5	NO USUAL SOURCE OF CARE		1975	9.53

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH6

QNAME13: QA13_J2

QNAME11: QA11_J2

QNAME09: QA09_J2

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:			FREQ	%
-1	INAPPLICABLE		17844	86.10
0	WITHIN THE PAST YR		503	2.43
1	1 TO 2 YRS AGO		1193	5.76
2	2 TO 5 YRS AGO		719	3.47
3	MORE THAN 5 YRS AGO		408	1.97
4	NEVER		57	0.28

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS OR REF/DK

INPUT VAR:

NOTES:

VARNAME: ACMDNUM

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0 TIME		2880	13.90
1	1 TIMES		3568	17.22
2	2 TIMES		3484	16.81
3	3 TIMES		2377	11.47
4	4 TIMES		2265	10.93
5	5 TIMES		1197	5.78
6	6 TIMES		1294	6.24
7	7-8 TIMES		842	4.06
8	9-12 TIMES		1555	7.50
9	13-24 TIMES		780	3.76
10	25+ TIMES		482	2.33

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DOCT_YR QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: VISITED DOCTOR IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		17844	86.10
2	NO		2880	13.90

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

VARNAME: AJ77 QNAME13: QA13_J4
QNAME11: QA11_J3 QNAME09: QA09_J3

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE:			FREQ	%
-1	INAPPLICABLE		1975	9.53
1	YES		16810	81.11
2	NO		1939	9.36

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE
ABOUT HEALTH

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ78

QNAME13: QA13_J5

QNAME11: QA11_J4

QNAME09: QA09_J4

LABEL: CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		1453	7.01
1	YES		6364	30.71
2	NO		12907	62.28

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ79

QNAME13: QA13_J6

QNAME11: QA11_J5

QNAME09: QA09_J5

LABEL: HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE

VALUE:			FREQ	%
-1	INAPPLICABLE		14360	69.29
1	NEVER		164	0.79
2	SOMETIMES		465	2.24
3	USUALLY		1241	5.99
4	ALWAYS		4494	21.69

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN PAST 12 MOS AND CONTACTED DOC OFFICE WITH A MEDICAL QUESTION

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ80 QNAME13: QA13_J11
QNAME11: QA11_J11 QNAME09: QA09_J6

LABEL: DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS

VALUE:			FREQ	%
-1	INAPPLICABLE		15893	76.69
1	YES		3362	16.22
2	NO		1469	7.09

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AJ50_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		15610	75.32
1	ENGLISH		3608	17.41
2	SPANISH		1040	5.02
3	VIETNAMESE		50	0.24
4	KOREAN		101	0.49
5	CANTONESE		39	0.19
6	MANDARIN		76	0.37
7	OTHER		66	0.32

UNIVERSE: ALL ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ9 QNAME13: QA13_J14
QNAME11: QA11_J14 QNAME09: QA09_J9

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		19978	96.40
1	YES		349	1.68
2	NO		263	1.27

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A
HARD TIME UNDERSTANDING DOCTOR

INPUT VAR:

NOTES:

VARNAME: AJ10 QNAME13: QA13_J15
QNAME11: QA11_J15 QNAME09: QA09_J10

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		16370	78.99
1	YES		509	2.46
2	NO		3711	17.91

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND DIDN'T
HAVE HARD TIME UNDERSTANDING DOCTOR SPEAKING TO THEM IN ENGLISH

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ11 QNAME13: QA13_J16
QNAME11: QA11_J16 QNAME09: QA09_J11

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		20081	96.90
1	MINOR CHILD (UNDER AGE 18)		7	0.03
2	AN ADULT FAMILY MEMBER OR FRIEND OF MINE		142	0.69
3	NON-MEDICAL OFFICE STAFF		29	0.14
4	MEDICAL STAFF INCLUDING NURSES / DOCTORS		253	1.22
5	PROFESSIONAL INTERPRETER (BOTH IN PERSON		48	0.23
6	OTHER (PATIENTS, SOMEONE ELSE)		10	0.05
7	DID NOT HAVE SOMEONE TO HELP		20	0.10

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A
HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED
SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

VARNAME: AH16 QNAME13: QA13_J20
QNAME11: QA11_J20 QNAME09: QA09_J12

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

VALUE:			FREQ	%
1	YES		2300	11.10
2	NO		18424	88.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ19

QNAME13: QA13_J21

QNAME11: QA11_J21

QNAME09: QA09_J13

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE:			FREQ	%
-1	INAPPLICABLE		18424	88.90
1	YES		1047	5.05
2	NO		1253	6.05

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST
12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ81

QNAME13: QA13_J22

QNAME11: QA11_J22

QNAME09: QA09_J14

LABEL: DELAYED PRESCRIPTION FOR ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		20534	99.08
1	YES		68	0.33
2	NO		122	0.59

UNIVERSE: ALL ADULTS WITH ASTHMA WHO CITED COST/ LACK OF INSURANCE AS REASON
FOR DELAY IN GETTING PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH22 QNAME13: QA13_J25

QNAME11: QA11_J25 QNAME09: QA09_J17

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		2797	13.50
2	NO		17927	86.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ20 QNAME13: QA13_J27

QNAME11: QA11_J26 QNAME09: QA09_J18

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		17927	86.50
1	YES		1421	6.86
2	NO		1376	6.64

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ102 QNAME13: QA13_J9
QNAME11: QA11_J8 QNAME09: NA

LABEL: SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		855	4.13
1	YES		6361	30.69
2	NO		13508	65.18

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

VARNAME: AJ103 QNAME13: QA13_J10
QNAME11: QA11_J9 QNAME09: NA

LABEL: HOW OFTEN GET APPNT IN 2 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		14363	69.31
1	NEVER		483	2.33
2	SOMETIMES		804	3.88
3	USUALLY		1452	7.01
4	ALWAYS		3622	17.48

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO
TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ105 QNAME13: QA13_J17

 QNAME11: QA11_J17 QNAME09: NA

LABEL: KNOW RIGHTS TO INTERPRETOR DURING MED VISIT

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 18935 91.37

 2 NO 1171 5.65

 618 2.98

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

VARNAME: AJ106 QNAME13: QA13_J18

 QNAME11: QA11_J18 QNAME09: NA

LABEL: USUAL PLACE FOR HLTH CARE CHANGED PAST YR

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 2934 14.16

 2 NO 1569 7.57

 16221 78.27

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE
PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ107 QNAME13: QA13_J19

 QNAME11: QA11_J19 QNAME09: NA

LABEL: CHANGE USUAL PLACE DUE TO INSURANCE PLAN

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 19155 92.43

 2 NO 457 2.21

 1112 5.37

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE
 PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE AND CHANGED PLACE OF
 HEALTH CARE

INPUT VAR:

NOTES:

VARNAME: AJ108 QNAME13: QA13_J41

 QNAME11: QA11_J30 QNAME09: NA

LABEL: EVER USED INTERNET

VALUE: -2 PROXY SKIPPED FREQ %

 1 YES 134 0.65

 2 NO 16409 79.18

 4181 20.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ110 QNAME13: QA13_J42
QNAME11: QA11_J32 QNAME09: NA

LABEL: CONFIDENCE TO COMPLETE APPL ONLINE ON OWN

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		4181	20.17
1	VERY CONFIDENT		11746	56.68
2	SOMEWHAT CONFIDENT		3070	14.81
3	NOT TOO CONFIDENT		1040	5.02
4	NOT AT ALL CONFIDENT		553	2.67

UNIVERSE: ALL ADULTS WHO EVER USED INTERNET

INPUT VAR:

NOTES:

VARNAME: AJ111 QNAME13: QA13_J43
QNAME11: QA11_J33 QNAME09: NA

LABEL: SOMEONE TO HELP FILL OUT APPL ONLINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		14816	71.49
1	YES		4357	21.02
2	NO		1417	6.84

UNIVERSE: ALL ADULTS WHO ARE NOT VERY CONFIDENT/NOT SOMEWHAT CONFIDENT WHEN
FILLING OUT AN APPLICATION ON-LINE ON THEIR OWN

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ112 QNAME13: QA13_J7

 QNAME11: QA11_J6 QNAME09: NA

LABEL: HOW OFTEN DOC LISTENS CAREFULLY

VALUE:			FREQ	%
-1	INAPPLICABLE		3914	18.89
1	NEVER		183	0.88
2	SOMETIMES		1094	5.28
3	USUALLY		3424	16.52
4	ALWAYS		12109	58.43

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

VARNAME: AJ113 QNAME13: QA13_J8

 QNAME11: QA11_J7 QNAME09: NA

LABEL: HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO

VALUE:			FREQ	%
-1	INAPPLICABLE		3914	18.89
1	NEVER		221	1.07
2	SOMETIMES		1080	5.21
3	USUALLY		3587	17.31
4	ALWAYS		11922	57.53

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ114

QNAME13: QA13_J3

QNAME11: NA

QNAME09: NA

LABEL: TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP

VALUE:			FREQ	%
-1	INAPPLICABLE		57	0.28
0	ONE YEAR AGO OR LESS		15743	75.97
1	MORE THAN 1 UP TO 2 YEARS AGO		2455	11.85
2	MORE THAN 2 UP TO 5 YEARS AGO		1224	5.91
3	MORE THAN 5 YEARS AGO		818	3.95
4	NEVER		427	2.06

UNIVERSE: ADULTS EVER SEEN DOCTOR FOR OWN HEALTH

INPUT VAR:

NOTES:

VARNAME: AJ129

QNAME13: QA13_J26

QNAME11: NA

QNAME09: NA

LABEL: EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED

VALUE:			FREQ	%
-1	INAPPLICABLE		17927	86.50
1	YES		1079	5.21
2	NO		1718	8.29

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ131_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19272	92.99
1	COULDN'T GET APPOINTMENT		196	0.95
2	COST, INSURANCE (NOT COVRD/ACCPTD, NO INS)		90	0.43
5	TRANSPORTATION PROBLEMS		67	0.32
6	HOURS NOT CONVENIENT		85	0.41
9	I DIDN'T HAVE TIME		345	1.66
12	DID NOT THINK SERIOUS ENOUGH/NEEDED		159	0.77
13	NOT SATISFIED WITH HEALTH CARE RECEIVED		88	0.42
14	OTHER REASON		261	1.26
15	ANXIETY, FEAR, AVOIDANCE OF MEDICAL CARE		161	0.78

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR DUE TO OTHER REASON (NOT DUE TO COST/LACK OF INSURANCE)

INPUT VAR: AJ131

NOTES:

VARNAME: AJ133

QNAME13: QA13_J37

QNAME11: NA

QNAME09: NA

LABEL: HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS

VALUE:			FREQ	%
1	YES		557	2.69
2	NO		20167	97.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ134 QNAME13: QA13_J38
QNAME11: NA QNAME09: NA

LABEL: NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR

VALUE:			FREQ	%
1	YES		593	2.86
2	NO		20131	97.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ135 QNAME13: QA13_J39
QNAME11: NA QNAME09: NA

LABEL: INSURANCE NOT ACCEPTED BY DOC PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		2069	9.98
1	YES		684	3.30
2	NO		17971	86.72

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ136 QNAME13: QA13_J33

 QNAME11: NA QNAME09: NA

LABEL: NEEDED TO SEE MED SPECIALIST PAST YR

VALUE:	1	YES	FREQ	%
	2	NO	9841	47.49
			10883	52.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ137 QNAME13: QA13_J34

 QNAME11: NA QNAME09: NA

LABEL: HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	10883	52.51
	2	NO	609	2.94
			9232	44.55

UNIVERSE: ADULTS NEEDING TO SEE MEDICAL SPECIALIST

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ138 QNAME13: QA13_J35

QNAME11: NA QNAME09: NA

LABEL: NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		10883	52.51
1	YES		441	2.13
2	NO		9400	45.36

UNIVERSE: ADULTS NEEDING TO SEE MEDICAL SPECIALIST

INPUT VAR:

NOTES:

VARNAME: AJ139 QNAME13: QA13_J36

QNAME11: NA QNAME09: NA

LABEL: INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		11334	54.69
1	YES		692	3.34
2	NO		8698	41.97

UNIVERSE: INSURED ADULTS NEEDING TO SEE MEDICAL SPECIALIST

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH12 QNAME13: QA13_H3
QNAME11: QA11_H3 QNAME09: QA09_H3

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		604	2.91
1	YES		3629	17.51
2	NO		16491	79.57

UNIVERSE: ALL ADULTS WHO DID NOT VISIT ER FOR ASTHMA/ DIABETES/ HEART DISEASE IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: ER QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		4233	20.43
2	NO		16491	79.57

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG1 QNAME13: QA13_J51
QNAME11: NA QNAME09: NA

LABEL: TIME SINCE LAST VISIT TO DENTIST/SPECIALIST

VALUE:			FREQ	%
0	HAS NEVER VISITED		224	1.08
1	6 MONTHS AGO OR LESS		12456	60.10
2	MORE THAN 6 MONTHS UP TO 1 YEAR AGO		2804	13.53
3	MORE THAN 1 YEAR UP TO 2 YEARS AGO		1763	8.51
4	MORE THAN 2 YEARS UP TO 5 YEARS AGO		1842	8.89
5	MORE THAN 5 YEARS AGO		1635	7.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG3 QNAME13: QA13_J52
QNAME11: NA QNAME09: NA

LABEL: HAVE ANY KIND OF DENTAL INSURANCE

VALUE:			FREQ	%
1	YES		11186	53.98
2	NO		9538	46.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CARE_PV QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HAD A PREVENTIVE CARE VISIT IN PAST YEAR

VALUE:			FREQ	%
1	YES		15743	75.97
2	NO		4981	24.03

UNIVERSE: ALL ADULTS

INPUT VAR: AJ114

NOTES:

VARNAME: FORGO QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HAD TO FORGO NECESSARY CARE

VALUE:			FREQ	%
1	YES		1718	8.29
2	NO		19006	91.71

UNIVERSE: ALL ADULTS

INPUT VAR: AH22 AJ129

NOTES:

VARNAME: PC_INS QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE

VALUE:			FREQ	%
-1	INAPPLICABLE		2069	9.98
1	YES		684	3.30
2	NO		17971	86.72

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AJ135

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PC_NEWP QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENTS

VALUE:			FREQ	%
1	YES		593	2.86
2	NO		20131	97.14

UNIVERSE: ALL ADULTS

INPUT VAR: AJ134

NOTES:

VARNAME: RN_FORGO QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: REASONS FORGONE NECESSARY CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		17927	86.50
1	COST		1371	6.62
2	COULDN'T GET APPOINTMENT		196	0.95
3	DIDN'T HAVE TIME		429	2.07
4	OTHERS		801	3.87

UNIVERSE: ADULTS WHO DID NOT GET NEEDED MEDICAL CARE

INPUT VAR: AJ20 AJ130

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SC_INS QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE

VALUE:			FREQ	%
-1	INAPPLICABLE		11334	54.69
1	YES		692	3.34
2	NO		8698	41.97

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ139

NOTES:

VARNAME: SC_NEWP QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENTS

VALUE:			FREQ	%
-1	INAPPLICABLE		10883	52.51
1	YES		441	2.13
2	NO		9400	45.36

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ138

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: TIMAPPT QNAME13: NA

 QNAME11: NA QNAME09: NA

LABEL: ABLE TO GET AN APPOINTMENT IN A TIMELY WAY

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	14363	69.31
	2	NO	5878	28.36
			483	2.33

UNIVERSE: INSURED ADULTS/ADULTS WITH USUAL SOURCE OF CARE WHO NEEDED DR.
 APPT WITHIN 2 DAYS IN PAST YEAR

INPUT VAR: AJ102 AJ103

NOTES:

Section K: Employment, Income, Poverty Status & Food Security

VARNAME: AK1 QNAME13: QA13_G25

 QNAME11: QA11_G26 QNAME09: QA09_G22

LABEL: WORK STATUS LAST WEEK

VALUE:	1	WORKING AT A JOB/BUSINESS	FREQ	%
	2	WITH A JOB/BUSINESS BUT NOT AT WORK	8951	43.19
	3	LOOKING FOR WORK	434	2.09
	4	NOT WORKING JOB/BUSINESS (UNEMP)	936	4.52
			10403	50.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK2_P1

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	8951	43.19
1	TAKING CARE OF HOUSE OR FAMILY	857	4.14
2	ON PLANNED VACATION	309	1.49
3	COULDN'T FIND A JOB	879	4.24
4	GOING TO SCHOOL/STUDENT	365	1.76
5	RETIRED	6701	32.33
6	PHYSICAL DISABILITY	1293	6.24
7	UNABLE TO WORK TEMPORARILY	92	0.44
8	ON LAYOFF OR STRIKE	140	0.68
10	OFF SEASON	104	0.50
11	SICK	181	0.87
91	OTHER	852	4.11

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,
OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK4

QNAME13: QA13_G29

QNAME11: QA11_G30

QNAME09: QA09_G27

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	10724	51.75
1	PRIVATE COMPANY, NON-PROFIT ORG	5680	27.41
2	GOVERNMENT	2057	9.93
3	SELF-EMPLOYED	2076	10.02
4	FAMILY BUSINESS OR FARM	187	0.90

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE
LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INDMAIN2

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: MAIN INDUSTRY - RECODE (CENSUS 2010 INDUSTRY CLASSIFICATION SCHEM

VALUE:		FREQ	%
-9	NOT ASCERTAINED	73	0.35
-1	INAPPLICABLE	10724	51.75
1	AGRICULTURE, FORESTRY, FISHING, HUNTING,	314	1.52
2	CONSTRUCTION	530	2.56
3	MANUFACTURING	916	4.42
4	WHOLESALE TRADE	173	0.83
5	RETAIL TRADE	894	4.31
6	TRANSPORTATION, WAREHOUSING, AND UTILITI	376	1.81
7	INFORMATION	281	1.36
8	FINANCE AND INSURANCE, REAL ESTATE, RENT	690	3.33
9	PROFESSIONAL, SCIENTIFIC, MANAGEMENT, AD	1238	5.97
10	EDUCATIONAL SERVICES, HEALTH CARE AND SO	2646	12.77
11	ARTS, ENTERTAINMENT, RECREATION, ACCOMMO	600	2.90
12	OTHER SERVICES, EXCEPT PUBLIC ADMINISTRA	404	1.95
13	PUBLIC ADMINISTRATION	748	3.61
14	MILITARY	24	0.12
99	COULD NOT BE CODED	93	0.45

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING

INPUT VAR: AK5, AK6

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND
OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). CASES THAT WERE
NOT AUTOCODED WERE CLASSIFIED WITH NIOSH-NIOCCS COMPUTER-ASSISTED
CODING. FOR MORE INFORMATION SEE: WWW.CDC.GOV/NIOSH-NIOCCS/

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IND FLAG

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: CENSUS INDUSTRY CODE - CODING METHOD

VALUE:		FREQ	%
-9	NOT ASCERTAINED	73	0.35
-1	INAPPLICABLE	10724	51.75
1	AUTO-CODE HIGH + MEDIUM CERTAINTY	5117	24.69
2	AUTO-CODE HIGH CERTAINTY (MED DIFFERS)	63	0.30
3	AUTO-CODE MEDIUM CERTAINTY	2371	11.44
4	MANUALLY CODED (GSR)	2371	11.44
5	MANUALLY CODED (SU)	5	0.02

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OCCMAIN2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MAIN OCCUPATION - RECODE (CENSUS 2010 OCCUPATION CLASSIFICATION S

VALUE:		FREQ	%
-9	NOT ASCERTAINED	69	0.33
-1	INAPPLICABLE	10724	51.75
1	MANAGEMENT, BUSINESS, AND FINANCIAL OCCU	1623	7.83
2	COMPUTER, ENGINEERING, AND SCIENCE OCCUP	814	3.93
3	EDUCATION, LEGAL, COMMUNITY SERVICE, ART	1741	8.40
4	HEALTHCARE PRACTITIONERS AND TECHNICAL O	606	2.92
5	SERVICE OCCUPATIONS	1467	7.08
6	SALES AND RELATED OCCUPATIONS	845	4.08
7	OFFICE AND ADMINISTRATIVE SUPPORT OCCUPA	1221	5.89
8	FARMING, FISHING, AND FORESTRY OCCUPATIO	152	0.73
9	CONSTRUCTION AND EXTRACTION OCCUPATIONS	368	1.78
10	INSTALLATION, MAINTENANCE, AND REPAIR OC	202	0.97
11	PRODUCTION OCCUPATIONS	418	2.02
12	TRANSPORTATION AND MATERIAL MOVING OCCUP	387	1.87
13	MILITARY SPECIFIC OCCUPATIONS	12	0.06
99	COULD NOT BE CODED	75	0.36

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING

INPUT VAR: AK5, AK6

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND
OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). CASES THAT WERE
NOT AUTOCODED WERE CLASSIFIED WITH NIOSH-NIOCCS COMPUTER-ASSISTED
CODING. FOR MORE INFORMATION SEE: WWWN.CDC.GOV/NIOSH-NIOCCS/

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OCC_FLAG QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CENSUS OCCUPATION CODE - CODING METHOD

VALUE:			FREQ	%
-9	NOT ASCERTAINED		69	0.33
-1	INAPPLICABLE		10724	51.75
1	AUTO-CODE HIGH + MEDIUM CERTAINTY		4465	21.55
2	AUTO-CODE HIGH CERTAINTY (MED DIFFERS)		52	0.25
3	AUTO-CODE MEDIUM CERTAINTY		2638	12.73
4	MANUALLY CODED (GSR)		2765	13.34
5	MANUALLY CODED (SU)		11	0.05

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING

INPUT VAR:

NOTES:

VARNAME: AK7_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)

MEAN STATISTICS	
N	10037
MIN	0
MAX	456
MEAN	136.64

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES: TOPCODE = 456

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: TIME AT MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		10687	51.57
0	<1 YEAR		751	3.62
1	1 YEAR		1036	5.00
2	2 YEARS		780	3.76
3	3 YEARS		570	2.75
4	4 YEARS		386	1.86
5	5 YEARS		532	2.57
6	6-9 YEARS		1367	6.60
7	10-14 YEARS		1448	6.99
8	15-19 YEARS		862	4.16
9	20-29 YEARS		1307	6.31
10	30+ YEARS		998	4.82

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK8 QNAME13: QA13_K3
QNAME11: QA11_K3 QNAME09: QA09_K3

LABEL: # PEOPLE WORKING FOR EMPLOYER/YOU

VALUE:			FREQ	%
-1	INAPPLICABLE		10687	51.57
1	1 OR 2		1912	9.23
2	3 - 9		929	4.48
3	10 - 24		790	3.81
4	25 - 50		680	3.28
5	51 - 100		477	2.30
6	101 - 200		428	2.07
7	201 - 999		697	3.36
8	1,000 OR MORE		4124	19.90

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES: CATEGORY CHANGE IN CHIS 2011-2012

VARNAME: AK10_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS	
N	10037
MIN	0
MAX	30000
MEAN	4751.97

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10A_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	5521
MIN	0
MAX	30000
MEAN	5329.41

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

VARNAME: AK22_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

MEAN STATISTICS

N	20724
MIN	0
MAX	300000
MEAN	71769.18

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK32 QNAME13: QA13_K17

QNAME11: NA QNAME09: NA

LABEL: HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH

VALUE:	1	YES	FREQ	%
	2	NO	1949	9.40
			18775	90.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK33_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)

MEAN STATISTICS	
N	1949
MIN	0
MAX	3
MEAN	1.45

UNIVERSE: ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN HOUSEHOLD

INPUT VAR: AK33

NOTES: TOPCODE = 3

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM1 QNAME13: QA13_K25
QNAME11: QA11_K23 QNAME09: QA09_K21

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:		FREQ	%
-2	PROXY SKIPPED	134	0.65
-1	INAPPLICABLE	12604	60.82
1	OFTEN TRUE	623	3.01
2	SOMETIMES TRUE	1969	9.50
3	NEVER TRUE	5394	26.03

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM2 QNAME13: QA13_K26
QNAME11: QA11_K24 QNAME09: QA09_K22

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

VALUE:		FREQ	%
-2	PROXY SKIPPED	134	0.65
-1	INAPPLICABLE	12604	60.82
1	OFTEN TRUE	645	3.11
2	SOMETIMES TRUE	2060	9.94
3	NEVER TRUE	5281	25.48

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3 QNAME13: QA13_K27
QNAME11: QA11_K25 QNAME09: QA09_K23

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-1	INAPPLICABLE		12683	61.20
1	YES		1474	7.11
2	NO		6567	31.69

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM3A QNAME13: QA13_K28
QNAME11: QA11_K26 QNAME09: QA09_K24

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-1	INAPPLICABLE		19250	92.89
1	ALMOST EVERY MONTH		545	2.63
2	SOME MONTHS BUT NOT EVERY MONTH		558	2.69
3	ONLY IN 1 OR 2 MONTHS		371	1.79

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS OR NOT KNOWN AND SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM4 QNAME13: QA13_K29
QNAME11: QA11_K27 QNAME09: QA09_K25

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		12604	60.82
1	YES		1559	7.52
2	NO		6427	31.01

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM5 QNAME13: QA13_K30
QNAME11: QA11_K28 QNAME09: QA09_K26

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		12604	60.82
1	YES		953	4.60
2	NO		7033	33.94

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEV

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: FOOD SECURITY STATUS LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		14509	70.01
1	FOOD SECURITY		3930	18.96
2	FOOD INSECURITY W/O HUNGER		1418	6.84
3	FOOD INSECURITY W/ HUNGER		867	4.18

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: FSLEVCB

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: FOOD SECURITY STATUS (2 LVLS)

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		14509	70.01
1	FOOD SECURITY		3930	18.96
2	FOOD INSECURITY WITH/ WITHOUT HUNGER		2285	11.03

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FPG QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FEDERAL POVERTY GUIDELINE

VALUE:			FREQ	%
1	FPG 0 TO 138		4972	23.99
2	FPG 139 TO 200		2132	10.29
3	FPG 201 TO 400		5229	25.23
4	FPG 400+		8391	40.49

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES:

VARNAME: POVLL_ACA QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)

VALUE:			FREQ	%
1	0-138% FPL		4296	20.73
2	139-249% FPL		3507	16.92
3	250-399% FPL		3792	18.30
4	400% FPL AND ABOVE		9129	44.05

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVGWD_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

N	20724
MIN	0
MAX	24
MEAN	4.49

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAME: POVLL QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	2555	12.33
2	100-199% FPL	3706	17.88
3	200-299% FPL	3037	14.65
4	300% FPL AND ABOVE	11426	55.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ELDER_IDX

QNAME13:

QNAME11:

QNAME09:

LABEL: ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		12961	62.54
1	YES		2219	10.71
2	NO		5544	26.75

UNIVERSE: ADULTS 65 OR OVER LIVING ALONE OR W/ SPOUSE OR PARTNER

INPUT VAR: SRAGE SRTENR AM37 FAM_SIZE MARIT2 AK22

NOTES: OFFICIAL INDEX ASSESSES INCOME INADEQUACY FOR SINGLES/COUPLES
LIVING ALONE ONLY. CURRENT CHIS MEASURE MAY INCLUDE ELDERLY
SINGLES/COUPLES LIVING WITH OTHERS IN A HOUSEHOLD. FOR MORE
INFORMATION PLEASE SEE: <http://healthpolicy.ucla.edu/programs/health-disp>

VARNAME: ELIGPRG3

QNAME13: NA

QNAME11: NA

QNAME09: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:			FREQ	%
-5	INSURED		10819	52.21
-1	INAPPLICABLE-AGES>=65		7848	37.87
1	MEDI-CAL (MEDICAID) ELIG.		119	0.57
2	HEALTHY FAM ELIG.		7	0.03
3	NOT ELIG.		1931	9.32

UNIVERSE: ALL ADULTS UNDER AGE 65 AND UNINSURED

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section L: Public Program Participation

VARNAME: AL2 QNAME13: QA13_L1
QNAME11: QA11_L1 QNAME09: QA09_L1

LABEL: RECEIVING TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		10128	48.87
1	YES		324	1.56
2	NO		10272	49.57

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL OR HH POVERTY LEVEL NOT KNOWN

INPUT VAR:

NOTES:

VARNAME: AL5 QNAME13: QA13_L3
QNAME11: QA11_L3 QNAME09: QA09_L3

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		10128	48.87
1	YES		1001	4.83
2	NO		9595	46.30

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL6 QNAME13: QA13_L5
QNAME11: QA11_L5 QNAME09: QA09_L5

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		10128	48.87
1	YES		1024	4.94
2	NO		9572	46.19

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL7 QNAME13: QA13_L6
QNAME11: QA11_L6 QNAME09: QA09_L6

LABEL: CURRENTLY ON WIC

VALUE:			FREQ	%
-1	INAPPLICABLE		20054	96.77
1	YES		284	1.37
2	NO		386	1.86

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND HAS A CHILD UNDER AGE 7

INPUT VAR:

NOTES: CAUTION TRENDING WITH PRIOR YEARS DUE TO UNIVERSE CHANGES.

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL22 QNAME13: QA13_G28
QNAME11: QA11_G29 QNAME09: QA09_G26

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	17178	82.89
	2	NO	908	4.38
			2638	12.73

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AL32 QNAME13: QA13_L12
QNAME11: NA QNAME09: NA

LABEL: RECD ANY WORKERS COMPENSATION LAST MO

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	10128	48.87
	2	NO	99	0.48
			10497	50.65

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

VARNAM:      AL18A                                QNAME13:   QA13_L14

                                           QNAME11:   QA11_L12           QNAME09:   QA09_L12

LABEL:      RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:      -1          INAPPLICABLE                                FREQ          %
              1          YES                                15363          74.13
              2          NO                                4145           20.00
                                           1216           5.87

UNIVERSE:   (ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER
              OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL
              ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

```

Section M: Housing & Community Involvement

VARNAME:	AK23	QNAME13:	QA13_M1	
		QNAME11:	QA11_M1	QNAME09: QA09_M1
LABEL:	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME			
VALUE:	1	HOUSE	FREQ	%
	2	DUPLEX	14975	72.26
	3	BUILDING WITH 3 OR MORE UNITS	819	3.95
	4	MOBILE HOME	3876	18.70
			1054	5.09
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK25 QNAME13: QA13_M2

 QNAME11: QA11_M2 QNAME09: QA09_M2

LABEL: OWN OR RENT HOME

VALUE:			FREQ	%
-8	DON'T KNOW		27	0.13
-7	REFUSED		61	0.29
1	OWN		13833	66.75
2	RENT		5993	28.92
3	OTHER ARRANGEMENT		810	3.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM19 QNAME13: QA13_M7

 QNAME11: QA11_M7 QNAME09: QA09_M4

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	STRONGLY AGREE		5375	25.94
2	AGREE		12384	59.76
3	DISAGREE		2298	11.09
4	STRONGLY DISAGREE		533	2.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM20 QNAME13: QA13_M8

QNAME11: NA QNAME09: NA

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG

VALUE:			FREQ	%
-8	DON'T KNOW		1188	5.73
-7	REFUSED		48	0.23
-2	PROXY SKIPPED		134	0.65
-1	INAPPLICABLE		8	0.04
1	STRONGLY AGREE		305	1.47
2	AGREE		2106	10.16
3	DISAGREE		12726	61.41
4	STRONGLY DISAGREE		4209	20.31

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES:

VARNAME: AM21 QNAME13: QA13_M9

QNAME11: QA11_M8 QNAME09: QA09_M6

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	STRONGLY AGREE		4273	20.62
2	AGREE		13503	65.16
3	DISAGREE		2312	11.16
4	STRONGLY DISAGREE		502	2.42

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM35 QNAME13: QA13_M10
QNAME11: QA11_M9 QNAME09: QA09_M7

LABEL: NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	STRONGLY AGREE		4487	21.65
2	AGREE		12005	57.93
3	DISAGREE		1780	8.59
4	STRONGLY DISAGREE		320	1.54
5	NOT APPLICABLE		1998	9.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AK28 QNAME13: QA13_M11
QNAME11: QA11_M10 QNAME09: QA09_M8

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

VALUE:			FREQ	%
-2	PROXY SKIPPED		134	0.65
1	ALL OF THE TIME		11002	53.09
2	MOST OF THE TIME		7813	37.70
3	SOME OF THE TIME		1542	7.44
4	NONE OF THE TIME		233	1.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM36 QNAME13: QA13_M12
QNAME11: QA11_M11 QNAME09: QA09_M9

LABEL: DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR

VALUE:			FREQ	%
1	YES		9307	44.91
2	NO		11417	55.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM39 QNAME13: QA13_M13
QNAME11: QA11_M12 QNAME09: NA

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		2799	13.51
2	NO		17925	86.49

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM40 QNAME13: QA13_M14
QNAME11: QA11_M13 QNAME09: NA

LABEL: MEET INFORMALLY TO DEAL W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		4651	22.44
2	NO		16073	77.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM37 QNAME13: QA13_M3

QNAME11: QA11_M3 QNAME09: NA

LABEL: CURRENTLY PAYING OFF MORTGAGE/HOME LOAN

VALUE:			FREQ	%
-1	INAPPLICABLE		14609	70.49
1	YES		2444	11.79
2	NO		3671	17.71

UNIVERSE: ALL ADULTS WHO ARE >= 65 AND OWN HOME

INPUT VAR:

NOTES:

VARNAME: AM38_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		15333	73.99
1	CHANGE IN MARITAL/RELATIONSHIP STATUS		353	1.70
2	TO ESTABLISH OWN HOUSEHOLD		501	2.42
3	FOR CHILD'S EDUCATION/TO ATTEND OR LEAVE		189	0.91
5	WORK RELATED		534	2.58
6	COULDN'T AFFORD MORTGAGE/RENT		634	3.06
7	OTHER HOUSING RELATED		1729	8.34
8	BETTER NEIGHBORHOOD/LESS CRIME		292	1.41
91	OTHER		1159	5.59

UNIVERSE: ALL ADULTS WHO HAVE LIVED AT CURRENT ADDRESS FOR LESS THAN 5 YEARS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section N: Demographic Info Part III, Geographic Info

VARNAME: AM34 QNAME13: QA13_N10
QNAME11: QA11_N10 QNAME09: QA09_N8

LABEL: TELEPHONE CALLS RECEIVED

VALUE:		FREQ	%
-8	DON'T KNOW	49	0.24
-7	REFUSED	10	0.05
-1	INAPPLICABLE	6359	30.68
1	ALL OR ALMOST ALL CALLS ON CELL PHONES	3929	18.96
2	SOME CALLS ON CELL, SOME REGULAR PHONES	5477	26.43
3	VERY FEW OR NO CALLS ON CELL PHONES	4900	23.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR_BG QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:		FREQ	%
1	URBAN	7006	33.81
2	2ND CITY	4144	20.00
3	SUBURBAN	4766	23.00
4	TOWN AND RURAL	4808	23.20

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_CLRT QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		7625	36.79
2	2ND CITY		5456	26.33
3	SUBURBAN		3656	17.64
4	TOWN AND RURAL		3987	19.24

UNIVERSE: ALL ADULTS

INPUT VAR: BESTZIP

NOTES:

VARNAME: UR_CLRT2 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:			FREQ	%
1	URBAN		16737	80.76
2	RURAL		3987	19.24

UNIVERSE: ALL ADULTS

INPUT VAR: UR_CLRT

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - IHS

VALUE:			FREQ	%
1	URBAN		12328	59.49
2	RURAL		8396	40.51

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - OMB

VALUE:			FREQ	%
1	METROPOLITAN		19057	91.96
2	NON-METROPOLITAN		1667	8.04

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

VARNAME: UR_RHP QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - RHP

VALUE:			FREQ	%
1	URBAN		17526	84.57
2	RURAL		3198	15.43

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	UR_TRACT	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)			
			FREQ	%
VALUE:	1	URBAN	7152	34.51
	2	2ND CITY	4433	21.39
	3	SUBURBAN	4486	21.65
	4	TOWN AND RURAL	4653	22.45
UNIVERSE:	ALL ADULTS			
INPUT VAR:	CBLK			
NOTES:				

Section O: Full Design and Replicate Weight Series 0-80

VARNAME:	RAKEDW0	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	CHIS2013 RAKED WEIGHT - FULL SAMPLE			
VALUE:	.	0 - HIGH	FREQ 20724	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:	NA			
NOTES:				

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW1 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 1
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW2 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 2
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW3 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 3
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW4 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 4

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW5 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 5

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW6 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 6

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW7 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 7
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW8 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 8
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW9 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 9
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW10 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 10
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW11 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 11
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW12 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 12
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW13 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 13

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW14 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 14

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW15 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 15

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW16 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 16
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW17 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 17
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW18 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 18
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW19 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 19
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW20 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 20
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW21 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 21
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW22 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 22
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW23 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 23
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW24 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 24
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW25 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 25
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW26 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 26
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW27 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 27
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW28 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 28

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW29 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 29

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW30 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 30

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW31 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 31
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW32 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 32
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW33 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 33
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW34 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 34

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW35 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 35

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW36 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 36

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW37 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 37
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW38 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 38
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW39 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 39
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW40 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 40

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW41 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 41

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW42 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 42

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW43 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 43

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW44 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 44

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW45 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 45

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW46 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 46
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW47 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 47
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW48 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 48
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW49 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 49
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW50 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 50
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW51 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 51
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW52 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 52
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW53 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 53
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW54 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 54
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW55 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 55
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW56 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 56
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW57 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 57
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW58 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 58
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW59 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 59
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW60 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 60
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW61 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 61
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW62 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 62
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW63 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 63
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW64 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 64
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW65 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 65
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW66 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 66
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW67 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 67

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW68 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 68

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW69 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 69

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW70 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 70
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW71 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 71
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW72 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 72
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW73 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 73

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW74 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 74

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

VARNAME: RAKEDW75 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 75

VALUE:			FREQ	%
.	0 - HIGH		20724	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW76 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 76
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW77 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 77
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME: RAKEDW78 QNAME13: NA
QNAME11: NA QNAME09: NA
LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 78
VALUE: . 0 - HIGH
FREQ %
20724 100.00
UNIVERSE: ALL ADULTS
INPUT VAR: NA
NOTES:

VARNAME:	RAKEDW79	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	CHIS2013 RAKED WEIGHT - REPLICATE 79			
VALUE:	.	0 - HIGH	FREQ 20724	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:	NA			
NOTES:				

VARNAME:	RAKEDW80	QNAME13:	NA	
		QNAME11:	NA	QNAME09: NA
LABEL:	CHIS2013 RAKED WEIGHT - REPLICATE 80			
VALUE:	.	0 - HIGH	FREQ 20724	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:	NA			
NOTES:				