

## OpenType Features in JuniusX/JuniusVF

*Features are applied in the following order (see also [index](#)):*

### 1. **c2sc** – Small Capitals from Capitals

Use with `smcp` for all-small-cap text. All lower- and uppercase pairs have a small cap equivalent. ABCDE → ABCDE.

### 2. **smcp** – Small Capitals

Converts lowercase letters to small caps (when available—lowercase letters without matching caps may lack matching small caps); also several symbols and combining marks. fghij → FGHij.

### 3. **pcap** – Petite Capitals

Produces small caps in a smaller size than `smcp`. Use these when small caps have to be mixed with lowercase letters. The whole of the basic Latin alphabet is covered, plus several other letters. klmno → KLMNO.

### 4. **case** – Case-Sensitive Forms

Produces combining marks that harmonize with capital letters: Ĥ Ħ, etc.

### 5. **nal** – Alternate Annotation Forms

Produces letters and numbers circled, in parenthesis, or followed by periods, as follows:

With index 1, circled letters or numbers: ① ② . . . ③; ④ ⑤ ⑥ . . . ⑦.

With index 2, letter or numbers in parentheses: (a) . . . (z); (0) (1) . . . (20).

With index 3, double-circled numbers: ① ② . . . ③.

With index 4, white numbers in black circles: ① ② ③ ④ . . . ⑤

With index 5, numbers followed by period: 0. 1. . . 20.

For enclosed figures 10 and higher, `rlig` (Required Ligatures) must also be enabled (as it should be by default: see [Required Features](#) below).

### 6. **tnum** – Tabular Figures

Fixed-width figures: 0123456789 (default or with `lnum`), 0123456789 (with `onum`).

## 7. onum – Oldstyle Figures

Figures that harmonize with lowercase characters: 0123456789 (default or with tnum), 0123456789 (with pnum). When combined with pnum, this feature also affects subscripts and superscripts.

## 8. pnum – Proportional Figures

Proportionally spaced figures: 0123456789 (default or with lnum), 0123456789 (with onum). When combined with onum, this feature also affects subscripts and superscripts.

## 9. lnum – Lining Figures

Figures in a uniform height, harmonizing with uppercase letters: 0123456789 (default or with tnum), 0123456789 (with pnum).

## 10. zero – Slashed Zero

Produces slashed zero in all number styles: 0 0 0 0. Includes superscripts and subscripts: 0 0 0 0.

## 11. sups – Superscripts

Produces superscript numbers and letters. Only affects lining tabular and oldstyle proportional figures. All lowercase letters of the basic Latin alphabet are covered, and most uppercase letters: 0123 4567 abcde ABDEG.

## 12. subs – Subscripts

Produces subscript numbers. Only affects lining tabular and oldstyle proportional figures: 8901 2345.

## 13. ornm – Ornaments

Produces ornaments (fleurons) in either of two ways: as an indexed variant of the bullet character (U+2022) or as a variant of a-z, A-C (all fleurons are available by either method):

As a variant of •: 1=❖, 2=❖, 3=❖, 4=❖, etc., up to 29.

As a variant of a-z, A-C: e=❖, f=❖, g=❖, h=❖, etc.

The method with letters of the alphabet is easier, but the method with bullets will produce a more satisfactory result when text is displayed in an environment where JuniusX is not available or ornm is not implemented.

#### 14. **ss01 – Alternate thorn and eth**

Produces Nordic thorn and eth (þǾÞ) when the language is English, and English thorn and eth (þǾþ) with any other language. This also affects small caps, crossed thorn (þ þ̅), combining mark eth (U+1DD9, ǿ ǿ̅), and enlarged thorn and eth (see ss06). This feature depends on [loca](#) (Localized Forms), which in most applications will always be enabled.

#### 15. **ss02 – Insular Letter-Forms**

Produces insular letter-forms, e.g. ðfȝp̅p̅. Does not affect capitals (except W), as these are not commonly used in early manuscripts. For these, use the Character Variant (cvnn) features.

#### 16. **hist – Historical Forms**

Changes s to f (longs).

#### 17. **ss03 – Long s**

Changes s to f (duplicating hist). see also ss08.

#### 18. **ss04 – High Overline**

Produces a high overline over letters used as roman numbers, e.g.  $\overline{cdij} \overline{LMVX}$ .

#### 19. **ss05 – Medium-High Overline**

Produces a medium-high overline over (or through the ascenders of) letters used as roman numbers, e.g.  $\overline{cdij}$ .

#### 20. **ss06 – Enlarged Minuscules**

Lowercase letters that match the height of normal ones, but with a higher x-height, e.g. abcdefg. Covers the whole of the basic Latin alphabet and several other letters: consult the MUFI recommendation for more details.

#### 21. **ss07 – Underdotted Text**

Produces underdotted text (indicating deletion in many medieval manuscript) for many letters (including the whole of the basic Latin alphabet and a number of other letters), e.g. ȧḃċḋėḟġ ḢİJ̇K̇L̇Ṁ. This also affects small caps, e.g. ABCDEF → ȦḂĊḊĖḞ. For letters without corresponding underdotted forms (e.g. U+A751, p), use U+0323, combining dot below (p̣).

## 22. ss08 – Contextual Long s

In English and French text only, varies s and f according to rules followed by many early printers: fports, effence, fformy, disheveled, transfusions, flynefs, cliffside. For this feature to work properly, calt (Contextual Alternates) must also be enabled (as it should be by default: see [Required Features](#) below).

## 23. ss11 – r Rotunda

In lowercase and small caps, substitutes r rotunda (ʀ) for r. See also ss16

## 24. ss12 – Early English Futhorc

Changes Latin letters to their equivalents in the early English futhorc. Because of the variability of the runic alphabet, this method of transliteration may not produce the result you want. In that case, it may be necessary to manually edit the result. fisc flodu ahof → ƿiƿk ƿiƿðk ƿiƿf.

## 25. ss13 – Elder Futhark

Changes Latin letters to their equivalents in the Elder Futhark. Because of the variability of the runic alphabet, this method of transliteration may not produce the result you want. In that case, it may be necessary to manually edit the result. ABCDEFG → ƿB<MMƿX.

## 26. ss14 – Younger Futhark

Changes Latin letters to their equivalents in the Younger Futhark. Because of the variability of the runic alphabet, this method of transliteration may not produce the result you want. In that case, it may be necessary to manually edit the result. ABCDEFG → ƿBƿTƿƿ.

## 27. ss15 – Long Branch to Short Twig

In combination with ss14, converts long branch to short twig runes: ƿBƿTƿƿ → ƿƿTƿƿ.

## 28. ss16 – Contextual r Rotunda

Converts r to ʀ following the most common rules of medieval manuscripts: pʀiest, firmer, frost, oʀnament. For this feature to work properly, calt (Contextual Alternates) must also be enabled (as it should be by default: see [Required Features](#) below).

### 29. ss18 – Old-Style Punctuation Spacing

Colons, semicolons, parentheses, quotation marks and several other glyphs are spaced as in early printed books.

### 30. ss19 – Latin to Gothic Transliteration

Produces Gothic letters from Latin: Warþ þan in dagans jainans → vʌʀkʷ þʌn in ʌʌʀʌns ɣʌinʌns.

### 31. cv01 – Variants of aA

1=aA, 2=ɑA, 3=ɑ, 4=a, 5=a.

### 32. cv02 – Variants of ȳȲ

1=ȳȲ, 2=ȳȲ, 3=ȳȲ

### cv03

There are no variants of bB.

### 33. cv04 – Variant of C

1=Ĉ

### 34. cv05 – Variants of dD

1=ḏḐḑ, 2=ḏḑ.

### 35. cv06 – Variant of đ (U+0111, d with stroke)

1=đ

### 36. cv07 – Variants of eE

1=eE, 2=eE, 3=e.

### 37. cv08 – Variants of ęĘ

1=ęĘ, 2=ęĘ (etc.), 2=ęĘ.

### 38. cv09 – Variants of f F

1=fF, 2=f, 3=p, 4=p, 5=f.

### 39. cv10 – Variants of Gg

1=ȚȚ, 2=gȚ, 3=g, 4=g, 5=g.

**40. cv11 – Variants of ʒʒ (Yogh)**

1=ʒʒʒʒʒʒ.

**41. cv12 – Variants of hH**

1=hḥ.

**42. cv13 – Variants of il**

1=il, 2=iḷ.

**43. cv14 – Variants of j**

1=jḥ

**44. cv15 – Variants of k**

1=k, 2=k, 3=ḵ.

**45. cv16 – Variant of l**

1=ḷ.

**46. cv17 – Variant of ʔ (U+A749, l with high stroke)**

1=ʔ.

**47. cv18 – Variants of mM**

1=mṀmṀṀ, 2=mṀṀṀ, 3=mṀṀ.

**48. cv19 – Variants of nN**

1=nṀNṀ, 2=NṀN.

**cv20**

There are no variants of oO.

**49. cv21 – Variants of ø**

1=o, 2=ø, 3=o, 4=o.

**50. cv22 – Variant of P**

1=Ṁ.

**51. cv23 – Variant of Q**

1=Ṁ.

## 52. cv24 – Variants of rR

1=ʀʀ̥, 2=ʀ̥ʀ̥.

## 53. cv25 – Variants of sS

1=ʃʃ̥, 2=sʃ, 3=f, 4=f̥.

## 54. cv26 – Variants of tT

1=ʈʈ̥.

## cv27

There are no variants of uU.

## 55. cv28 – Variants of vV

1=pʋp, 2=ʋU.

## cv29

There are no variants of wW.

## 56. cv30 – Variants of x

1=x, 2=x̥.

## 57. cv31 – Variants of y

1=y, 2=y̥.

## 58. cv32 – Variant of Z

1=ʒ.

## 59. cv33 – A to a

l=a. This features reverts small cap A to a, enabling it to ligature with small cap N or R via hlig: ꝶ, ꝷ. Be sure to apply smcp, cv33 and hlig to both components of the ligature.

## cv34–cv39

Reserved.

## 60. cv40 – Variants of ʝ (U+204A, Tironian nota)

1=ʒ, 2=ʒ̥.

**61. cv41 – Variant of ɹ (U+A75D, rum abbreviation)**

1=ɹ.

**62. cv42 – Variants of ͡ (U+035B, combining zigzag above)**

1=͡, 2=͡, 3=͡. Positioning of the zigzag can differ from that of other combining marks, e.g. ͡, ͡, ͡. If calt “Contextual Alternates” is enabled (as it should be in most apps), variant forms of alternate 2 will be used with several letters, e.g. ͡, ͡, ͡. Enable case for forms that harmonize with capitals (͡ ͡ ͡ ͡), smcp for forms that harmonize with small caps (͡ ͡ ͡ ͡).

**63. cv43 – Variant of ͆ (U+1DD3, combining open a)**

1=͆.

**64. cv44 – Variant of ͇ (U+1DE3, combining r rotunda)**

1=͇.

**65. cv45 – Variant of ͈ (U+0305, two-letter overline)**

1=͈.

**66. cv46 – Variant of ͉ (U+0303, combining tilde)**

1=͉.

**cv47–cv49**

Reserved.

**67. cv50 – Variant of ʔ (U+0294, glottal stop)**

1=ʔ.

**68. cv51 – Variant of ʔ (question mark)**

1=ʔ.

**69. cv53 – Variants of short horizontal stroke (U+0335)**

1= ͣ, 2= ͣ, 3= ͣ

This character can be used with letters with ascenders or descenders, e.g. ͣ ͣ ͣ p. cv53 with index=1 (the default) widens the stroke, and indexes 2 and 3 offset the stroke to the right or left. Via calt, this offset is performed automatically for certain



characters with ascenders, e.g. `ḅ ḏ ḡ ḥ`. Thus it should rarely be necessary to use an index with `cv53`.

**cv53-cv99**

Reserved.

## 70. rt lm – Right to Left Mirrored Forms

Produces mirrored runes, e.g. 𐀀𐀁𐀂𐀃 → 𐀃𐀂𐀁𐀀.

## 71. hlig – Historic Ligatures

Produces ligatures for combinations that should not ordinarily do so in modern text. This feature does not produce those digraphs that have a phonetic value, e.g. æ, æ̃, æ̂. See the MUFI recommendation for this distinction. The ligatures: O2→Œ; O4→Œ̃; PP→PP̃; UE→Œ̂; UU→Ŭ; af→f̃; af→f̂; ag→g̃; al→l̃; an→ñ; an→n̂ (for n̂ and ñ see [cv33](#) above); ap→p̃; ap→p̂; ar→r̃; ar→r̂; bg→g̃; ch→h̃; ck→k̃; ðð→ð̃; ey→ỹ; fä→f̃ä (calt Contextual Alternates must be temporarily turned off for this ligature to work properly); gd→d̃; gð→ð̃; gð→ð̂; gg→g̃g; gg→ĝg; go→õ; gp→p̃; gr→r̃; nf→f̃; (U+017F f must be entered directly for this ligature to work properly); oc→c̃; o2→õ2; o4→õ4; pp→p̃p; pp→p̂p; qv→ṽ; fä→f̃ä; fch→f̃ch; ftr→f̃tr; tt→t̃; ue→ẽ; uu→ũ.

## 72. dlig – Discretionary Ligatures

Produces lesser-used ligatures, but also roman numbers, e.g. ii, II, xi, XI. The lesser-used ligatures: ct, fp, fltr, st, tr, tt, ty.

### 73. ss17 – Rare Digraphs

By “digraph” we mean conjoined letters that represent a phonetic value: the most common examples for western languages are **æ** and **œ** (though these, because they are so common, are not included in this feature). Use of this feature in web pages enables easier searches: for example, producing **þæ** from **þav** allows the word to be searched as “þav.” The digraphs covered by this feature are **aa, æ, ai, æ, ø, œ, w**, plus capital and small cap equivalents and digraph + diacritic combinations anticipated in the MUFI recommendation. To produce such a digraph + diacritic combination, either type a letter + diacritic combination as the second element of the digraph or type the diacritic after the second element. For example, a + ú yields **á**, and a + y + U+0323 (combining dot below) yields **ȳ**. To produce a digraph + diacritic combination not

covered by MUFI (e.g. **ǣ**), you may have to enter the digraph directly and not via `ss17` (rare diacritics, however, are usually safe to use with this feature—e.g. **ǣ̇**).

## 74. Required Features

Required features, which provide some of the font’s most basic functionality—ligatures, support for other features, kerning, and more—include `ccmp` (Glyph Composition/Decomposition), `calt` (Contextual Alternates), `liga` (Standard Ligatures), `loca` (Localized Forms), `rlig` (Required Ligatures), `kern` (Horizontal Kerning), and `mark/mkmk` (Mark Positioning). In MS Word these features have to be explicitly enabled on the Advanced tab of the Font dialog (Ctrl-D or Cmd-D: enable Kerning, Standard Ligatures, and Contextual Alternates, and the others will be enabled automatically), but in most other applications they are enabled by default.

## 75. Appendix: Codes for Special Characters

The following mnemonic codes, which are included in JuniusX/JuniusVF as a convenience, are resolved before all other features, which can therefore act upon them. Using one of these codes does not insert the corresponding Unicode character in the text: rather, the code remains in the underlying text and will reappear when the font is changed. If you are sending a document to a publisher or publishing it on the web, you should first replace the codes with the corresponding Unicode characters.

However, the Medieval Unicode Font Initiative (MUFI) codes for combining marks in the Private Use Area (highlighted below) are a special case. Most software will not recognize these characters as combining marks, and so will not position them correctly over the preceding characters—unless you enter them via these codes.

There are sometimes other methods than those outlined here for producing combining marks. Any alphabetic mark with a small cap equivalent can be produced by applying `smcp` to the mark, e.g. **ŕ** from U+1DDA **ŕ̇**. Variants can also be produced via Character Variant features: for example, just as dotless i can be produced via `cv13` with index 2, so combining dotless i can be produced by applying the same feature to U+0365: **ı̇**; and as `cv26` changes t to insular **τ**, so the same feature changes U+036D **ı̇** to **ı̇̈**. Such methods, where available, have a good chance of producing acceptable results where JuniusX or another MUFI font is not available.

<code>{(aa)}</code> → <b>ǣ</b> (U+A733)	<code>{(AE)}</code> → <b>Æ</b> (U+00C6)	<code>{(au)}</code> → <b>au</b> (U+A737)
<code>{(AA)}</code> → <b>Ǽ</b> (U+A732)	<code>{(ao)}</code> → <b>ǻ</b> (U+A735)	<code>{(AU)}</code> → <b>Ȧ</b> (U+A736)
<code>{(ae)}</code> → <b>æ</b> (U+00E6)	<code>{(AO)}</code> → <b>Ȧ</b> (U+A734)	<code>{(av)}</code> → <b>Ȧ</b> (U+A739)

{(AV)} → *Ȧ* (U+A738)  
 {(ay)} → *ȳ* (U+A73D)  
 {(AY)} → *Ȳ* (U+A73C)  
 {(dh)} → *ḏ* (U+00F0)  
 {(DH)} → *Ḑ* (U+00D0)  
 {(yo)} → *ȳ* (U+021D)  
 {(YO)} → *Ȳ* (U+021C)  
 {(kl)} → *ḱ* (U+A741)  
 {(OO)} → *Ṫ* (U+A74E)  
 {(oo)} → *Ṫ* (U+A74F)  
 {(ob)} → *Ṫ* (U+A74B)  
 {(OB)} → *Ṫ* (U+A74A)  
 {(pr)} → *ṛ* (U+A751)  
 {(po)} → *ṛ* (U+A753)  
 {(q1)} → *ṛ* (U+A757)  
 {(q2)} → *ṛ* (U+A759)  
 {(rr)} → *ṛ* (U+A75B)  
 {(ru)} → *ṛ* (U+A75D)  
 {(sd)} → *ṛ* (U+1E9C)  
 {(wy)} → *ȳ* (U+A761)  
 {(WY)} → *Ȳ* (U+A760)  
 {(wn)} → *ṛ* (U+01BF)  
 {(WN)} → *Ȳ* (U+01F7)  
 {(th)} → *ṫ* (U+00FE)  
 {(TH)} → *Ṫ* (U+00DE)  
 {(ct)} → *ṫ* (U+A765)  
 {(co)} → *ṛ* (U+A76F)  
 {(et)} → *ȳ* (U+A76B)  
 {(ti)} → *ȳ* (U+204A)  
 {(is)} → *ȳ* (U+A76D)  
 {(US)} → *ȳ* (U+A770)  
 {^a} → *Ṫ* (U+0363)  
 {^oa} → *Ṫ* (U+1DD3)  
 {^æ} → *Ṫ* (U+1DD4)

{^an} → *Ṫ* (U+F036)  
 {^ansc} → *Ṫ* (U+F03A)  
 {^ao} → *Ṫ* (U+1DD5)  
 {^ao} → *Ṫ* (U+1DD5)  
 {^ar} → *Ṫ* (U+F038)  
 {^arsc} → *Ṫ* (U+F130)  
 {^av} → *Ṫ* (U+1DD6)  
 {^b} → *Ṫ* (U+F012)  
 {^bsc} → *Ṫ* (U+F013)  
 {^c} → *Ṫ* (U+0368)  
 {^ç} → *Ṫ* (U+1DD7)  
 {^d} → *Ṫ* (U+0369)  
 {^d} → *Ṫ* (U+1DD8)  
 {^dsc} → *Ṫ* (U+F016)  
 {^ð} → *Ṫ* (U+1DD9)  
 {^e} → *Ṫ* (U+0364)  
 {^e} → *Ṫ* (U+F135)  
 {^ē} → *Ṫ* (U+F136)  
 {^f} → *Ṫ* (U+F017)  
 {^g} → *Ṫ* (U+1DDA)  
 {^gsc} → *Ṫ* (U+1DDB)  
 {^h} → *Ṫ* (U+036A)  
 {^i} → *Ṫ* (U+0365)  
 {^i} → *Ṫ* (U+F02F)  
 {^j} → *Ṫ* (U+F030)  
 {^j} → *Ṫ* (U+F031)  
 {^k} → *Ṫ* (U+1DDC)  
 {^ksc} → *Ṫ* (U+F01C)  
 {^l} → *Ṫ* (U+1DDD)  
 {^lsc} → *Ṫ* (U+1DDE)  
 {^m} → *Ṫ* (U+036B)  
 {^msc} → *Ṫ* (U+1DDF)  
 {^munc} → *Ṫ* (U+F01F)  
 {^n} → *Ṫ* (U+1DE0)

{^nsc} → *Ṫ* (U+1DE1)  
 {^o} → *Ṫ* (U+0366)  
 {^o} → *Ṫ* (U+F13E)  
 {^ø} → *Ṫ* (U+F032)  
 {^ō} → *Ṫ* (U+F13F)  
 {^o₂} → *Ṫ* (U+F03E)  
 {^or} → *Ṫ* (U+F03E)  
 {^orr} → *Ṫ* (U+F03F)  
 {^o₂} → *Ṫ* (U+F03F)  
 {^p} → *Ṫ* (U+F025)  
 {^q} → *Ṫ* (U+F033)  
 {^r} → *Ṫ* (U+036C)  
 {^rsc} → *Ṫ* (U+1DE2)  
 {^₂} → *Ṫ* (U+1DE3)  
 {^₂} → *Ṫ* (U+F040)  
 {^₂} → *Ṫ* (U+1DD1)  
 {^ur} → *Ṫ* (U+1DD1)  
 {^s} → *Ṫ* (U+1DE4)  
 {^f} → *Ṫ* (U+1DE5)  
 {^t} → *Ṫ* (U+036D)  
 {^tsc} → *Ṫ* (U+F02A)  
 {^τ} → *Ṫ* (U+F03B)  
 {^u} → *Ṫ* (U+0367)  
 {^v} → *Ṫ* (U+036E)  
 {^w} → *Ṫ* (U+F03C)  
 {^x} → *Ṫ* (U+036F)  
 {^y} → *Ṫ* (U+F02B)  
 {^z} → *Ṫ* (U+1DE6)  
 {^p} → *Ṫ* (U+F03D)  
 {^ol} → *Ṫ* (U+0305)  
 {^us} → *Ṫ* (U+1DD2)  
 {^zz} → *Ṫ* (U+035B)  
 {^ZZ)} → *Ṫ*{^ZZ} (U+1DCF)

## Index

**a**, combining open, variant of. [65](#).

**A to a**. [59](#).

**Aa**, variants of. [31](#).

**ꝐꝒ**, variants of. [32](#).

**C**, variant of. [33](#).

**c2sc** – Small Capitals from Capitals. [1](#).

**case** – Case-Sensitive Forms. [4](#).

**cv01** – Variants of aA. [31](#).

**cv02** – Variants of ꝐꝒ. [32](#).

**cv04** – Variant of C. [33](#).

**cv05** – Variants of dD. [34](#).

**cv06** – Variant of đ (U+0111, d with stroke). [35](#).

**cv07** – Variants of eE. [36](#).

**cv08** – Variants of ꝑꝑ. [37](#).

**cv09** – Variants of f F. [38](#).

**cv10** – Variants of Gg. [39](#).

**cv11** – Variants of ȝȝ (Yogh). [40](#).

**cv12** – Variants of hH. [41](#).

**cv13** – Variants of iI. [42](#).

**cv14** – Variants of j. [43](#).

**cv15** – Variants of k. [44](#).

**cv16** – Variant of l. [45](#).

**cv17** – Variant of ł (U+A749, l with high stroke). [46](#).

**cv18** – Variants of mM. [47](#).

**cv19** – Variants of nN. [48](#).

**cv21** – Variants of ø. [49](#).

**cv22** – Variant of P. [50](#).

**cv23** – Variant of Q. [51](#).

**cv24** – Variants of rR. [52](#).

**cv25** – Variants of sS. [53](#).

**cv26** – Variants of tT. [54](#).

**cv28** – Variants of vV. [55](#).

**cv30** – Variants of x. [56](#).

**cv31** – Variants of y. [57](#).

**cv32** – Variant of Z. [58](#).

**cv33** – A to a. [59](#).

**cv40** – Variants of ȷ (U+204A, Tironian nota). [60](#).

**cv41** – Variant of ȷ (U+A75D, rum abbreviation). [61](#).

**cv42** – Variants of ͡͡ (U+035B, combining zigzag above). [62](#).

**cv43** – Variant of ͡͡ (U+1DD3, combining open a). [63](#).

**cv44** – Variant of ͡͡ (U+1DE3, combining r rotunda). [64](#).

**cv45** – Variant of ͡͡ (U+0305, two-character overline). [65](#).

**cv46** – Variant of ͡͡ (U+0303, combining tilde). [66](#).

**cv50** – Variant of ʔ (U+0294, glottal stop). [67](#).

**cv51** – Variant of ? (question mark). [68](#).

**cv53** – Variants of short horizontal stroke. [69](#).  
(U+0335)

**dD**, variants of. [34](#).

**đ**, variant of. [35](#).

**digraphs**, [73](#).

**eE**, variants of. [36](#).

**ꝑꝑ**, variants of. [37](#).

**dlig** – Discretionary Ligatures. [72](#).

**f F**, variants of. [38](#).

**figures** – see [numbers](#)

**fleurons**. [13](#).

**futhark**, Elder. [25](#).

**futhark**, Younger. [26](#).

**futhorc**, Early English. [24](#).

**hist** – Historical Forms. [16](#).

**Gg**, variants of. [39](#).  
**glottal stop**, variant of. [67](#).  
**33**, variants of. [40](#).  
**hH**, variants of. [41](#).  
**hlig** – Historic Ligatures. [71](#).  
**iĲ**, variants of. [42](#).  
**j**, variants of. [43](#).  
**k**, variants of. [44](#).  
**l**, variants of. [45](#).  
**letters**, circled. [5](#).  
**letters**, superscript. [11](#).  
**ligatures**, discretionary. [72](#).  
**ligatures**, historic. [71](#).  
**ligatures**, required. [73](#).  
**ligatures**, standard. [73](#).  
**lnum** – Lining Figures. [9](#).  
**long branch runes**. [27](#).  
**loca** – Localized forms, [73](#).  
**mM**, variants of. [47](#).  
**Mirrored runes**. [70](#).  
**nN**, variants of. [48](#).  
**nalt** – Alternate Annotation Forms. [5](#).  
**number**, circled. [5](#).  
**numbers**, lining. [9](#).  
**numbers**, oldstyle. [7](#).  
**numbers**, proportional. [8](#).  
**numbers**, subscript. [12](#).  
**numbers**, superscript. [11](#).  
**numbers**, tabular. [6](#).  
**ø**, variants of. [49](#).  
**onum** – Oldstyle Figures. [7](#).  
**ornm** – Ornaments. [13](#).  
**overline**, two-character, variant of. [65](#).  
**P**, variants of. [50](#).  
**pcap** – Petite Capitals. [3](#).  
**pnum** – Proportional Figures. [8](#).

**Q**, variant of. [51](#).  
**question mark**, variant of. [68](#).  
**rR**, variants of. [52](#).  
**r rotunda**. [23](#).  
**r rotunda**, contextual. [28](#).  
**r rotunda**, combining. [64](#).  
**Required Features**. [73](#).  
**rtlm** – Right to Left Mirrored Forms. [70](#).  
**rum** abbreviation. [61](#).  
**runes**, Early English. [24](#).  
**runes**, Elder Futhark. [25](#).  
**runes**, Long Branch. [27](#).  
**runes**, mirrored. [70](#).  
**runes**, Short Twig. [27](#).  
**runes**, Younger Futhark. [26](#).  
**sS**, variants of. [53](#).  
**s**, long. [16](#), [17](#).  
**s**, contextual long. [22](#).  
**short twig runes**. [27](#).  
**smcp** – Small Capitals. [2](#).  
**ss01** – Alternate thorn and eth. [14](#).  
**ss02** – Insular Letter-Forms. [15](#).  
**ss03** – Long s. [17](#).  
**ss04** – High Overline. [18](#).  
**ss05** – Medium-High Overline. [19](#).  
**ss06** – Enlarged Minuscles. [20](#).  
**ss07** – Underdotted Text. [21](#).  
**ss08** – Contextual Long s. [22](#).  
**ss11** – r Rotunda. [23](#).  
**ss12** – Early English Futhorc. [24](#).  
**ss13** – Elder Futhark. [25](#).  
**ss14** – Younger Futhark. [26](#).  
**ss15** – Long Branch to Short Twig. [27](#).  
**ss16** – Contextual r Rotunda. [28](#).  
**ss18** – Old-Style Punctuation Spacing. [29](#).  
**ss19** – Latin to Gothic Transliteration. [30](#).

**stroke**, horizontal, variants of. [69](#).

**subs** – Subscripts. [12](#).

**sups** – Superscripts. [11](#).

**tT**, variants of. [54](#).

**tilde**, combining, variants of. [66](#).

**Tironian nota**. [60](#).

**tnum** – Tabular Figures. [6](#).

**vV**, variants of. [55](#).

**Yogh**, variants of. [40](#).

**Z**, variant of. [58](#).

**zero** – Slashed Zero. [10](#).

**zigzag**, combining, variants of. [62](#).