



ጤና ሚኒስቴር - ኢትዮጵያ  
MINISTRY OF HEALTH - ETHIOPIA  
የዜጎች ጤና ለሃገር ብልፅግና  
HEALTHIER CITIZENS FOR PROSPEROUS NATION



የኢትዮጵያ የሕብረተሰብ ጤና ኢንስቲትዩት  
ETHIOPIAN PUBLIC HEALTH INSTITUTE

## PUBLIC HEALTH EMERGENCY OPERATIONS CENTER (PHEOC), ETHIOPIA

### COVID-19 PANDEMIC PREPAREDNESS AND RESPONSE DAILY SITUATION REPORT ETHIOPIA

(Data reported as of 12 January 2021)

12 January 2021

ISSUE  
NO

350

## HIGHLIGHTS

- There were 4,949 samples tested for COVID-19 within the last 24 hours.
- Three-hundred-seventy-six (376) COVID-19 cases detected among the tested people bringing the total confirmed cases to 128,992.
- Six-hundred-ninety-nine (699) cases recovered today which brings the total COVID-19 recovered cases to 114,243 in the country.
- One (1) new COVID-19 related deaths occurred today bringing the total number of COVID-19 deaths to 2,004.
- There are 362 contacts of confirmed cases identified today.
- A total of 26,685 contacts of confirmed cases have been tested positive so far.
- There are 221 patients in severe condition in the treatment centers

## COVID-19 NATIONAL UPDATE

**1,560,299**  
PASSENGERS SCREENED  
FOR COVID-19 AT POEs

**332,797**  
RUMORS/ALERTS RECEIVED  
AND INVESTIGATED

**314,239**  
CONTACTS OF THE  
CONFIRMED CASES

**253,702**  
SUSPECTED CASES  
DETECTED

**1,859,648**  
TOTAL LABORATORY TESTS  
DONE

**128,992**  
TOTAL  
CONFIRMED CASE

**114,243**  
TOTAL RECOVERED

**2,004**  
TOTAL DEATH

# COVID-19 GLOBAL UPDATE

Access link for WHO COVID-19 monitoring dashboard:




Fig. 1: Summary of global COVID-19 situation as of January 12, 2021




Fig. 2: Summary of COVID-19 situation in Africa as of January 12, 2021

# MAJOR COVID-19 PREPAREDNESS AND RESPONSE EFFORTS IN ETHIOPIA

## BACKGROUND

Ethiopia activated its IMS under the national PHEOC. The WHO and other partners are currently supporting in scaling up preparedness efforts and implementation of related recommendations suggested by the IHR Emergency Committee. Different layer so coordination platform revitalized and the PHEOC is working collaboratively with various agency representative, Partners, Embassies, hospitality sector, Industrial parks and others. There is strong communication and updating from other countries through IHR-NFPs. The sub-national level is well engaged in the preparedness and response efforts. Joint regular media briefing sessions are being conducted. The first confirmed case of COVID-19 was detected on 13<sup>th</sup> March 2020; this was a day after WHO declared COVID-19 as a pandemic.

## COORDINATION and COLLABORATION:

- The national PHEOC is functioning 24/7 to coordinate the response efforts. During the night shift, the assigned night duty staffs maintain the critical functions.
- Daily morning briefing of the IMS core staff and agency representatives is being conducted on daily basis.

## EPIDEMIOLOGY and LABORATORY SURVEILLANCE:

### Confirmed COVID-19 cases, recovery and death

- Today, 376 cases are newly detected bringing the total number of COVID-19 confirmed cases to 128,992 in the country.
- Today there are 699 newly recovered cases bringing the total number of COVID-19 recovered cases to 114,243.

*Table 1: Summary of laboratory tests, new cases and deaths nationally as of January 12, 2021*

Regions/City Admin	# Tests conducted	# of New Cases	Test positivity rate	# of New deaths
Addis Ababa	3461	305	8.8%	1
Afar	163	3	1.8%	0
Amhara	68	6	8.8%	0
Benishangul Gumuz	81	0	0%	0
Dire Dawa	14	1	7.1%	0
Gambella	-	-	-	-
Harari	16	2	12.5%	0
Oromia	339	39	11.5%	0
Sidama	199	11	5.5%	0
SNNPRS	365	8	2.2%	0
Somalia	243	1	0.4%	0
Tigray	-	-	-	-
Total	4949	376	7.6%	1






Fig. 3: Summary of COVID-19 situation in Ethiopia as of January 12, 2021





Fig. 4: Trend of COVID-19 confirmed cases, death and recovery by date of reporting till January 12, 2021

#### Laboratory test:


- 4,949 laboratory samples were tested for COVID-19 in the last 24 hours; 376 (7.60%) positives and 4,573 (92.40%) negatives were detected.
- As of January 12, 2021, 1,859,648 samples have been tested for COVID-19 by laboratories in the country.



**Fig. 5: Summary of Laboratory testing related activity as of January 12, 2021**

### Contact tracing and follow-up:


- As of January 12, 2021:
  - A total of 314,239 contacts of confirmed cases have been identified. Of these 362 contacts are identified today.
  - 286,658 (91.22%) have completed 14 days follow-up, while 1,293 contacts are still on follow-up.
  - Only 716 (0.23%) contacts developed COVID-19 suggestive symptoms. Of these, 566 (79.05%) were tested positive.
  - Overall, 26,685 (8.49%) of the contacts (symptomatic plus asymptomatic) were tested positive, which are among the currently existing confirmed positive cases.



**Fig. 6: Summary of COVID-19 cases contact tracing update in Ethiopia as of January 12, 2021**

### Rumors collection and verification from all sources

- As of January 12, 2021:
  - 332,797 rumors/alerts have been received and investigated. Of these, 535 rumors are reported today.
  - 253,702 (76.23%) of the rumors/alerts have fulfilled the suspected case definition. Of these, 146 are reported today.
  - 6,427 calls were received and responded via toll-free call centers on January 12, 2021. Of these, 3,610 (56.16%) calls were COVID-19 related calls and 15 rumors were received.



**Fig. 7: Summary of rumors collection and verification as of January 12, 2021**

## PASSENGERS SCREENING:

- 1,560,299 travelers have arrived into the country and screened for COVID-19 since January 24, 2020. Among these 569,901 (36.52%) arrived via Bole International Airport while 990,398 (63.47%) entered through other point of entries.
- In the last 24 hours, 1,135 passengers have arrived via Bole International Airport and 2,569 people through other point of entries.
- A total of 72 alerts are detected during passengers screening so far.
- Follow-up of the quarantine implementation ongoing for passengers coming from abroad and returnees from different countries.
- Health screening for arriving international passengers and returnees are ongoing.

## Quarantined Passengers and Returnees Related Activities:

- Based on Directive 30/2020 there is no Institutional Quarantine at the national level because all international passengers who pass through the point of entries should bring negative valid RT-PCR test result.
- The total number of population quarantined since March 23 to October 3, 2020 was 69,383.






Fig. 8: Summary of Point of Entry screening update as of January 12, 2021

## CASE MANAGEMENT AND INFECTION PREVENTION AND CONTROL (IPC):

- Today there are 699 newly recovered cases bringing the total number of COVID-19 recovered cases to 114,243.
- There are 221 patients in severe condition and all the other patients are on medical care in stable condition.
- Today 12 suspected cases are admitted.
- Forty-six initially suspected cases were discharged after laboratory test became negative today.
- There are no suspected cases on admission waiting for laboratory test results.

## Home Based Isolation and Care:

- Since Home Based Isolation and Care (HBIC) is started in Ethiopia:
  - A total 77,691 (713 new) COVID-19 confirmed cases are followed in the HBIC.
  - 71,248 (670 new) of them have recovered in the HBIC.
  - 6,723 cases are currently on HBIC.
  - 9 COVID-19 related deaths have occurred in the HBIC.
  - 615 (no new) cases have been transferred from treatment centers to HBIC.
  - 332 (no new) cases have been transferred from HBIC to treatment centers.




Fig. 9: Summary of update on Home Based Isolation and Care as of January 12, 2021

## **LOGISTICS, ADMINISTRATION AND RELATED ACTIVITIES:**

- There is ongoing distribution of PPE, Viral Transport Media (VTM), swabs, pharmaceuticals and other medical supplies to isolation and treatment centers.

## **RISK COMMUNICATION AND COMMUNITY ENGAGEMENT (RCCE):**

- Media monitoring and daily update on COVID -19 dashboard is done.
- Daily Press release through mass Media is done.
- Routine follow up and technical support provided for all regional RCC team

## **HEALTH EVIDENCE SUMMARY AND COVID-19 UPDATES:**

### **Public Health Advice:**

- For any individual confirmed to have COVID-19 and who is candidate for Home Based Isolation and Care:
  - Properly isolate from other family members.
  - Take full responsibility in prevention of transmission
  - Strictly adhere to the National Directive of Home-Based Isolation& Care.
  - Provide reliable information during regular follow up either by phone or home visit.
  - Report to nearest health facilities/follow up team in case of any emergency, appearance of new symptoms or worsening of existing symptoms.
- The numbers of COVID-19 cases are increasing rapidly due to the presence of community transmission. Anyone of us can be the next person to acquire COVID-19, but we can prevent it if we act now. Therefore, let us support one another in this pandemic reminding others of the recommended preventions could save their lives.
- Considering the increase in transmission of COVID-19, the EPHI would like to advise the public to strictly adhere to all precautionary measures. Accordingly, we should:
  - Maintain physical distancing.
  - Wash our hands with water and soap frequently.
  - Avoid mass gatherings.
  - Cover our mouth and nose with face/cloth mask when going outdoors.

## COVID 19 Sample collection site and Sample collectors

S.No	COVID 19 Sample collection site	Sample collector team leader	Remark
1	Kirkos Sub City, Kasanchis Health Center	T1 (Dawit: 0911739640)	
2	Kirkos Sub City, Hiwot Amba Health Center	T15 (Achenef: 0948803472)	
3	Kirkos subcity, Meshualekia health center	T7 (Henok: 0928503308)	
4	Yeka Sub City, Yeka Health Center	T14 (Dr. Yotor: 0929480120)	
5	Yeka Sub City, Entoto Num2 Health Center	T20 (Worku: 0910199986)	
6	Yeka Sub City, Hidase Health Center	T2 (Tofik: 0910700220)	
7	Kolfe Sub City, Alem Bank Health Center	T6 (Kifle: 0939176982)	
8	Kolfe Sub City, Woreda 3 Health Center	T9 (Aminat: 0913926385)	
9	Bole Sub City, Dillfre Health Center	T8 (Dr.Newal: 0944166985)	
10	Bole Sub City, Amoraw Health Center	T18(Tsegaye: 09155300030)	
11	Bole Sub City, Bulbula Health Center	T10 (Yisak: 0912421414)	
12	Gulele Sub City, Shegole Health Center	T13 (Tagay: 0917950772)	
13	Gulele Sub City, Addisu Gebeya Health Center	T4 (Dr. Tsion: 0912863892)	
14	Arada Sub City, Arada Health Center	T12 (Yimiserach: 0922857156)	
15	Arada Sub City, Afenchober Health Center	T21 (Dawit B: 0912069506)	
16	Addis Ketema Sub City, Ginbot 20 Health Center	T16 (Sultan: 0913335940)	
17	Addiss Ketma Subcity, Mesalemiya Health Center	T19 (Habtamu: 0920500792)	
18	Lideta Sub City, Teklehayimnot Health Center	T17 (Dr.Ashenafi: 0913669296)	
19	Akaki Kality Sub City, Akaki Health Center	T22 (Dr.Liya: 0924143875)	
20	Nifassilk Sub City, Woreda11 Health Center	T23 (Beza: 0912992576)	
21	Federal organization/institution Requisite from EOC order	T3(Dr. Molawork:0912906933)	
22	ABET Hospital	Hana(0912128745)	
23	Minilik Hospital	Dr.Alef(0910820385)	
24	Entoto Fana Health Center	Mihretu(0922115484)	
25	Hidassie Health Center	Dr Eden(0911048627)	
26	St Paul Hospital	Ayana(0913281164)	
27	EPHI(Ethiopian public health institute)	Alfiya(0924908932)	
28	Yekatit 12 Hospital	Meti(0938936024)	
29	Ras Desta Hospital	Dr Liwam(0912642887)	
30	Zewditu Hospital	Dr Meron(0921300452)	
31	Tirunesh Beljing Hospital	Miressa(0929954537)	
32	Ghandi Hospital	Dr.Feven(0920221706)	
33	Special Population:	Dejene(0921103354)	
34	Special Population:	Endalkachew(0913186148)	

**NB: If there is any COVID19 suspected individuals or anyone who want to know his COVID19 status it is better to link him in these selected health facilities**

**Prepared by: Gebeyaw Molla: +251913130591**

**Approved By: Yimam Getanhe: +251912002053**



## National/Regional Official websites, social media pages and toll-free hotline for COVID-19 information

MOH/EPHI/Region	Facebook page or Twitter/telegram/YouTube Channel	Toll-free hotline	Email address
Ethiopian Public Health Institute Main Website	<a href="https://www.ephi.gov.et/">https://www.ephi.gov.et/</a>	8335	<a href="mailto:ephieoc@gmail.com">ephieoc@gmail.com</a>
Ethiopian Public Health Institute COVID-19 Website	<a href="https://covid19.ephi.gov.et/">https://covid19.ephi.gov.et/</a>		
Ethiopian Public Health Institute Facebook Page	<a href="https://www.facebook.com/ephipage/">https://www.facebook.com/ephipage/</a>		
Ethiopian Public Health Institute Twitter Page	<a href="https://twitter.com/EPHIEthiopia">https://twitter.com/EPHIEthiopia</a>		
Ethiopian Public Health Institute Telegram Channel	<a href="https://t.me/EthPHI">https://t.me/EthPHI</a>		
Ethiopian Public Health Institute YouTube Channel	<a href="https://www.youtube.com/channel/UCvvTzeY-IJiQfEFBULH9Mkw">https://www.youtube.com/channel/UCvvTzeY-IJiQfEFBULH9Mkw</a>		
Ministry of Health, Ethiopia Website	<a href="http://www.moh.gov.et">www.moh.gov.et</a>	952	
Ministry of Health, Ethiopia Facebook Page	<a href="https://www.facebook.com/EthiopiaFMoH/">https://www.facebook.com/EthiopiaFMoH/</a>		
Afar Regional Health Bureau	<a href="https://www.facebook.com/afarrhb.org/">https://www.facebook.com/afarrhb.org/</a>	6220	<a href="mailto:afarpheoc@gmail.com">afarpheoc@gmail.com</a>
Amhara Regional Health Bureau	<a href="https://www.facebook.com/Amhara-Healthbureau-682065755146948/">https://www.facebook.com/Amhara-Healthbureau-682065755146948/</a>	6981	<a href="mailto:aphieoc@gmail.com">aphieoc@gmail.com</a>
Benishangul Gumuz Regional Health Bureau	<a href="https://www.facebook.com/Benishangul-Gumuz-Health-Bureau-1676282159265517/">https://www.facebook.com/Benishangul-Gumuz-Health-Bureau-1676282159265517/</a>	6016	<a href="mailto:bgpheoc@gmail.com">bgpheoc@gmail.com</a>
Gambela Regional Health Bureau	<a href="https://fb.me/gambellaregionhealthbureau">https://fb.me/gambellaregionhealthbureau</a>	6184	<a href="mailto:gambellapheoc@gmail.com">gambellapheoc@gmail.com</a>
Harari Regional Health Bureau	<a href="https://www.facebook.com/Harari-Regional-Health-Bureau-1464182130355007/">https://www.facebook.com/Harari-Regional-Health-Bureau-1464182130355007/</a>	6864	<a href="mailto:hrhbpheoc@gmail.com">hrhbpheoc@gmail.com</a>
Oromia Regional Health Bureau	<a href="https://www.facebook.com/OromiaHealth/">https://www.facebook.com/OromiaHealth/</a>	6955	<a href="mailto:oromiapheoc@gmail.com">oromiapheoc@gmail.com</a>
Somali Regional Health Bureau	<a href="https://www.facebook.com/srhbdotcom/">https://www.facebook.com/srhbdotcom/...</a>	6599	<a href="mailto:somalipheoc@gmail.com">somalipheoc@gmail.com</a>
SNNP Regional Health Bureau	<a href="https://www.facebook.com/snnprhealthbureau/?ref=br_rs">https://www.facebook.com/snnprhealthbureau/?ref=br_rs</a>	6929	<a href="mailto:snnppheoc@gmail.com">snnppheoc@gmail.com</a>
Tigray Regional Health Bureau	<a href="https://www.facebook.com/tigrayrhb/">https://www.facebook.com/tigrayrhb/</a>	6244	<a href="mailto:tigraypheoc@gmail.com">tigraypheoc@gmail.com</a>
Sidama PHEM			<a href="mailto:sidamapheoc@gmail.com">sidamapheoc@gmail.com</a>
Dire Dawa city Administration Health Bureau	<a href="https://www.facebook.com/Dire-Dawa-Administration-Health-Bureau-1371606266279524/">https://www.facebook.com/Dire-Dawa-Administration-Health-Bureau-1371606266279524/</a>	6407	<a href="mailto:ddpheoc@gmail.com">ddpheoc@gmail.com</a>
Addis Ababa City Administration Health Bureau	<a href="https://www.facebook.com/aahb.gov.et/">https://www.facebook.com/aahb.gov.et/</a>	6406	<a href="mailto:aapheoc@gmail.com">aapheoc@gmail.com</a>
Ethiopian COVID-19 monitoring platform	<a href="https://www.covid19.et/">https://www.covid19.et/</a>		

## Global Official Sources of COVID-19 Updates and Evidence:

Source	Link
WHO Coronavirus (COVID-19) dashboard	<a href="https://covid19.who.int/">https://covid19.who.int/</a>
Africa CDC Dashboard, COVID-19 Surveillance Dashboard	<a href="https://au.int/en/covid19">https://au.int/en/covid19</a>
WHO COVID-19 daily situation reports	<a href="https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports">https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports</a>
WHO Academy mobile learning app for health	<a href="https://play.google.com/store/apps/details?id=org.who.WHOA">https://play.google.com/store/apps/details?id=org.who.WHOA</a>
Ongoing and completed COVID-19 studies listed on the World Health Organization's International Clinical Trials Registry Platform (WHO ICTRP)	<a href="https://clinicaltrials.gov/ct2/who_table">https://clinicaltrials.gov/ct2/who_table</a>

## Web-Search Summary: COVID-19 Related Health Evidence:

Articles/Comment/ Correspondence/ Editorials	Summary
<p>Persistent symptoms after Covid-19: qualitative study of 114 “long Covid” patients and draft quality principles for services  <a href="https://doi.org/10.1186/s12913-020-06001-y">https://doi.org/10.1186/s12913-020-06001-y</a></p>	<ul style="list-style-type: none"> <li>Approximately 10% of patients with Covid-19 experience symptoms beyond 3–4 weeks. Patients call this “long Covid”. We sought to document such patients’ lived experience, including accessing and receiving healthcare and ideas for improving services.</li> <li>We held 55 individual interviews and 8 focus groups (n=59) with people recruited from UK-based long Covid patient support groups, social media and snowballing. We restricted some focus groups to health professionals since they had already self-organized into online communities. Participants were invited to tell their stories and comment on others’ stories. Data were audiotaped, transcribed, anonymised and coded using NVIVO.</li> <li>Of 114 participants aged 27–73 years, 80 were female. Eighty-four were White British, 13 Asian, 8 White Other, 5 Black, and 4 mixed ethnicity. Thirty-two were doctors and 19 other health professionals. Thirty-one had attended hospital, of which eight had been admitted. Analysis revealed a confusing illness with many varied and often relapsing-remitting symptoms and uncertain prognosis; a heavy sense of loss and stigma; difficulty accessing and navigating services; difficulty being taken seriously and achieving a diagnosis; disjointed and siloed care; variation in variable quality of the therapeutic relationship and possible critical events. Emotionally significant aspects of participants’ experiences informed ideas for improving services.</li> <li>Suggested quality principles for a long Covid service include ensuring access to care, reducing burden of illness, taking clinical responsibility and providing continuity of care, multi-disciplinary rehabilitation, evidence-based investigation and management, and further development of the knowledge base and clinical services.</li> </ul>
<p>Risk factors associated with mortality of COVID-19 in 3125 counties of the United States  <a href="https://doi.org/10.1186/s40249-020-00786-0">https://doi.org/10.1186/s40249-020-00786-0</a></p>	<ul style="list-style-type: none"> <li>The number of cumulative confirmed cases of COVID-19 in the United States has risen sharply since March 2020. A county health ranking and roadmaps program has been established to identify factors associated with disparity in mobility and mortality of COVID-19 in all counties in the United States. The risk factors associated with county-level mortality of COVID-19 with various levels of prevalence are not well understood.</li> <li>A total of 3125 infected counties were assigned into three classes corresponding to low, median, and high prevalence levels of infection. Several risk factors were significantly associated with the mortality counts of COVID-19, where higher level of air pollution (0.153, <math>P &lt; 0.001</math>) increased the mortality in the low prevalence counties and elder individuals were more vulnerable in both the median (0.049, <math>P &lt; 0.001</math>) and high (0.114, <math>P &lt; 0.001</math>) prevalence counties. The segregation between non-Whites and Whites (low: 0.015, <math>P &lt; 0.001</math>; median: 0.025, <math>P &lt; 0.001</math>; high: 0.019, <math>P = 0.005</math>) and higher Hispanic population (low and median: 0.020, <math>P &lt; 0.001</math>; high: 0.014, <math>P = 0.009</math>) had higher likelihood of risk of the deaths in all infected counties.</li> <li>The mortality of COVID-19 depended on sex, race/ethnicity, and outdoor environment. The increasing awareness of the impact of these significant factors may help decision makers, the public health officials, and the general public better control the risk of pandemic, particularly in the reduction in the mortality of COVID-19.</li> </ul>
<p>Efforts to mitigate the economic impact of the COVID-19 pandemic: potential entry points for neglected tropical diseases  <a href="https://doi.org/10.1186/s40249-020-00790-4">https://doi.org/10.1186/s40249-020-00790-4</a></p>	<ul style="list-style-type: none"> <li>The damage inflicted by the coronavirus diseases 2019 (COVID-19) pandemic upon humanity is and will continue to be considerable. Unprecedented progress made in global health over the past 20 years has reverted and economic growth has already evaporated, giving rise to a global recession, the likes of which we may not have experienced since the Second World War. Our aim is to draw the attention of the neglected tropical disease (NTD) community towards some of the major emerging economic opportunities which are quickly appearing on the horizon as a result of COVID-19.</li> </ul>

	<ul style="list-style-type: none"> <li>This scoping review relied on a literature search comprised of a sample of articles, statements, and press releases on initiatives aimed at mitigating the impact of COVID-19, while supporting economic recovery. Of note, the donor scenario and economic development agendas are highly dynamic and expected to change rapidly as the COVID-19 pandemic unfolds, as are donor and lender priorities.</li> <li>The NTD community, particularly in low- and middle-income countries (LMICs), will need to work quickly, diligently, and in close collaboration with decision-makers and key stakeholders, across sectors at national and international level to secure its position.</li> </ul>
Guide	Link
Considerations for quarantine of individuals in the context of containment for coronavirus disease (COVID-19)	<a href="https://www.who.int/publications/i/item/considerations-for-quarantine-of-individuals-in-the-context-of-containment-for-coronavirus-disease-(covid-19)">https://www.who.int/publications/i/item/considerations-for-quarantine-of-individuals-in-the-context-of-containment-for-coronavirus-disease-(covid-19)</a>
Home care for patients with suspected or confirmed COVID-19 and management of their contacts	<a href="https://www.who.int/publications/i/item/home-care-for-patients-with-suspected-novel-coronavirus-(ncov)-infection-presenting-with-mild-symptoms-and-management-of-contacts">https://www.who.int/publications/i/item/home-care-for-patients-with-suspected-novel-coronavirus-(ncov)-infection-presenting-with-mild-symptoms-and-management-of-contacts</a>
Global COVID-19 Clinical Platform: Rapid core case report form (CRF)	<a href="https://www.who.int/publications/i/item/WHO-2019-nCoV-Clinical_CRF-2020.4">https://www.who.int/publications/i/item/WHO-2019-nCoV-Clinical_CRF-2020.4</a>
Global COVID-19 Clinical Platform: Pregnancy Case Report Form (CRF)	<a href="https://www.who.int/publications/i/item/WHO-2019-nCoV-Pregnancy_CRF-2020.5">https://www.who.int/publications/i/item/WHO-2019-nCoV-Pregnancy_CRF-2020.5</a>
Interim Considerations for Health Departments for SARS-CoV-2 Testing in Homeless Shelters and Encampments	<a href="https://www.cdc.gov/coronavirus/2019-ncov/community/homeless-shelters/testing.html">https://www.cdc.gov/coronavirus/2019-ncov/community/homeless-shelters/testing.html</a>
WHO COVID-19 Preparedness and Response Progress Report – 1 February to 30 June 2020	<a href="https://www.who.int/publications/m/item/who-covid-19-preparedness-and-response-progress-report---1-february-to-30-june-2020">https://www.who.int/publications/m/item/who-covid-19-preparedness-and-response-progress-report---1-february-to-30-june-2020</a>
Reagent calculator for portal	<a href="https://www.who.int/publications/m/item/reagent-calculator-for-portal">https://www.who.int/publications/m/item/reagent-calculator-for-portal</a>
Water, sanitation, hygiene, and waste management for SARS-CoV-2, the virus that causes COVID-19 (Interim guidance)	<a href="https://www.who.int/publications/i/item/water-sanitation-hygiene-and-waste-management-for-the-covid-19-virus-interim-guidance">https://www.who.int/publications/i/item/water-sanitation-hygiene-and-waste-management-for-the-covid-19-virus-interim-guidance</a>
Considerations for implementing mass treatment, active case- finding and population-based surveys for neglected tropical diseases in the context of the COVID-19 pandemic	<a href="https://www.who.int/publications/i/item/WHO-2019-nCoV-neglected-tropical-diseases-2020-1">https://www.who.int/publications/i/item/WHO-2019-nCoV-neglected-tropical-diseases-2020-1</a>
Safe Eid al Adha practices in the context of COVID-19: Interim guidance	<a href="https://www.who.int/publications/i/item/safe-eid-al-adha-practices-in-the-context-of-covid-19-interim-guidance">https://www.who.int/publications/i/item/safe-eid-al-adha-practices-in-the-context-of-covid-19-interim-guidance</a>
Detention Center COVID19 Prevention and Management Interim Guide (Volume 1)	<a href="#">FmoH, july-2020</a>
NATIONAL COMPREHENSIVE COVID-19 MANAGEMENT HANDBOOK (EFMoH)	<a href="http://www.moh.gov.et/ejcc/sites/default/files/2020-04/COVID%2019%20Handbook%20for%20health%20professionals%20FMOH%202020.pdf">http://www.moh.gov.et/ejcc/sites/default/files/2020-04/COVID%2019%20Handbook%20for%20health%20professionals%20FMOH%202020.pdf</a>
<b>Resources and Guidance (CDC)</b>	<a href="https://www.cdc.gov/coronavirus/2019-ncov/php/open-america/contact-tracing-resources.html">https://www.cdc.gov/coronavirus/2019-ncov/php/open-america/contact-tracing-resources.html</a>

**8335 / 952**



**Call-Centers**  
**FOR MORE INFO and**  
**ALERT NOTIFICATION on**  
**COVID-19**



The above presented Quick Reader (QR) code takes you to a portal that you can access updates and all COVID-19 related information available  
(<https://www.ephi.gov.et/index.php/public-health-emergency/novel-corona-virus-update>)

**DISCLAIMER**

Figures presented in this situation report are pulled from official releases of the World Health Organization,  
Other sources from the web, as well as report compiled by the National Incidence Response Team

**PREPARED BY**

Yismuh Wondyefrew (MD) – Planning Section, Situation Unit Member  
Fantu Lombamo (MD, MPH) – Planning Section, Situation Unit Lead  
Negusse Yohannis (PhD in Statistics) – Planning Section, Situation Unit Member

**EDITED and REVIEWED BY**

Shambel Habebe (Planning Section Chief)  
Zewdu Assefa (COVID-19 Response Deputy Incident Manager)  
Aschalew Abayneh (EPHI DDG and Incident Manager)

**FOR MORE INFORMATION and NOTIFICATION**

**Web:** [www.ephi.gov.et](http://www.ephi.gov.et)

**Follow us on Twitter:** @EPHIethiopia

**Call:** 8335/952 (TOLL FREE LINE) or 011 276 5340

**Email:** [ephieoc@gmail.com](mailto:ephieoc@gmail.com) or [phemdatacenter@gmail.com](mailto:phemdatacenter@gmail.com)

**ETHIOPIAN PUBLIC HEALTH INSTITUTE**

National Public Health Emergency Operation Center  
Center for Public Health Emergency Management  
Swaziland Street

P.O Box 1242  
Addis Ababa, ETHIOPIA