




# SAF User Documentation : Logical Functional Mapping Viewpoint

Domain	Aspect	Maturity
Logical	Traceability & Mapping	 released

## Example



## Purpose

---

The Logical Functional Mapping Viewpoint specifies the assignment of the System Functions and the System Partial Functions to the Logical SOI and the Logical SOI Elements.

## Applicability

---

The Logical Function Allocation Viewpoint supports the "System Architecture Definition process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 .

## Stakeholder

---

- [Hardware Developer](#)
- [Software Developer](#)
- [System Architect](#)

## Concern

---

- Which (system and system partial) functions are assigned to a logical item and logical item components?  
Note: if allocation of usage is used, then allocation of definition is a derived relationship XOR.

## Presentation

---

A Logical Functional Mapping Matrix featuring

- the call behavior action representing usage of System Functions and or System Partial Functions
- the part properties representing usage of Logical SOI Elements
- the allocation relationship between abovementioned elements

## Profile Model Reference

---

The following Stereotypes / Model Elements are used in the Viewpoint:

- Allocate [SysML Profile]
- [SAF\\_FunctionAction](#)
- [SAF\\_LogicalContextRole](#)
- [SAF\\_LogicalElement](#)
- [SAF\\_LogicalSOI](#)
- [SAF\\_SLV08a\\_View](#)
- [SAF\\_SystemFunction](#)
- [SAF\\_SystemPartialFunction](#)

## Input from other Viewpoints

---

## Required Viewpoints

- [Logical Structure Viewpoint](#)
- [System Process Viewpoint](#)
- [System Functional Refinement Viewpoint](#)

## Recommended Viewpoints

- [System Domain Item Kind Viewpoint](#)