

SAF User Documentation : Stakeholder Requirement Viewpoint

| Domain | Aspect | Maturity |
|-------------|-------------|---|
| Operational | Requirement |  released |

Example

| # | Id | △ Name | Text | Documentation | Requirement Refining | Requirement Imposed BY |
|----|----------------|------------------------|---|--|--|---|
| 1 | | CEO FFDS Vendor | | | | |
| 8 | | Fire Dept. Operations | | | | |
| 9 | | Capability | | | | |
| 10 | CPBLTY-25 | Propagation Estimation | Screen 100% of the terrain to have the ability to predict the fire spread. | |  Fire Propagation Modeling  Fire Detection and Notification  Search and Rescue |  Fire Dept. Operations |
| 11 | | Performance | | | | |
| 12 | STK-REQ-QLT-26 | Geolocation | Ensure the ability to locate fires with an accuracy of 100 meter. | |  Fire Sources early Detection  Fire Detection and Notification |  Fire Dept. Operations |
| 13 | STK-REQ-QLT-27 | Notification Time | Ensure the ability to report a verified fire within 5 seconds. | Rational: Every second counts when fighting a forest fire. |  Fire Sources early Detection  Fire Detection and Notification  Search and Rescue |  Fire Dept. Operations |
| 14 | | Forest Authority | | | | |
| 15 | | Capability | | | | |
| 16 | CPBLTY-21 | 24/7 Availability | Ensure 24/7 detection and monitoring availability. | Rational: A forest fire could occur anytime. |  Fire Sources early Detection  Fire Event Management  Fire Detection and Notification |  Forest Authority |
| 17 | | Performance | | | | |
| 18 | STK-REQ-QLT-24 | False Alarm | The probability of false alarms must be lower than 5 %. | |  Fire Sources early Detection  Fire Detection and Notification |  Forest Authority |
| 19 | STK-REQ-QLT-22 | Forest Size | Ensure the detection and monitoring scalability for forest up to the size of 500 million hectare. | |  Fire Sources early Detection  Fire Event Management  Fire Detection and Notification |  Forest Authority |
| 20 | STK-REQ-QLT-23 | Size of Fire | Ensure the ability to detect fire areas of at least 50 square meter initiating reactive actions to cope the fire. | |  Fire Sources early Detection  Fire Detection and Notification |  Forest Authority |
| 21 | | Nepalese Official | | | | |

Purpose

The Stakeholder Requirement Viewpoint specifies all properties that the intended solution shall possess or expose from the perspective of the Stakeholders. The Stakeholder Requirement Viewpoint determines capabilities, functions, non-functional properties, and constraints.

Applicability

The Stakeholder Requirement Viewpoint supports the "Stakeholder Needs and Requirements Definition Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.2] and contributes to the identification of solution constraints.

Presentation

A tabular format listing

- unique requirement ID, text, and attributes,

- traceability reference to justifying model artefacts. Note: Stakeholder Requirements are to be structured in a way that the Stakeholder behind the Requirement is identifiable. When appropriate, the relationships between identified Stakeholder Requirements and the justifying model artefacts, Operational Story, Operational Capability, Operational Performer, Operational Process, and Operational Exchange are presented.
- "One Requirement Package for each Stakeholder" is a best-practice modeling rule. A package contains the Requirements specific for one Stakeholder.
- Even if different Stakeholders may have intersecting interests and / or concerns resulting in a similar set of Requirements, each Stakeholder shall have its own set managed in a dedicated Requirement Package. Requirements must not be shared due to their different life cycles. Resolving duplications and conflicts is subject of the requirement analysis resulting in an agreed and consolidated set of System Requirements.

Stakeholder

- [Acquirer](#)
- [Customer](#)
- [System Architect](#)

Concern

- [What are the normal and extreme environmental conditions for normal operation, for not operational, for storage, and for transport?](#)
- [What are the requirements of environmental conditions imposed on the system?](#)
- [What are the requirements that a Stakeholder imposes on the system?](#)
- [What defines a valid solution towards the customer?](#)
- [What is the range of acceptable system performance, i.e. the critical, top-level performance requirements derived from the operational needs?](#)

Profile Model Reference

The following Stereotypes / Model Elements are used in the Viewpoint:

- [Package \[UML_Standard_Profile\]](#)
- [SAF_OperationalCapability](#)
- [SAF_SOV06a_View](#)
- [SAF_StakeholderRequirementImposition](#)
- [SAF_StakeholderRequirementRefinement](#)
- [SAF_StakeholderRequirement](#)
- [SAF_Stakeholder](#)
- [SAF_SystemOfInterestConcern](#)

Input from other Viewpoints

Required Viewpoints

- [Stakeholder Identification Viewpoint](#)

Recommended Viewpoints

- [Operational Story Viewpoint](#)
- [Operational Performer Viewpoint](#)