



## SAF User Documentation : O3\_OPRO Operational Process Viewpoint

---

Domain	Aspect	Maturity
Operational	Process & Behavior	 released

### Example

---



## Purpose

The Operational Process Viewpoint describes the Operational Processes related to a specific Operational Story, the sequence of execution, and their Operational Exchanges, including information, materials, natural resources, etc. The assignment of Operational Processes to Operational Performers is captured.

## Applicability

The Operational Process Viewpoint supports the "Business or Mission Analysis Process" and the "Stakeholder Needs and Requirements Definition Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.1, § 4.2] and contributes to the definition of operational scenarios.

## Presentation

An activity diagram featuring the ordered execution of Operational Process Actions. Operational Processes may be linked in terms of control flow and/or data flow visualizing the Operational Exchanges needed. Note: Operational Process Actions are assigned to Operational Roles and therefore in a more general manner to Operational Performers.

## Stakeholder

---

- [Acquirer](#)
- [Customer](#)
- [System Architect](#)

## Concern

---

- [What operational process activities shall be executed during the execution of an operational story?](#)
- [Which operational activity shall be executed by which operational performer in the operational story?](#)

## Profile Model Reference

---

The following Stereotypes / Model Elements are used in the Viewpoint:

- Allocate [SysML Profile]
- ControlFlow [UML\_Standard\_Profile]
- InputPin [UML\_Standard\_Profile]
- ObjectFlow [UML\_Standard\_Profile]
- ObjectFlow typed by SAF\_OperationalDomainKind
- OutputPin [UML\_Standard\_Profile]
- [SAF\\_O3\\_OPRO](#)
- [SAF\\_OperationalContextRole](#)
- [SAF\\_OperationalDomainKind](#)
- [SAF\\_OperationalPerformer](#)
- [SAF\\_OperationalProcessAction](#)
- [SAF\\_OperationalProcess](#)

## Input from other Viewpoints

---

### Required Viewpoints

*none*

### Recommended Viewpoints

- [Operational Context Definition Viewpoint](#)
- [Operational Domain Item Kind Viewpoint](#)