



# Stakeholder Requirement Viewpoint

Domain: [Operational](#) Aspect: [Requirement](#)

## Example

| #  | Id             | Name  | Imposing Stakeholder    | Text  | Refining Operational Story      | Satisfied By           |
|----|----------------|---|-------------------------|---|---------------------------------|------------------------|
| 1  |                | Forest Authority Expert                         |                         |   |                                 |                        |
| 2  |                | Capability                                      |                         |   |                                 |                        |
| 3  | CPBLTY-16      | 24/7 Availability                               | Forest Authority Expert | The system shall be available 24/7.<br>Rational: A forest fire could occur anytime.   |                                 | Detect and Notify Fire |
| 4  |                | Quality   |                         |   |                                 |                        |
| 5  | STK-REQ-QLT-21 | Forest Size                                     | Forest Authority Expert | The system shall be scalable for forest up to the size of 500 million hectare.  |                                 | Detect and Notify Fire |
| 6  | STK-REQ-QLT-22 | False Alarm (false negative)                    | Forest Authority Expert | The probability of false alarms must be lower than 5%.<br>Rational: A forest fire alarm triggers a lot of expensive actions.                          |                                 | Detect and Notify Fire |
| 7  | STK-REQ-QLT-23 | Size of Fire                                    | Forest Authority Expert | The system shall be able to detect fire areas of at least 50 square meter initiating reactive actions to cope the fire.                               |                                 | Detect and Notify Fire |
| 8  |                | Fire Operations Expert                          |                         |   |                                 |                        |
| 9  |                | Capability                                      |                         |   |                                 |                        |
| 10 | CPBLTY-17      | Propagation Estimation Capability               | Fire Operations Expert  | The system shall have the ability to predict the fire spread.   |                                 | Detect and Notify Fire |
| 11 |                | Quality   |                         |   |                                 |                        |
| 12 | STK-REQ-QLT-24 | Geolocation                                     | Fire Operations Expert  | The system shall be able to locate fires with an accuracy of 100 meter.   |                                 | Detect and Notify Fire |
| 13 | STK-REQ-QLT-25 | Fire Alert Notification Time                    | Fire Operations Expert  | The system shall be able to report a verified fire within 5 seconds.<br>Rational: Every second counts when fighting a forest fire.                    |                                 | Detect and Notify Fire |
| 14 |                | Capability [CEO FFDS Vendor]                    |                         |   |                                 |                        |
| 15 | CPBLTY-11      | Fire Detection                                  | CEO FFDS Vendor         | The system shall have the ability to detect fire areas.   | Fire Detection and Notification |                        |
| 16 | CPBLTY-12      | Fire Monitoring                                 | CEO FFDS Vendor         | The system shall have the ability to monitor fire areas.  | Fire Detection and Notification |                        |
| 17 | CPBLTY-12.1    | Area of Interest Monitoring                     | CEO FFDS Vendor         | In the event of a forest fire the system shall have the ability to monitor a specific area of interest.   | Fire Detection and Notification |                        |
| 18 | CPBLTY-14      | Data Collection                                 | CEO FFDS Vendor         | The system shall have the ability to provide collected data for further analysis.   | Fire Detection and Notification |                        |
| 19 | CPBLTY-15      | Data Storage                                    | CEO FFDS Vendor         | The system shall have the ability to store the collected data.  |                                 |                        |
| 20 |                | Capability [Nepalese Official]                  |                         |   |                                 |                        |
| 21 | CPBLTY-18      | Forest Fire Detecting and Monitoring Capability | Nepalese Official       | The system shall have the ability to detect and monitor forest fires.   |                                 | Detect and Notify Fire |
| 22 | CPBLTY-19      | Forest Fire Pattern Research Capability         | Nepalese Official       | The system shall have the ability to research forest fire pattern(s) in order to trace the origin and development of a fire.                          |                                 | Detect and Notify Fire |
| 23 | CPBLTY-20      | Burnt Forest Area Damage Assessment Capability  | Nepalese Official       | The system shall have the ability to assess damage in burnt areas in order to base post-fire assessment and management decisions on this information. |                                 | Detect and Notify Fire |

## Purpose

The Stakeholder Requirement Viewpoint specifies all properties that the intended solution shall possess or expose from the perspective of the stakeholders. The Stakeholder Requirement Viewpoint determines capability(s), function(s), non-functional property(s), and constraint(s).

## Applicability

The Stakeholder Requirement Viewpoint supports the "Stakeholder Needs and Requirements Definition Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.2] and contributes to

the identification of solution constraint(s).

## Stakeholder

---

- [Acquirer](#)
- [Customer](#)
- [IV&V Engineer](#)
- [Regulation Authority](#)
- [Supplier](#)
- [System Architect](#)

## Concern

---

- What are the normal and extreme environmental conditions for normal operation, for not operational, for storage and for transport?
- What are the requirements of environmental conditions imposed on the system?
- What are the requirements that a Stakeholder imposes on the system?
- What defines a valid solution towards the customer?
- What is the range of acceptable system performance, i.e. the critical, top-level performance requirements derived from the operational needs?

## Presentation

---

Stakeholder Requirement(s) are structured in a way that the Stakeholder behind a requirement is identifiable. As appropriate, the identified Stakeholder Requirement(s) are receiving a Derivation Link from the justifying model artefact(s), namely Operational Performer, Operational Activity, and Operational Exchange. Note 1: "One requirement package for each Stakeholder" is a best-practice modeling rule. A package contains the requirement(s) specific for one Stakeholder. Note 2: Even if different Stakeholder may have intersecting interests and / or concern(s) resulting in a similar set of requirements, each Stakeholder shall have its own set managed in a dedicated requirement package. Requirement(s) shall not be shared because of their different life cycles. Resolving duplications and conflicts is subject of the requirements analysis resulting in an agreed set of system requirement(s).

## Profile Model Reference

---

- Package [UML\_Standard\_Profile]
- [SAF\\_SOVO6a\\_View](#)
- [SAF\\_Stakeholder](#)
- [SAF\\_StakeholderRequirement](#)
- [SAF\\_StakeholderRequirementImposition](#)
- [SAF\\_StakeholderRequirementRefinement](#)
- [SAF\\_StakeholderRequirementRefinement](#)
- [SAF\\_SystemOfInterestConcern](#)

# Input from other Viewpoints

---

## Required Viewpoints

- [Stakeholder Identification Viewpoint](#)

## Recommended Viewpoints

- [Operational Story Viewpoint](#)
- [Operational Performer Viewpoint](#)