

# SAF User Documentation : Operational Context Exchange Viewpoint

Domain	Aspect	Maturity
Operational	Context & Exchange	 released

## Example



## Purpose

The Operational Context Exchange Viewpoint provides the Operational Exchange between Operational Performers of information, systems, personnel, energy, etc.

## Applicability

The Operational Context Exchange Viewpoint supports the "Business or Mission Analysis Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.1] and contributes to the problem or

opportunity statement.

## Stakeholder

---

- [Acquirer](#)
- [Customer](#)
- [Safety Expert](#)
- [Security Expert](#)
- [System Architect](#)

## Concern

---

- What operational exchanges do operational performers need to consume or provide?

## Presentation

---

An internal block diagram (IBD) - associated to the Operational Context - featuring the interconnected Operational Performers in their respective Operational Role, and the Operational Item Exchange per Operational Connection.

A tabular format listing [tbd].

## Profile Model Reference

---

The following Stereotypes / Model Elements are used in the Viewpoint:

- Connector [UML\_Standard\_Profile]
- ItemFlow [SysML Profile]
- ItemFlow [SysML Profile]
- [SAF\\_OperationalContext](#)
- [SAF\\_OperationalDomainKind](#)
- [SAF\\_OperationalRole](#)
- [SAF\\_SOV01c\\_View](#)

## Input from other Viewpoints

---

### Required Viewpoints

- [Operational Context Definition Viewpoint](#)
- [Operational Domain Item Kind Viewpoint](#)

### Recommended Viewpoints

- [Operational Story Viewpoint](#)

