



## SAF User Documentation : Physical Context Definition Viewpoint

| Domain   | Aspect             | Maturity  |
|----------|--------------------|---|
| Physical | Context & Exchange | <br>under construction |

### Example



### Purpose

The Physical Context Definition Viewpoint identifies the different context the system is used in, along with the associated external entities sharing a physical interface with the system. For each context the applicable environmental conditions may be defined. The physical context helps in discovering the Interface Requirements needed to integrate a system into its environment in a specific context. Note: For each candidate system architecture, the physical context Viewpoint is elaborated forming the baseline for the later assessment of the different system architecture solutions.

### Applicability

---

The Physical Context Definition Viewpoint supports the “Architecture Definition Process” activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.4]. The Viewpoint is used to define context, boundaries, and external interactions of the SOI in the physical domain. Note: Only those external entities are identified that share a physical interface. Other entities connected via a network are subject of the logical system context.

## Stakeholder

---

- [Acquirer](#)
- [Customer](#)
- [Hardware Developer](#)
- [IV&V Engineer](#)
- [Safety Expert](#)
- [Software Developer](#)
- [Supplier](#)
- [System Architect](#)

## Concern

---

- How does the system or a system element interact with the test environment?
- What are necessary enabling systems?
- What are the external physical entities the system interacts with in the respective context?
- What is the system boundary definition?
- What kind of test equipment is necessary to test the system elements?

## Presentation

---

The following artifacts support the modeling activities: The physical context definition diagram (BDD) defines the elements available in a specific context. At least one physical context definition diagram is used per identified context, featuring

- one block representing the Physical System i.e. the system of interest
- one block representing the specific Physical System Context
- several blocks representing Physical Context Elements such as Physical User, Physical External System, and Physical Environment present in the systems context
- composition relationships attaching the Physical Context Elements and the Physical System to the Physical System Context block

## Profile Model Reference

---

The following Stereotypes / Model Elements are used in the Viewpoint:

- Association [UML\_Standard\_Profile]

- Association [UML\_Standard\_Profile]
- Property [UML\_Standard\_Profile]
- Property [UML\_Standard\_Profile]
- [SAF\\_PhysicalContext](#)
- [SAF\\_PhysicalEnvironment](#)
- [SAF\\_PhysicalExternalSystem](#)
- [SAF\\_PhysicalSystem](#)
- [SAF\\_PhysicalUser](#)
- [SAF\\_SPV01a\\_View](#)

## Input from other Viewpoints

---

### Required Viewpoints

*none*

### Recommended Viewpoints

*none*