


# SAF User Documentation : O1\_OCXE Operational Context Exchange Viewpoint

Domain	Aspect	Maturity
Operational	Context & Exchange	 released

## Example



## Purpose

The Operational Context Exchange Viewpoint provides the operational exchange of systems, personnel, information, material, energy, etc. between operational performers.

## Applicability

The Operational Context Exchange Viewpoint supports the "Business or Mission Analysis Process" activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2023 [§2.3.5.1] and contributes to both the problem

or opportunity statement, and the Major Stakeholder Identification.

## Presentation

---

An internal block diagram (IBD) - associated to the operational context - featuring the interconnected operational performers in their respective operational role, and the operational item exchange per operational connection.

A tabular format listing [tbd].

## Stakeholder

---

- [Acquirer](#)
- [Customer](#)
- [Safety Expert](#)
- [Security Expert](#)
- [System Architect](#)

## Concern

---

- [Which operational exchanges do operational performers need to consume or provide?](#)

## Profile Model Reference

---

The following Stereotypes / Model Elements are used in the Viewpoint:

- Attribute "realizingConnector" of InformationFlow referencing Connector
- Connector [UML\_Standard\_Profile]
- ItemFlow [SysML Profile]
- [SAF\\_O1\\_OCXE](#)
- [SAF\\_OperationalContextRole](#)
- [SAF\\_OperationalContext](#)
- [SAF\\_OperationalDomainKind](#)
- [SAF\\_OperationalPerformer](#)

## Input from other Viewpoints

---

### Required Viewpoints

- [Operational Context Definition Viewpoint](#)
- [Operational Domain Item Kind Viewpoint](#)

### Recommended Viewpoints

- [Operational Story Viewpoint](#)

