



Physical Context Exchange Viewpoint

Domain: [Physical](#) Aspect: [Context & Exchange](#)

Example

none

Purpose

The physical context exchange Viewpoint focuses on the identification of the physical interface(s) with external entities and the identification of relevant documentation. It is used to capture interface requirement(s) for IRS, applicable standard(s), protocol(s) and format specification(s) that are agreed upon the interface(s). Note: Trace physical interface(s) to logical interface(s) (the physical interface(s) fulfill the exchange requirement(s) stated on Logical Level)

Applicability

The physical context exchange Viewpoint supports the “Architecture Definition process” activities of the INCOSE SYSTEMS ENGINEERING HANDBOOK 2015 [§ 4.4]. The physical context interface Viewpoint is applied early in the life cycle to generate a complete view of all the relevant external interface(s) together with relevant standard(s). The Viewpoint guides the identification of expected interactions of the SOI with entities external to the SOI (control) boundary as defined in negotiated ICDs. The Viewpoint is used to capture the interface requirement(s) with the relevant Stakeholder(s) and any relevant documentation, requirement(s), standard(s), format specification(s) and protocol(s).

Stakeholder

- [Hardware Developer](#)
- [IV&V Engineer](#)
- [Maintainer](#)
- [Software Developer](#)
- [System Architect](#)

Concern

- How does the system or a system element interact with the test environment?
- How to connect the system or a system element to a test equipment?
- What are the external physical entities the system interacts with in the respective context?
- What are the interface requirements regarding bandwidth, data throughput and latency?
- Which HW interfaces are necessary?
- Which SW interfaces are necessary?
- Which interface partners does a HW item have?
- Which interface partners does a SW item have?

Presentation

The following artifact(s) support the modeling activities: A) For each identified context a physical context interface IBD is used to identify the physical interface(s), the item flow(s) that are exchanged on that interface and related documentation. B) A physical context interface table provides a list of all the defined external interfaces and the applicable documentation

- context element kind (environment / external entity / physical user)
- context element role name
- port name and reference to port type
- reference to context element type C) A context interface table is used to define the applicable standard(s), protocol(s) and format(s) for the item flow(s) exchanged via the identified interface(s).

Profile Model Reference

Input from other Viewpoints

Required Viewpoints

none

Recommended Viewpoints

none