

ISyE 4031 T09 - Georgia Achievement Gaps in K-12 Schools with Regression

Ruwei Ma, Yichen Ma, Yang Yang

1. Introduction

Covid-19 had brought a big impact to the education system across US. National test results for 2022 reveal the pandemic's devastating effects on American schoolchildren, with the performance of 9-year-olds in math and reading dropping to the lowest levels from two decades ago [1]. This lagging effect from the pandemic applies to all races and income levels and sparks a collective decline in academics for the generation that experienced school closures, frequent reliance on virtual and remote learning, and other pandemic effects. The setbacks will occupy the low-performing students for up to 9 months to catch up with the average, prompting an urgent need for the underlying solution to the achievement gap [2]. This setback further adds to, and likely aggravates, the pre-pandemic disparity in student achievement outcomes for vulnerable and at-risk student populations, especially in Georgia. Based on some of my preliminary analysis of the 2021 achievement data across 2,180 schools in Georgia, we found that there are 2 prominent factors that affect achievement rate: the student's economic status and race. The achievement rate in 2021 of economically disadvantaged students is 46.11%, compared to 52.32% across all students. A similar gap can be observed in the difference in achievement rate between white and black students in Georgia, the former as high as 66.99%, compared to the 39.88% of the latter. The gap within the economically-disadvantaged students' group is vast and depends on the county or school they attend. Further analysis at the school level shows strong correlation between achievement rate and the school's other demographics.

2. Problem Goal

We aim to adopt regression modeling to identify gaps in national test achievement rates between different demographic groups in Georgia, and recommend robust strategies to address such disparities. Specifically, the objectives are: (1) visualize the disparities in school resources, such as teacher certifications and FTE (Full-time Equivalent), and quantify its correlation with the student's achievement outcomes, especially among marginalized minority groups (e.g., White, Black, vs. Hispanic students, economically disadvantaged vs. affluent students, and rural vs. Urban schools) (2) quantify the achievement gap at the county level across Georgia's 159 counties at the school level to identify factors that predict student achievement and highlight intervention or resource allocation strategies, and (3) evaluate the impact and predict the trajectory of the policies and strategies produced from step 2 with adjustments.

3. Executive Summary

4. Data Description

```

# Input Dataset
library(readxl)
library(dplyr)

##
## Attaching package: 'dplyr'

## The following objects are masked from 'package:stats':
##
##   filter, lag

## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union

Achievement_Rate = read.csv("2019 & 2021 Content Mastery Data.csv", header=TRUE)
Percentage = read.csv("Percentages & Certificates.csv", header=TRUE)
Salaries = read.csv("salaries.csv", header=TRUE)
Absent_Rate = read.csv("Absent Rate.csv", header=TRUE)
School_Expenditure = read_excel("2021_School-Level_PPE.xls")

## Warning: Expecting numeric in Y2255 / R2255C25: got 'Non-Compliant'

## Warning: Expecting numeric in Z2255 / R2255C26: got 'Non-Compliant'

## Warning: Expecting numeric in AA2255 / R2255C27: got 'Non-Compliant'

## Warning: Expecting logical in AB2255 / R2255C28: got 'Note: This school did not
## report financial data for FY21.'

## New names:
## * ' ' -> '...28'

School_Expenditure = select(School_Expenditure, schoolname, amount, school_ppe_21)
Poverty.Percentage = read_excel("2021_directly_certified_school.xls")
Poverty.Percentage = select(Poverty.Percentage, SCHOOL_NAME, direct_cert_perc)
Mobility = read_excel("2021_School_Mobility.xls")
Mobility = select(Mobility, school_name, mobility)
Enrollment = read.csv("Enrollment_by_Subgroups_Programs.csv", header=TRUE)
Enrollment = select(Enrollment, INSTN_NAME, ENROLL_PCT_GIFTED)

data = merge(Achievement_Rate, Percentage, by="School.Name")
data = merge(data, Salaries, by="School.Name")
data = merge(data, Absent_Rate, by="School.Name")

data = left_join(
  data %>% group_by(School.Name) %>% mutate(id = row_number()),
  School_Expenditure %>% group_by(schoolname) %>% mutate(id = row_number()),
  by = c("School.Name" = "schoolname", "id")
)

```

```

data = left_join(
  data %>% group_by(School.Name) %>% mutate(id = row_number()),
  Poverty.Percentage %>% group_by(SCHOOL_NAME) %>% mutate(id = row_number()),
  by = c("School.Name" = "SCHOOL_NAME", "id"))



data = left_join(
  data %>% group_by(School.Name) %>% mutate(id = row_number()),
  Mobility %>% group_by(school_name) %>% mutate(id = row_number()),
  by = c("School.Name" = "school_name", "id"))

data = left_join(
  data %>% group_by(School.Name) %>% mutate(id = row_number()),
  Enrollment %>% group_by(INSTN_NAME) %>% mutate(id = row_number()),
  by = c("School.Name" = "INSTN_NAME", "id"))
attach(data)

# Creating a Dummy Variable for Urban/Rural
data$u.r_dummy <- data$Urban.Rural
data$u.r_dummy <- as.character(data$u.r_dummy)
data$u.r_dummy[data$u.r_dummy == "Urban"] <- 1
data$u.r_dummy[data$u.r_dummy == "Rural"] <- 0
data$u.r_dummy <- as.numeric(data$u.r_dummy)
data$growth.rate.math <- data$X19.21.Difference.in.Math

```

a. Data Summary



```
##                2.5 %  97.5 %
## (Intercept) 65.23627 66.9811
```

```
##                2.5 %   97.5 %
## (Intercept) 46.99179 49.09119
```

We are 95% confident that the mean student achievement rate in Math in 2021 is higher than that in 2019.

```
##
## Attaching package: 'huxtable'
```

```
## The following object is masked from 'package:dplyr':
##
##      add_rownames
```

	2019	2021
Observations	2067.00	2067.00
Avg. Math achievement	66.1086840832124	48.0414900822448
Median Math achievement	66.41	48.47
Lower Bound of Math achievement	2.01	0
Upper Bound of Math achievement	100	100
Standard Deviation	20.2251098070928	24.3350230861084


Mean and median Math test achievement rates are higher in 2019 than in 2021.

```
#average change in achievement rate
(52.23121-67.99686)/67.99686
```


```
## [1] -0.2318585
```

c. Data Visualization


2019 Math Achievement Rate




2021 Math Achievement Rate



The boxplot of both years' math achievement rate shows that in 2019, the data distribution is more compact, and all quartiles are significantly higher than those in 2021. A tremendous number of outliers are identified in both year's boxplots, suggesting many data points below the lower quartile by more than 1.5 interquartile range (IQR). Achievement rates are highly left skewed.



2019 All Students Math Achievement Ra



Math Test Score

From both years' histogram, it can be confirmed that there is a very low frequency of math achievement rate between 0-30 for the 2019 data, as compared to the 2021 data. More outliers in the 2019 data could mean a higher . From plain sight, the 2019 data is better approximated by a normal distribution. The 2021 data seems skewed to the center.

d. Table of Variables

Variables	Description	Type
y1	2019 All Students Math Achievement Rate	Quantative
y2	2021 All Students Math Achievement Rate	Quantative
x1	Absent 0-5 Days Percentage	Quantative
x2	Absent 6-15 Days Percentage	Quantative
x3	Absent 15+ Days Percentage	Quantative
x4	Avg. Annual Salaries - Administrators	Quantative
x5	Avg. Annual Salaries - Teachers	Quantative
x6	Avg. Annual Salaries - Support.Personnel	Quantative
x7	Number of Teachers with a phd degree	Quantative
x8	Total Number of Certified Teachers	Quantative
x9	Post Grad Percentage	Quantative
x10	Total Students Enrolled	Quantative
x11	Teacher-Student Ratio	Quantative
x12	White Student Percentage	Quantative
x13	Black Student Percentage	Quantative
x14	Economically Disadvantaged Student Percentage	Quantative
x15	Directly Certified Students Percentage	Quantative
x16	Amount of Money Invested for Students	Quantative
x17	Per-Pupil Expenditure at School Level	Quantative
x18	Rate of Entries and Withdrawls to a School	Quantative
x19	Percentage of Gifted Students	Quantative
x20	Urban/Rural Area of the School	Qualitative

5. Regression Analysis

a. Iterations of the analysis process

- paragraph description

c. Plots of variables- Scatterplot

For the plots below, a light blue color indicates Urban Area and a light pink color indicates Rural Area.

```
## Warning in hist.default(A, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```

```
## Warning in hist.default(B, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```

```
## Warning in hist.default(A, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```

```
## Warning in hist.default(B, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```

```
## Warning in hist.default(A, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```

```
## Warning in hist.default(B, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```

```
## Warning in hist.default(A, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```







```
## Warning in hist.default(B, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```







```
## Warning in hist.default(A, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```


```
## Warning in hist.default(B, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```

```
## Warning in hist.default(A, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```

```
## Warning in hist.default(B, breaks = 12, plot = FALSE, na.rm = TRUE): argument
## '...' is not made use of
```








b. Multicollinearity

corplot 0.92 loaded



```
## Loading required package: lattice

## Loading required package: survival

## Loading required package: Formula

## Loading required package: ggplot2

##
## Attaching package: 'ggplot2'

## The following object is masked from 'package:huxtable':
##
##   theme_grey

##
## Attaching package: 'Hmisc'

## The following objects are masked from 'package:huxtable':
##
##   contents, label, label<-


## The following objects are masked from 'package:dplyr':
##
##   src, summarize
```

```
## The following objects are masked from 'package:base':
##
##   format.pval, units
```

Before doing the model selection process, a Multicollinearity check produces high correlation of (x1:x3), (x8:x10,x16), (x10:x16), (x12: x13), (x11: x17), (x15: x13, x14). And another set of variables that have a high correlation is y1 and y2, since we are modeling them separately as response variables, we do not need to drop any of them. The renewed plot is on the right.

d. Model Selection

2019 Model Selection



```
## [1] "(Intercept)" "x1"          "x3"          "x5"          "x7"
## [6] "x11"          "x14"         "x15"         "x19"
```

```
##
## Attaching package: 'olsrr'
```

```
## The following object is masked from 'package:datasets':
##
##   rivers
```

```

## Forward Selection Method
## -----
##
## Candidate Terms:
##
## 1. x1
## 2. x2
## 3. x3
## 4. x4
## 5. x5
## 6. x6
## 7. x7
## 8. x8
## 9. x9
## 10. x10
## 11. x11
## 12. x12
## 13. x13
## 14. x14
## 15. x15
## 16. x16
## 17. x17
## 18. x18
## 19. x19
## 20. x20
##
## We are selecting variables based on p value...
##
##
## Forward Selection: Step 1
##
## - x15
##
##
##
## Model Summary
## -----
## R                0.702      RMSE                14.159
## R-Squared        0.492      Coef. Var            21.333
## Adj. R-Squared   0.492      MSE                200.489
## Pred R-Squared   0.492      MAE                10.974
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##
## ANOVA
## -----
##
## Sum of
## Squares      DF      Mean Square      F      Sig.
## -----
## Regression    400015.583      1      400015.583    1995.198    0.0000
## Residual      412205.640    2056      200.489
## Total         812221.223    2057
## -----
##
##

```

```

##                                     Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    91.915        0.651                141.087    0.000    90.637    93.193
##      x15      -0.671        0.015        -0.702    -44.668    0.000    -0.701    -0.642
## -----
##
##
##
## Forward Selection: Step 2
##
## - x3
##
##                                     Model Summary
## -----
## R                0.728      RMSE                13.240
## R-Squared        0.531      Coef. Var            19.638
## Adj. R-Squared   0.530      MSE                175.304
## Pred R-Squared   0.529      MAE                10.317
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                                     ANOVA
## -----
##      Sum of
##      Squares      DF      Mean Square      F      Sig.
## -----
## Regression    390660.910        2      195330.455    1114.238    0.0000
## Residual      345524.186     1971        175.304
## Total         736185.095     1973
## -----
##
##                                     Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    95.902        0.677                141.639    0.000    94.574    97.230
##      x15      -0.576        0.016        -0.599    -35.642    0.000    -0.608    -0.545
##      x3      -0.406        0.028        -0.241    -14.379    0.000    -0.461    -0.351
## -----
##
##
##
## Forward Selection: Step 3
##
## - x12
##
##                                     Model Summary
## -----
## R                0.755      RMSE                12.674
## R-Squared        0.570      Coef. Var            18.798

```



```
## Adj. R-Squared      0.569      MSE      160.639
## Pred R-Squared     0.568      MAE      9.909
```

```
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
```

ANOVA

```
## -----
##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    419726.867      3      139908.956      870.954      0.0000
## Residual      316458.229     1970      160.639
## Total         736185.095     1973
```

Parameter Estimates

```
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----
## (Intercept)    85.429      1.013      -0.483      84.326      0.000      83.442      87.415
##      x15     -0.465      0.018      -0.236     -26.527      0.000      -0.500      -0.431
##      x3      -0.398      0.027      -0.236     -14.703      0.000      -0.451      -0.345
##      x12      0.161      0.012      0.231      13.451      0.000      0.137      0.184
## -----
```

```
## Forward Selection: Step 4
```

```
## - x11
```

Model Summary

```
## -----
## R      0.767      RMSE      12.325
## R-Squared    0.588      Coef. Var      18.216
## Adj. R-Squared    0.587      MSE      151.893
## Pred R-Squared    0.586      MAE      9.625
## -----
```

```
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
```

ANOVA

```
## -----
##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    417367.108      4      104341.777      686.941      0.0000
## Residual      292090.985     1923      151.893
## Total         709458.092     1927
```

```

##                                     Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    100.655      1.956      -0.546      51.457      0.000      96.819      104.491
##      x15      -0.524      0.018      -0.546     -28.651      0.000      -0.560      -0.488
##      x3       -0.351      0.027      -0.210     -12.909      0.000      -0.404      -0.297
##      x12       0.133      0.012       0.192      11.138      0.000       0.110       0.157
##      x11      -0.874      0.103      -0.131      -8.495      0.000      -1.076      -0.672
## -----
##
##
##
## Forward Selection: Step 5
##
## - x19
##
##                                     Model Summary
## -----
## R              0.786      RMSE              11.518
## R-Squared      0.618      Coef. Var        16.800
## Adj. R-Squared 0.617      MSE             132.675
## Pred R-Squared 0.615      MAE             9.097
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                                     ANOVA
## -----
##      Sum of
##      Squares      DF      Mean Square      F      Sig.
## -----
## Regression    395927.440      5      79185.488    596.838    0.0000
## Residual      244785.347    1845      132.675
## Total         640712.787    1850
## -----
##
##                                     Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    96.339      1.989      -0.465      48.436      0.000      92.438      100.240
##      x15      -0.445      0.020      -0.465     -21.943      0.000      -0.484      -0.405
##      x3       -0.342      0.026      -0.210     -13.009      0.000      -0.394      -0.291
##      x12       0.130      0.011       0.193      11.496      0.000       0.108       0.153
##      x11      -1.016      0.100      -0.156     -10.153      0.000      -1.212      -0.820
##      x19       0.357      0.039       0.164      9.246      0.000       0.281       0.433
## -----
##
##
##
## Forward Selection: Step 6
##

```

```

## - x5
##
##
## Model Summary
## -----
## R                0.805      RMSE                11.052
## R-Squared        0.648      Coef. Var            16.111
## Adj. R-Squared   0.647      MSE                122.152
## Pred R-Squared   0.645      MAE                8.725
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
## ANOVA
## -----
## Sum of
## Squares      DF      Mean Square      F      Sig.
## -----
## Regression    402886.927      6      67147.821    549.706    0.0000
## Residual      219141.011    1794      122.152
## Total         622027.938    1800
## -----
##
## Parameter Estimates
## -----
## model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----
## (Intercept) 66.492      4.895      -0.417      13.583    0.000    56.890    76.093
## x15        -0.402      0.023      -0.417     -17.266    0.000    -0.448    -0.356
## x3         -0.340      0.026      -0.209     -13.019    0.000    -0.391    -0.289
## x12         0.133      0.012      0.198      11.545    0.000      0.111      0.156
## x11        -1.123      0.104     -0.165     -10.820    0.000    -1.327    -0.919
## x19         0.328      0.037      0.151      8.752     0.000      0.255      0.402
## x5          0.001      0.000      0.134      7.770     0.000      0.000      0.001
## -----
##
##
## Forward Selection: Step 7
##
## - x2
##
## Model Summary
## -----
## R                0.810      RMSE                10.881
## R-Squared        0.657      Coef. Var            15.846
## Adj. R-Squared   0.655      MSE                118.388
## Pred R-Squared   0.653      MAE                8.606
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
## ANOVA

```

```

## -----
##              Sum of
##              Squares          DF      Mean Square      F      Sig.
## -----
## Regression    404005.684          7      57715.098    487.506    0.0000
## Residual      211086.586        1783       118.388
## Total         615092.270        1790
## -----
##
##              Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----
## (Intercept)    59.192         4.945             -0.432     11.969    0.000     49.492     68.891
##      x15      -0.416         0.023             -0.432    -17.854    0.000     -0.462     -0.371
##      x3       -0.399         0.027             -0.246    -14.802    0.000     -0.452     -0.347
##      x12        0.077         0.014              0.115     5.617    0.000      0.050      0.104
##      x11       -1.064         0.103             -0.157    -10.312    0.000     -1.266     -0.861
##      x19        0.435         0.040              0.194     10.784    0.000      0.356      0.515
##      x5         0.001         0.000              0.140      8.149    0.000      0.000      0.001
##      x2         0.267         0.037              0.134      7.125    0.000      0.194      0.341
## -----
##
##
##
## Forward Selection: Step 8
##
## - x14
##
##              Model Summary
## -----
## R              0.816      RMSE              10.748
## R-Squared       0.665      Coef. Var       15.653
## Adj. R-Squared  0.664      MSE              115.521
## Pred R-Squared  0.662      MAE              8.495
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##              ANOVA
## -----
##              Sum of
##              Squares          DF      Mean Square      F      Sig.
## -----
## Regression    409234.027          8      51154.253    442.814    0.0000
## Residual      205858.243        1782       115.521
## Total         615092.270        1790
## -----
##
##              Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----

```

```

## (Intercept)    58.770      4.885           12.030    0.000    49.188    68.351
##      x15     -0.314      0.028      -0.326   -11.404    0.000    -0.369    -0.260
##      x3      -0.413      0.027      -0.254   -15.446    0.000    -0.465    -0.361
##      x12      0.079      0.014      0.117     5.802    0.000     0.052     0.106
##      x11     -1.042      0.102     -0.153   -10.216    0.000    -1.242    -0.842
##      x19      0.421      0.040      0.188    10.546    0.000     0.343     0.500
##      x5       0.001      0.000      0.151     8.892    0.000     0.000     0.001
##      x2       0.253      0.037      0.126     6.814    0.000     0.180     0.325
##      x14     -0.080      0.012     -0.134    -6.727    0.000    -0.103    -0.057
## -----
##
##
##
## Forward Selection: Step 9
##
## - x7
##
##
##              Model Summary
## -----
## R              0.818      RMSE              10.661
## R-Squared      0.669      Coef. Var          15.534
## Adj. R-Squared 0.667      MSE              113.655
## Pred R-Squared 0.665      MAE              8.396
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##
##              ANOVA
## -----
##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    392891.404      9      43654.600    384.099    0.0000
## Residual      194463.162    1711      113.655
## Total         587354.566    1720
## -----
##
##
##              Parameter Estimates
## -----
##              model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    52.786      4.996           10.566    0.000    42.988    62.585
##      x15     -0.307      0.028      -0.320   -11.029    0.000    -0.362    -0.253
##      x3      -0.375      0.028      -0.230   -13.533    0.000    -0.429    -0.321
##      x12      0.066      0.014      0.099     4.831    0.000     0.039     0.093
##      x11     -0.889      0.106     -0.129    -8.406    0.000    -1.096    -0.681
##      x19      0.437      0.042      0.186    10.384    0.000     0.355     0.520
##      x5       0.001      0.000      0.178    10.214    0.000     0.001     0.001
##      x2       0.221      0.037      0.110     5.886    0.000     0.147     0.294
##      x14     -0.086      0.012     -0.144    -7.047    0.000    -0.110    -0.062
##      x7      -1.383      0.227     -0.096    -6.079    0.000    -1.829    -0.937
## -----
##

```

```
##
##
## Forward Selection: Step 10
##
## - x17
```

```
##
##                      Model Summary
## -----
```

## R	0.819	RMSE	10.552
## R-Squared	0.671	Coef. Var	15.294
## Adj. R-Squared	0.669	MSE	111.348
## Pred R-Squared	0.666	MAE	8.320

```
## -----
```

```
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
```

```
##
##                      ANOVA
## -----
```

##	Sum of	DF	Mean Square	F	Sig.
##	Squares				
## Regression	366571.180	10	36657.118	329.213	0.0000
## Residual	179603.621	1613	111.348		
## Total	546174.801	1623			

```
## -----
```

```
##
##                      Parameter Estimates
## -----
```

##	model	Beta	Std. Error	Std. Beta	t	Sig	lower	upper
##	(Intercept)	73.054	6.198		11.786	0.000	60.896	85.211
##	x15	-0.284	0.030	-0.291	-9.409	0.000	-0.343	-0.225
##	x3	-0.355	0.029	-0.213	-12.209	0.000	-0.412	-0.298
##	x12	0.056	0.014	0.084	3.952	0.000	0.028	0.084
##	x11	-1.632	0.174	-0.226	-9.358	0.000	-1.974	-1.290
##	x19	0.443	0.043	0.192	10.381	0.000	0.359	0.527
##	x5	0.001	0.000	0.207	10.541	0.000	0.001	0.001
##	x2	0.181	0.040	0.090	4.534	0.000	0.103	0.260
##	x14	-0.084	0.013	-0.141	-6.597	0.000	-0.109	-0.059
##	x7	-1.332	0.232	-0.092	-5.735	0.000	-1.787	-0.876
##	x17	-0.001	0.000	-0.125	-5.156	0.000	-0.002	-0.001

```
## -----
```

```
##
##
## Forward Selection: Step 11
##
## - x20
```

```
##
##                      Model Summary
## -----
```

## R	0.825	RMSE	10.440
## R-Squared	0.681	Coef. Var	15.138

```
## Adj. R-Squared      0.678      MSE      108.988
## Pred R-Squared     0.675      MAE      8.199
```

```
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
```

ANOVA

```
## -----
##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    353940.990      11      32176.454    295.231    0.0000
## Residual      166097.010     1524      108.988
## Total         520038.000     1535
```

```
## -----
```

Parameter Estimates

```
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    78.226      6.525      -0.303      11.989    0.000    65.428    91.024
##      x15     -0.298      0.032      -0.224     -9.460    0.000    -0.360    -0.236
##      x3      -0.375      0.030      -0.055    -12.638    0.000    -0.433    -0.316
##      x12      0.037      0.015      0.055     2.414    0.016     0.007     0.067
##      x11     -1.721      0.180      -0.237    -9.532    0.000    -2.075    -1.367
##      x19      0.460      0.044      0.197    10.511    0.000     0.374     0.546
##      x5       0.001      0.000      0.203    10.062    0.000     0.001     0.001
##      x2       0.189      0.041      0.094     4.615    0.000     0.109     0.269
##      x14     -0.093      0.013      -0.154    -7.077    0.000    -0.119    -0.067
##      x7      -1.342      0.237      -0.093    -5.663    0.000    -1.806    -0.877
##      x17     -0.001      0.000      -0.125    -5.003    0.000    -0.002    -0.001
##      x20     -2.431      0.734      -0.056    -3.313    0.001    -3.870    -0.991
## -----
```

```
## -----
##
##
## Forward Selection: Step 12
##
```

```
## - x13
##
```

Model Summary

```
## -----
## R      0.825      RMSE      10.430
## R-Squared    0.681      Coef. Var    15.125
## Adj. R-Squared    0.679      MSE      108.789
## Pred R-Squared    0.675      MAE      8.203
## -----
```

```
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
```

ANOVA

```
## -----
```

```

##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    354352.532      12      29529.378    271.437    0.0000
## Residual      165685.468     1523       108.789
## Total         520038.000     1535
## -----
##
##              Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----
## (Intercept)    77.676         6.525             11.905     0.000     64.877     90.474
##      x15     -0.265         0.036             -0.270     -7.389     0.000     -0.335     -0.194
##      x3      -0.372         0.030             -0.222    -12.533     0.000     -0.430     -0.314
##      x12       0.016         0.019              0.024     0.866     0.386     -0.020     0.052
##      x11     -1.651         0.184             -0.228    -8.985     0.000     -2.012    -1.291
##      x19       0.467         0.044              0.200    10.635     0.000     0.380     0.553
##      x5        0.001         0.000              0.205    10.173     0.000     0.001     0.001
##      x2        0.174         0.042              0.087     4.176     0.000     0.092     0.256
##      x14     -0.096         0.013             -0.160    -7.269     0.000     -0.122     -0.070
##      x7      -1.337         0.237             -0.092    -5.647     0.000     -1.801     -0.873
##      x17     -0.001         0.000             -0.121    -4.806     0.000     -0.002     -0.001
##      x20     -2.348         0.734             -0.054    -3.198     0.001     -3.788     -0.908
##      x13     -0.042         0.022             -0.062    -1.945     0.052     -0.085     0.000
## -----
##
##
##
## Forward Selection: Step 13
##
## - x10
##
##              Model Summary
## -----
## R              0.824      RMSE              10.452
## R-Squared       0.680      Coef. Var       15.208
## Adj. R-Squared  0.677      MSE              109.250
## Pred R-Squared  0.672      MAE              8.204
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##              ANOVA
## -----
##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    336549.123      13      25888.394    236.965    0.0000
## Residual      158739.931     1453       109.250
## Total         495289.054     1466
## -----
##
##

```


Parameter Estimates								
model	Beta	Std. Error	Std. Beta	t	Sig.	lower	upper	
(Intercept)	80.325	6.805		11.805	0.000	66.978	93.673	
x15	-0.272	0.037	-0.275	-7.400	0.000	-0.345	-0.200	
x3	-0.368	0.031	-0.220	-11.806	0.000	-0.429	-0.307	
x12	0.013	0.020	0.020	0.681	0.496	-0.025	0.052	
x11	-1.601	0.192	-0.211	-8.338	0.000	-1.978	-1.225	
x19	0.430	0.046	0.180	9.385	0.000	0.340	0.520	
x5	0.001	0.000	0.212	10.179	0.000	0.001	0.001	
x2	0.146	0.043	0.073	3.403	0.001	0.062	0.230	
x14	-0.096	0.014	-0.157	-7.100	0.000	-0.123	-0.070	
x7	-1.311	0.266	-0.083	-4.921	0.000	-1.834	-0.789	
x17	-0.002	0.000	-0.133	-5.085	0.000	-0.002	-0.001	
x20	-2.355	0.742	-0.055	-3.175	0.002	-3.810	-0.900	
x13	-0.042	0.022	-0.062	-1.893	0.059	-0.086	0.002	
x10	-0.002	0.001	-0.040	-1.802	0.072	-0.005	0.000	

Forward Selection: Step 14

- x8

Model Summary			
R	0.825	RMSE	10.446
R-Squared	0.680	Coef. Var	15.197
Adj. R-Squared	0.677	MSE	109.124
Pred R-Squared	0.673	MAE	8.193

RMSE: Root Mean Square Error

MSE: Mean Square Error

MAE: Mean Absolute Error

ANOVA					
	Sum of Squares	DF	Mean Square	F	Sig.
Regression	336259.392	14	24018.528	220.104	0.0000
Residual	158011.243	1448	109.124		
Total	494270.634	1462			

Parameter Estimates								
model	Beta	Std. Error	Std. Beta	t	Sig.	lower	upper	
(Intercept)	69.044	8.666		7.967	0.000	52.045	86.043	
x15	-0.272	0.037	-0.275	-7.391	0.000	-0.344	-0.200	
x3	-0.367	0.031	-0.219	-11.750	0.000	-0.428	-0.305	

##	x12	0.019	0.020	0.029	0.985	0.325	-0.019	0.058
##	x11	-0.861	0.395	-0.113	-2.180	0.029	-1.635	-0.086
##	x19	0.430	0.046	0.180	9.384	0.000	0.340	0.520
##	x5	0.001	0.000	0.210	10.076	0.000	0.001	0.001
##	x2	0.148	0.043	0.074	3.450	0.001	0.064	0.233
##	x14	-0.096	0.014	-0.157	-7.108	0.000	-0.123	-0.070
##	x7	-1.260	0.268	-0.079	-4.707	0.000	-1.785	-0.735
##	x17	-0.002	0.000	-0.133	-5.050	0.000	-0.002	-0.001
##	x20	-2.467	0.744	-0.057	-3.316	0.001	-3.927	-1.008
##	x13	-0.038	0.022	-0.056	-1.705	0.088	-0.082	0.006
##	x10	-0.018	0.007	-0.292	-2.559	0.011	-0.032	-0.004
##	x8	0.238	0.105	0.219	2.279	0.023	0.033	0.444

No more variables to be added.

Variables Entered:

+ x15
+ x3
+ x12
+ x11
+ x19
+ x5
+ x2
+ x14
+ x7
+ x17
+ x20
+ x13
+ x10
+ x8

Final Model Output

Model Summary

##	R	0.825	RMSE	10.446
##	R-Squared	0.680	Coef. Var	15.197
##	Adj. R-Squared	0.677	MSE	109.124
##	Pred R-Squared	0.673	MAE	8.193

RMSE: Root Mean Square Error
MSE: Mean Square Error
MAE: Mean Absolute Error

ANOVA


##	Sum of				
##	Squares	DF	Mean Square	F	Sig.

```

## -----
## Regression      336259.392      14      24018.528      220.104      0.0000
## Residual        158011.243     1448      109.124
## Total           494270.634     1462
## -----
##
##                               Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    69.044      8.666      -0.275      7.967      0.000      52.045      86.043
##      x15     -0.272      0.037      -0.275     -7.391      0.000      -0.344     -0.200
##      x3      -0.367      0.031      -0.219    -11.750      0.000      -0.428     -0.305
##      x12       0.019      0.020       0.029      0.985      0.325      -0.019      0.058
##      x11     -0.861      0.395      -0.113     -2.180      0.029      -1.635     -0.086
##      x19       0.430      0.046       0.180      9.384      0.000       0.340      0.520
##      x5        0.001      0.000       0.210     10.076      0.000       0.001      0.001
##      x2        0.148      0.043       0.074      3.450      0.001       0.064      0.233
##      x14     -0.096      0.014      -0.157     -7.108      0.000      -0.123     -0.070
##      x7      -1.260      0.268      -0.079     -4.707      0.000      -1.785     -0.735
##      x17     -0.002      0.000      -0.133     -5.050      0.000      -0.002     -0.001
##      x20     -2.467      0.744      -0.057     -3.316      0.001      -3.927     -1.008
##      x13     -0.038      0.022      -0.056     -1.705      0.088      -0.082      0.006
##      x10     -0.018      0.007      -0.292     -2.559      0.011      -0.032     -0.004
##      x8        0.238      0.105       0.219      2.279      0.023       0.033      0.444
## -----
##
##                               Selection Summary
## -----
##      Variable      Adj.      C(p)      AIC      RMSE
## Step  Entered  R-Square  R-Square
## -----
##      1  x15      0.4925      0.4922      1740.7492      16753.3141      14.1594
##      2  x3       0.5307      0.5302      1212.8823      15805.6807      13.2402
##      3  x12      0.5701      0.5695      947.3022      15634.2226      12.6743
##      4  x11      0.5883      0.5874      770.9783      15163.1094      12.3245
##      5  x19      0.6179      0.6169      414.4844      14308.4081      11.5185
##      6  x5       0.6477      0.6465      230.4037      13774.2900      11.0522
##      7  x2       0.6568      0.6555      168.2550      13642.8021      10.8806
##      8  x14      0.6653      0.6638      122.1230      13599.8827      10.7481
##      9  x7       0.6689      0.6672      89.2204      13041.7338      10.6609
##     10  x17      0.6712      0.6691      51.4240      12275.0291      10.5521
##     11  x20      0.6806      0.6783      17.0827      11578.6668      10.4397
##     12  x13      0.6814      0.6789      15.2940      11576.8563      10.4302
##     13  x10      0.6795      0.6766      22.3537      11064.6636      10.4523
##     14  x8       0.6803      0.6772      21.6454      11033.8392      10.4462
## -----

```

2021 Model Selection



```
## (Intercept) x1 x2 x3 x4 x5 x6 x7 x8 x9 x10 x11
## 1 TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 2 TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 3 TRUE TRUE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 4 TRUE TRUE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 5 TRUE TRUE TRUE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE
## 6 TRUE TRUE TRUE FALSE FALSE TRUE FALSE TRUE FALSE FALSE FALSE FALSE
## 7 TRUE TRUE TRUE FALSE FALSE TRUE FALSE TRUE FALSE FALSE FALSE TRUE
## 8 TRUE TRUE TRUE FALSE FALSE TRUE FALSE TRUE FALSE FALSE FALSE TRUE
## x12 x13 x14 x15 x16 x17 x18 x19 x20
## 1 FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## 2 TRUE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE
## 3 FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE
## 4 TRUE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE
## 5 TRUE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE
## 6 TRUE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE
## 7 TRUE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE
## 8 TRUE FALSE FALSE TRUE FALSE TRUE FALSE FALSE FALSE
```

```
## [1] "(Intercept)" "x1" "x2" "x5" "x7"
## [6] "x11" "x12" "x15" "x17"
```

Forward Selection Method

```

## -----
##
## Candidate Terms:
##
## 1. x1
## 2. x2
## 3. x3
## 4. x4
## 5. x5
## 6. x6
## 7. x7
## 8. x8
## 9. x9
## 10. x10
## 11. x11
## 12. x12
## 13. x13
## 14. x14
## 15. x15
## 16. x16
## 17. x17
## 18. x18
## 19. x19
## 20. x20
##
## We are selecting variables based on p value...
##
##
## Forward Selection: Step 1
##
## - x13
##
##
##                               Model Summary
## -----
## R                               0.553          RMSE                20.284
## R-Squared                       0.306          Coef. Var          42.222
## Adj. R-Squared                   0.305          MSE                411.437
## Pred R-Squared                   0.304          MAE                15.238
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                               ANOVA
## -----
##                               Sum of
##                               Squares          DF      Mean Square      F      Sig.
## -----
## Regression      373855.078              1      373855.078    908.658    0.0000
## Residual        849616.380            2065         411.437
## Total          1223471.458            2066
## -----
##
##                               Parameter Estimates

```

```

## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    65.707        0.737             89.210    0.000    64.263    67.152
##      x13     -0.454        0.015      -0.553   -30.144    0.000   -0.484   -0.425
## -----
##
##
## Forward Selection: Step 2
##
## - x12
##
##                      Model Summary
## -----
## R                      0.575      RMSE                      19.927
## R-Squared              0.330      Coef. Var              41.478
## Adj. R-Squared         0.329      MSE                   397.077
## Pred R-Squared         0.328      MAE                   14.814
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                      ANOVA
## -----
##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    403904.492        2      201952.246    508.597    0.0000
## Residual      819566.967     2064        397.077
## Total        1223471.458     2066
## -----
##
##                      Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    49.856        1.961             25.429    0.000    46.011    53.701
##      x13     -0.273        0.026      -0.333   -10.710    0.000   -0.323   -0.223
##      x12      0.235        0.027       0.270     8.699    0.000    0.182    0.288
## -----
##
##
## Forward Selection: Step 3
##
## - x3
##
##                      Model Summary
## -----
## R                      0.584      RMSE                      19.461
## R-Squared              0.341      Coef. Var              39.572
## Adj. R-Squared         0.340      MSE                   378.746

```

```
## Pred R-Squared      0.338      MAE      14.192
```

```
## -----
```

```
## RMSE: Root Mean Square Error
```

```
## MSE: Mean Square Error
```

```
## MAE: Mean Absolute Error
```

```
##
```

```
## ANOVA
```

```
## -----
```

```
##          Sum of
##          Squares      DF      Mean Square      F      Sig.
```

```
## -----
```

```
## Regression      387701.851      3      129233.950      341.216      0.0000
```

```
## Residual        748401.261     1976      378.746
```

```
## Total          1136103.113     1979
```

```
## -----
```

```
##
```

```
## Parameter Estimates
```

```
## -----
```

```
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
```

```
## -----
```

```
## (Intercept)    53.699      1.975      -0.240      27.186      0.000      49.825      57.573
```

```
##      x13     -0.200      0.027      -0.240     -7.519      0.000     -0.253     -0.148
```

```
##      x12      0.251      0.027      0.291      9.412      0.000      0.199      0.304
```

```
##      x3     -0.386      0.040     -0.186     -9.585      0.000     -0.465     -0.307
```

```
## -----
```

```
##
```

```
##
```

```
##
```

```
## Forward Selection: Step 4
```

```
##
```

```
## - x1
```

```
##
```

```
## Model Summary
```

```
## -----
```

```
## R      0.599      RMSE      19.145
```

```
## R-Squared      0.358      Coef. Var      38.830
```

```
## Adj. R-Squared      0.357      MSE      366.516
```

```
## Pred R-Squared      0.355      MAE      13.994
```

```
## -----
```

```
## RMSE: Root Mean Square Error
```

```
## MSE: Mean Square Error
```

```
## MAE: Mean Absolute Error
```

```
##
```

```
## ANOVA
```

```
## -----
```

```
##          Sum of
##          Squares      DF      Mean Square      F      Sig.
```

```
## -----
```

```
## Regression      401833.936      4      100458.484      274.09      0.0000
```

```
## Residual        719471.733     1963      366.516
```

```
## Total          1121305.669     1967
```

```
## -----
```

```
##
```

```
## Parameter Estimates
```

```

## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    83.106        4.753                17.483    0.000    73.784    92.429
##      x13     -0.181        0.026        -0.217     -6.865    0.000    -0.233    -0.130
##      x12      0.201        0.027         0.234      7.348    0.000     0.148     0.255
##      x3     -0.884        0.081        -0.425    -10.894    0.000    -1.043    -0.725
##      x1     -0.366        0.054        -0.253     -6.755    0.000    -0.473    -0.260
## -----
##
##
##
## Forward Selection: Step 5
##
## - x15
##
##                               Model Summary
## -----
## R                        0.620      RMSE                18.761
## R-Squared                0.384      Coef. Var            38.052
## Adj. R-Squared           0.383      MSE                351.969
## Pred R-Squared           0.380      MAE                13.393
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                               ANOVA
## -----
##                               Sum of
##                               Squares      DF      Mean Square      F      Sig.
## -----
## Regression      430742.642           5      86148.528    244.762    0.0000
## Residual        690563.027        1962      351.969
## Total           1121305.669        1967
## -----
##
##                               Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    103.343        5.166                20.005    0.000    93.212    113.473
##      x13     -0.046        0.030        -0.055     -1.539    0.124    -0.105     0.013
##      x12      0.184        0.027         0.213      6.819    0.000     0.131     0.236
##      x3     -1.053        0.082        -0.506    -12.894    0.000    -1.213    -0.893
##      x1     -0.573        0.058        -0.397     -9.913    0.000    -0.687    -0.460
##      x15     -0.289        0.032        -0.242     -9.063    0.000    -0.351    -0.226
## -----
##
##
##
## Forward Selection: Step 6
##
## - x11

```



```

##
##                               Model Summary
## -----
## R                               0.620          RMSE          18.660
## R-Squared                       0.384          Coef. Var      37.677
## Adj. R-Squared                   0.382          MSE           348.192
## Pred R-Squared                   0.379          MAE           13.221
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                               ANOVA
## -----
##                               Sum of
##                               Squares          DF          Mean Square          F          Sig.
## -----
## Regression      415745.187              6          69290.865      199.002      0.0000
## Residual        665743.731            1912           348.192
## Total          1081488.918            1918
## -----
##
##                               Parameter Estimates
## -----
## model          Beta      Std. Error      Std. Beta          t          Sig.          lower          upper
## -----
## (Intercept)    114.353        5.649              20.244      0.000      103.275      125.431
## x13            -0.006         0.031              -0.008      0.838      -0.067         0.054
## x12             0.182         0.027               0.213      6.717       0.000         0.129         0.236
## x3            -1.028         0.084              -0.495     -12.289      0.000       -1.192       -0.864
## x1            -0.588         0.059              -0.408      -9.968      0.000       -0.704       -0.472
## x15           -0.359         0.035              -0.301     -10.393      0.000       -0.427       -0.291
## x11           -0.648         0.160              -0.078      -4.056      0.000       -0.961       -0.334
## -----
##
##
##
## Forward Selection: Step 7
##
## - x19
##
##                               Model Summary
## -----
## R                               0.607          RMSE          18.592
## R-Squared                       0.369          Coef. Var      36.795
## Adj. R-Squared                   0.366          MSE           345.680
## Pred R-Squared                   0.361          MAE           13.120
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                               ANOVA
## -----

```

```

##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    370267.283        7      52895.326    153.018    0.0000
## Residual      633977.744     1834        345.680
## Total        1004245.027     1841
## -----
##
##              Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----
## (Intercept)    112.604        5.836              19.294    0.000    101.158    124.050
##      x13      -0.012        0.032       -0.014     -0.362    0.717     -0.074     0.051
##      x12       0.172        0.028        0.203     6.161    0.000      0.118     0.227
##      x3       -1.043        0.088       -0.507    -11.851    0.000     -1.215    -0.870
##      x1       -0.609        0.063       -0.428     -9.675    0.000     -0.732    -0.485
##      x15      -0.288        0.039       -0.239     -7.416    0.000     -0.364    -0.212
##      x11      -0.740        0.165       -0.091     -4.499    0.000     -1.063    -0.418
##      x19       0.267        0.068        0.094     3.911    0.000      0.133     0.401
## -----
##
##
##
## Forward Selection: Step 8
##
## - x7
##
##              Model Summary
## -----
## R              0.608      RMSE              18.653
## R-Squared       0.370      Coef. Var       36.649
## Adj. R-Squared  0.367      MSE              347.923
## Pred R-Squared  0.361      MAE              13.045
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##              ANOVA
## -----
##              Sum of
##              Squares      DF      Mean Square      F      Sig.
## -----
## Regression    357879.989        8      44734.999    128.577    0.0000
## Residual      610604.445     1755        347.923
## Total        968484.433     1763
## -----
##
##              Parameter Estimates
## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----
## (Intercept)    112.006        5.958              18.799    0.000    100.320    123.692

```

```

##          x13      -0.025      0.034      -0.030      -0.749      0.454      -0.092      0.041
##          x12       0.143       0.029       0.168       4.930       0.000       0.086       0.200
##           x3      -0.964       0.092      -0.465     -10.461       0.000      -1.145      -0.784
##           x1      -0.574       0.065      -0.401      -8.870       0.000      -0.701      -0.447
##          x15      -0.298       0.041      -0.246      -7.293       0.000      -0.378      -0.218
##          x11      -0.717       0.172      -0.086      -4.160       0.000      -1.055      -0.379
##          x19       0.340       0.073       0.114       4.666       0.000       0.197       0.483
##           x7      -1.295       0.375      -0.071      -3.454       0.001      -2.030      -0.560
## -----
##
##
##
## Forward Selection: Step 9
##
## - x5
##
##                               Model Summary
## -----
## R                               0.616      RMSE                               18.484
## R-Squared                       0.380      Coef. Var                       36.431
## Adj. R-Squared                  0.377      MSE                               341.660
## Pred R-Squared                  0.371      MAE                               12.815
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                               ANOVA
## -----
##                               Sum of
##                               Squares      DF      Mean Square      F      Sig.
## -----
## Regression      358304.965           9      39811.663      116.524      0.0000
## Residual        584921.429        1712           341.660
## Total           943226.394        1721
## -----
##
##                               Parameter Estimates
## -----
## model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)  87.743       9.887           8.874       0.000      68.351     107.135
##          x13    0.005       0.035           0.005       0.132      0.895     -0.064      0.073
##          x12    0.148       0.029           0.174       5.065      0.000      0.091      0.205
##           x3   -1.048       0.093          -0.508     -11.304      0.000     -1.230     -0.866
##           x1   -0.657       0.066          -0.457     -9.910      0.000     -0.787     -0.527
##          x15   -0.279       0.047          -0.229     -5.872      0.000     -0.372     -0.186
##          x11   -0.560       0.186          -0.064     -3.010      0.003     -0.926     -0.195
##          x19    0.335       0.073           0.112       4.579      0.000      0.192      0.479
##           x7   -1.805       0.395          -0.098     -4.568      0.000     -2.580     -1.030
##           x5    0.000       0.000           0.092       3.877      0.000      0.000      0.001
## -----
##
##
##

```

```

##
## Forward Selection: Step 10
##
## - x17
##
##                               Model Summary
## -----
## R                               0.614      RMSE              18.341
## R-Squared                       0.377      Coef. Var         35.572
## Adj. R-Squared                   0.373      MSE               336.403
## Pred R-Squared                   0.367      MAE               12.640
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##                               ANOVA
## -----
##                               Sum of
##                               Squares      DF      Mean Square      F      Sig.
## -----
## Regression      328616.612           10      32861.661      97.685      0.0000
## Residual        542955.129          1614           336.403
## Total           871571.741          1624
## -----
##
##                               Parameter Estimates
## -----
## model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----
## (Intercept)  102.696      11.465           8.958      0.000      80.209      125.183
## x13          0.008       0.036           0.009      0.215      0.830      -0.063      0.079
## x12          0.139       0.030           0.164      4.589      0.000      0.080      0.199
## x3          -0.940       0.099          -0.446     -9.511      0.000     -1.134     -0.746
## x1          -0.587       0.070          -0.408     -8.400      0.000     -0.724     -0.450
## x15         -0.232       0.050          -0.188     -4.642      0.000     -0.329     -0.134
## x11         -1.595       0.307          -0.175     -5.201      0.000     -2.196     -0.993
## x19          0.330       0.074           0.113      4.441      0.000      0.184      0.475
## x7          -2.018       0.405          -0.110     -4.989      0.000     -2.812     -1.225
## x5           0.001       0.000           0.139      5.192      0.000      0.000      0.001
## x17         -0.002       0.000          -0.122     -3.668      0.000     -0.003     -0.001
## -----
##
##
## Forward Selection: Step 11
##
## - x4
##
##                               Model Summary
## -----
## R                               0.616      RMSE              18.342
## R-Squared                       0.379      Coef. Var         35.649
## Adj. R-Squared                   0.375      MSE               336.413

```

```
## Pred R-Squared      0.368      MAE      12.628
```

```
## -----
```

```
## RMSE: Root Mean Square Error
```

```
## MSE: Mean Square Error
```

```
## MAE: Mean Absolute Error
```

```
##
```

```
## ANOVA
```

```
## -----
```

```
##      Sum of
##      Squares      DF      Mean Square      F      Sig.
```

```
## -----
```

```
## Regression      328483.691      11      29862.154      88.766      0.0000
```

```
## Residual      537588.150      1598      336.413
```

```
## Total      866071.841      1609
```

```
## -----
```

```
##
```

```
## Parameter Estimates
```

```
## -----
```

```
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
```

```
## -----
```

```
## (Intercept)      106.987      11.645      9.187      0.000      84.145      129.829
```

```
##      x13      0.019      0.036      0.022      0.531      0.596      -0.052      0.091
```

```
##      x12      0.133      0.031      0.157      4.350      0.000      0.073      0.193
```

```
##      x3      -0.895      0.100      -0.424      -8.954      0.000      -1.091      -0.699
```

```
##      x1      -0.556      0.071      -0.385      -7.871      0.000      -0.695      -0.418
```

```
##      x15      -0.247      0.051      -0.200      -4.888      0.000      -0.346      -0.148
```

```
##      x11      -1.586      0.309      -0.174      -5.132      0.000      -2.192      -0.980
```

```
##      x19      0.339      0.075      0.116      4.545      0.000      0.193      0.485
```

```
##      x7      -2.030      0.406      -0.111      -5.005      0.000      -2.825      -1.234
```

```
##      x5      0.001      0.000      0.166      5.777      0.000      0.001      0.001
```

```
##      x17      -0.002      0.000      -0.117      -3.477      0.001      -0.003      -0.001
```

```
##      x4      0.000      0.000      -0.066      -2.677      0.008      0.000      0.000
```

```
## -----
```

```
##
```

```
##
```

```
##
```

```
## Forward Selection: Step 12
```

```
##
```

```
## - x20
```

```
##
```

```
## Model Summary
```

```
## -----
```

```
## R      0.630      RMSE      18.054
```

```
## R-Squared      0.397      Coef. Var      35.108
```

```
## Adj. R-Squared      0.392      MSE      325.937
```

```
## Pred R-Squared      0.385      MAE      12.407
```

```
## -----
```

```
## RMSE: Root Mean Square Error
```

```
## MSE: Mean Square Error
```

```
## MAE: Mean Absolute Error
```

```
##
```

```
## ANOVA
```

```
## -----
```

```
## Sum of
```

```

##              Squares      DF    Mean Square      F      Sig.
## -----
## Regression    324182.762      12      27015.230    82.885    0.0000
## Residual      492817.223     1512       325.937
## Total         816999.984     1524
## -----
##
##              Parameter Estimates
## -----
##      model      Beta    Std. Error    Std. Beta      t      Sig.    lower    upper
## -----
## (Intercept)    105.487      12.108              8.712    0.000    81.737    129.238
##      x13         0.048       0.038       0.056     1.276    0.202    -0.026     0.122
##      x12         0.142       0.032       0.168     4.431    0.000     0.079     0.205
##      x3        -0.926       0.101      -0.441    -9.150    0.000    -1.124    -0.727
##      x1        -0.576       0.071      -0.403    -8.067    0.000    -0.716    -0.436
##      x15        -0.280       0.053      -0.227    -5.267    0.000    -0.384    -0.176
##      x11        -1.644       0.319      -0.180    -5.150    0.000    -2.270    -1.018
##      x19         0.330       0.076       0.112     4.345    0.000     0.181     0.479
##      x7         -2.031       0.410      -0.112    -4.953    0.000    -2.835    -1.227
##      x5          0.001       0.000       0.180     6.152    0.000     0.001     0.001
##      x17        -0.002       0.001      -0.120    -3.464    0.001    -0.003    -0.001
##      x4          0.000       0.000      -0.058    -2.320    0.020     0.000     0.000
##      x20        -2.475       1.275      -0.045    -1.941    0.052    -4.975     0.026
## -----
##
##
##
## Forward Selection: Step 13
##
## - x18
##
##              Model Summary
## -----
## R              0.624      RMSE              18.198
## R-Squared       0.390      Coef. Var       35.190
## Adj. R-Squared  0.384      MSE              331.175
## Pred R-Squared  0.377      MAE              12.538
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##
##              ANOVA
## -----
##      Sum of
##      Squares      DF    Mean Square      F      Sig.
## -----
## Regression    311427.484      13      23955.960    72.336    0.0000
## Residual      487488.930     1472       331.175
## Total         798916.413     1485
## -----
##
##              Parameter Estimates

```

```

## -----
##      model      Beta      Std. Error      Std. Beta      t      Sig      lower      upper
## -----
## (Intercept)    102.640      12.517              8.200    0.000    78.087    127.193
##      x13         0.068       0.039       0.078    1.749    0.081    -0.008     0.145
##      x12         0.158       0.033       0.185    4.781    0.000     0.093     0.223
##      x3        -0.905       0.105      -0.429   -8.648    0.000    -1.110    -0.700
##      x1        -0.556       0.074      -0.389   -7.533    0.000    -0.701    -0.412
##      x15        -0.299       0.056      -0.238   -5.318    0.000    -0.409    -0.188
##      x11        -1.746       0.331      -0.191   -5.281    0.000    -2.395    -1.098
##      x19         0.366       0.078       0.125    4.680    0.000     0.212     0.519
##      x7        -1.951       0.419      -0.107   -4.652    0.000    -2.774    -1.128
##      x5         0.001       0.000       0.184    6.172    0.000     0.001     0.001
##      x17        -0.002       0.001      -0.132   -3.693    0.000    -0.003    -0.001
##      x4         0.000       0.000      -0.060   -2.325    0.020     0.000     0.000
##      x20        -2.768       1.332      -0.051   -2.078    0.038    -5.381    -0.155
##      x18         0.248       0.114       0.054    2.167    0.030     0.024     0.472
## -----
##
##
##
## No more variables to be added.
##
## Variables Entered:
##
## + x13
## + x12
## + x3
## + x1
## + x15
## + x11
## + x19
## + x7
## + x5
## + x17
## + x4
## + x20
## + x18
##
##
## Final Model Output
## -----
##
##                               Model Summary
## -----
## R                               0.624      RMSE                               18.198
## R-Squared                       0.390      Coef. Var                          35.190
## Adj. R-Squared                  0.384      MSE                               331.175
## Pred R-Squared                  0.377      MAE                               12.538
## -----
## RMSE: Root Mean Square Error
## MSE: Mean Square Error
## MAE: Mean Absolute Error
##

```

```

##
## ANOVA
## -----
##
## Sum of
## Squares      DF      Mean Square      F      Sig.
## -----
## Regression    311427.484      13      23955.960      72.336      0.0000
## Residual      487488.930     1472       331.175
## Total         798916.413     1485
## -----
##
## Parameter Estimates
## -----
##
## model      Beta      Std. Error      Std. Beta      t      Sig.      lower      upper
## -----
## (Intercept) 102.640      12.517              8.200      0.000      78.087      127.193
## x13         0.068       0.039       0.078      1.749      0.081      -0.008      0.145
## x12         0.158       0.033       0.185      4.781      0.000      0.093      0.223
## x3         -0.905       0.105      -0.429     -8.648      0.000     -1.110     -0.700
## x1         -0.556       0.074      -0.389     -7.533      0.000     -0.701     -0.412
## x15        -0.299       0.056      -0.238     -5.318      0.000     -0.409     -0.188
## x11        -1.746       0.331      -0.191     -5.281      0.000     -2.395     -1.098
## x19         0.366       0.078       0.125      4.680      0.000      0.212      0.519
## x7         -1.951       0.419      -0.107     -4.652      0.000     -2.774     -1.128
## x5          0.001       0.000       0.184      6.172      0.000      0.001      0.001
## x17        -0.002       0.001      -0.132     -3.693      0.000     -0.003     -0.001
## x4          0.000       0.000      -0.060     -2.325      0.020      0.000      0.000
## x20        -2.768       1.332      -0.051     -2.078      0.038     -5.381     -0.155
## x18         0.248       0.114       0.054      2.167      0.030      0.024      0.472
## -----
##
## Selection Summary
## -----
##
## Variable      Adj.
## Step  Entered  R-Square  R-Square      C(p)      AIC      RMSE
## -----
## 1  x13         0.3056    0.3052    504.6346    18312.5172    20.2839
## 2  x12         0.3301    0.3295    415.8220    18240.0870    19.9268
## 3  x3          0.3413    0.3403    289.7513    17379.9846    19.4614
## 4  x1          0.3584    0.3571    216.3231    17211.0930    19.1446
## 5  x15         0.3841    0.3826    130.9578    17132.3853    18.7608
## 6  x11         0.3844    0.3825    106.9512    16686.3101    18.6599
## 7  x19         0.3687    0.3663     89.9508    16004.7898    18.5925
## 8  x7          0.3695    0.3667     99.3141    15339.8857    18.6527
## 9  x5          0.3799    0.3766     65.6972    14944.6250    18.4840
## 10 x17         0.3770    0.3732     37.8704    14079.2684    18.3413
## 11 x4          0.3793    0.3750     38.6508    13950.4644    18.3416
## 12 x20         0.3968    0.3920    -9.6519    13167.4321    18.0537
## 13 x18         0.3898    0.3844    15.2454    12855.7503    18.1982
## -----

```


d. Best Model

```
##
## Attaching package: 'modelsummary'

## The following object is masked from 'package:Hmisc':
##
##      Mean

##
## Attaching package: 'kableExtra'

## The following object is masked from 'package:huxtable':
##
##      add_footnote

## The following object is masked from 'package:dplyr':
##
##      group_rows
```

Based on the model selection, the best model for the 2019 Math Achievement Rate consists of independent variables of 'Absent 0-5 Days Percentage', 'Avg. Annual Salaries for Teachers', 'Number of Teachers with a phd degree', 'White Student Percentage', 'Black Student Percentage', 'Economically Disadvantaged Student Percentage', 'Percentage of Gifted Students', and 'Urban/Rural Area of the School'. The best model for the 2021 Math Achievement Rate consists of independent variables of 'Absent 0-5 Days Percentage', 'Avg. Annual Salaries for Teachers', 'Number of Teachers with a phd degree', 'White Student Percentage', 'Economically Disadvantaged Student Percentage', 'Amount of Money Invested for Students', 'Per-Pupil Expenditure at School Level', and 'Urban/Rural Area of the School'.

e. Best Model (Outlier Excluded)

2019


2021

f. Normality Check


```
##
## Anderson-Darling normality test
##
## data: resid(best_model_2019)
## A = 1.0953, p-value = 0.007156

##
## Anderson-Darling normality test
##
## data: resid(best_model_2021)
## A = 21.181, p-value < 2.2e-16
```

2019 Model



2021 Model



g. Transformation

2019

```
##
## Call:
## lm(formula = y1 ~ x1 + x2 + x5 + x7 + x12 + x14 + x17 + x19,
##     data = data_numeric)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -46.313  -7.365   0.463   7.765  36.663
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -3.112e+01  4.865e+00  -6.397 2.06e-10 ***
## x1           4.374e-01  2.554e-02  17.125 < 2e-16 ***
## x2           5.872e-01  5.295e-02  11.088 < 2e-16 ***
## x5           1.004e-03  6.577e-05  15.261 < 2e-16 ***
## x7          -1.630e+00  2.429e-01  -6.710 2.66e-11 ***
## x12          1.403e-01  1.362e-02  10.302 < 2e-16 ***
## x14          -1.561e-01  1.108e-02  -14.087 < 2e-16 ***
## x17           5.903e-05  1.846e-04   0.320  0.749
## x19           5.076e-01  4.392e-02  11.559 < 2e-16 ***
## ---
```

```

## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 11.22 on 1647 degrees of freedom
## (411 observations deleted due to missingness)
## Multiple R-squared:  0.6354, Adjusted R-squared:  0.6336
## F-statistic: 358.7 on 8 and 1647 DF,  p-value: < 2.2e-16

##
## Call:
## lm(formula = trans_y1 ~ x1 + x2 + x5 + x7 + x12 + x14 + x17 +
##     x19, data = data_numeric)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -3.03527 -0.44353  0.05277  0.48535  2.17113
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.750e+00  3.109e-01   5.629 2.13e-08 ***
## x1           2.840e-02  1.632e-03  17.395 < 2e-16 ***
## x2           4.048e-02  3.384e-03  11.963 < 2e-16 ***
## x5           6.324e-05  4.203e-06  15.044 < 2e-16 ***
## x7          -1.006e-01  1.553e-02  -6.482 1.20e-10 ***
## x12          9.002e-03  8.704e-04  10.342 < 2e-16 ***
## x14          -9.254e-03  7.083e-04 -13.065 < 2e-16 ***
## x17          2.116e-06  1.179e-05   0.179  0.858
## x19          3.064e-02  2.807e-03  10.915 < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.7173 on 1647 degrees of freedom
## (411 observations deleted due to missingness)
## Multiple R-squared:  0.6237, Adjusted R-squared:  0.6219
## F-statistic: 341.3 on 8 and 1647 DF,  p-value: < 2.2e-16

##
## Call:
## lm(formula = trans_y2 ~ x1 + x2 + x5 + x7 + x12 + x14 + x17 +
##     x19, data = data_numeric)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.62758 -0.07664  0.01175  0.08596  0.39569
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.685e+00  5.664e-02  29.758 < 2e-16 ***
## x1           5.158e-03  2.974e-04  17.343 < 2e-16 ***
## x2           7.575e-03  6.165e-04  12.286 < 2e-16 ***
## x5           1.132e-05  7.658e-07  14.783 < 2e-16 ***
## x7          -1.777e-02  2.829e-03  -6.283 4.24e-10 ***
## x12          1.621e-03  1.586e-04  10.220 < 2e-16 ***
## x14          -1.601e-03  1.290e-04 -12.405 < 2e-16 ***
## x17          2.480e-07  2.149e-06   0.115  0.908


```

```

## x19          5.373e-03  5.113e-04  10.508  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1307 on 1647 degrees of freedom
## (411 observations deleted due to missingness)
## Multiple R-squared:  0.6128, Adjusted R-squared:  0.6109
## F-statistic: 325.8 on 8 and 1647 DF,  p-value: < 2.2e-16

##
## Call:
## lm(formula = trans_y3 ~ x1 + x2 + x5 + x7 + x12 + x14 + x17 +
##      x19, data = data_numeric)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.12661 -0.10550  0.01824  0.12123  0.58191
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  2.476e+00  8.377e-02  29.558  < 2e-16 ***
## x1           7.538e-03  4.399e-04  17.137  < 2e-16 ***
## x2           1.140e-02  9.119e-04  12.503  < 2e-16 ***
## x5           1.632e-05  1.133e-06  14.406  < 2e-16 ***
## x7          -2.519e-02  4.184e-03  -6.022  2.12e-09 ***
## x12          2.343e-03  2.345e-04   9.988  < 2e-16 ***
## x14          -2.223e-03  1.909e-04 -11.646  < 2e-16 ***
## x17          1.825e-07  3.178e-06   0.057   0.954
## x19          7.592e-03  7.563e-04  10.039  < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1933 on 1647 degrees of freedom
## (411 observations deleted due to missingness)
## Multiple R-squared:  0.5974, Adjusted R-squared:  0.5955
## F-statistic: 305.5 on 8 and 1647 DF,  p-value: < 2.2e-16

```



2021

h. Influential Points

```
## named numeric(0)
```

```
## named numeric(0)
```

VIF

```
## Loading required package: carData
```

```
##
```

```
## Attaching package: 'carData'
```

```
## The following object is masked _by_ '.GlobalEnv':
```

```
##
```

```
## Salaries
```

```
##
```

```
## Attaching package: 'car'
```

```
## The following object is masked from 'package:dplyr':
##
##      recode

##      x1      x3      x5      x7      x11      x14      x15      x19
## 3.926058 4.385703 1.533826 1.261083 1.203689 2.165951 3.608543 1.622482

##      x3      x5      x11      x14      x15      x17      x19
## 1.272579 1.835423 2.455273 2.155140 4.054052 2.658713 1.537905
```

7. Residual Plot

```
# Residual Plot
# plot(data_numeric$y2, resid(best_model_2021), pch=16, col="blue")
# abline(0, 0, col = "red", lwd = 3)
# plot(fitted(best_model_2021), resid(best_model_2021), pch=16, col="blue", ylab=bquote(paste("e")))
# abline(0, 0, col = "red", lwd = 3)
```

Category

1. Urban & Rural

```
urban = data[data$Urban.Rural == "Urban", ]
rural = data[data$Urban.Rural == "Rural", ]
```

Testing if mean of Urban and Rural Math Achievement Rates are equal

$$H_0 : \mu_{Urban} - \mu_{Rural} = 0$$

$$H_0 : \mu_{Urban} - \mu_{Rural} > 1$$

$$p - value = 0.006737 < \alpha = 0.05 \rightarrow \text{Reject } H_0$$

```
mean(urban$All.Students.Math.Achievement)
```

```
## [1] 67.43092
```

```
mean(rural$All.Students.Math.Achievement)
```

```
## [1] 63.96621
```

```
t.test(urban$All.Students.Math.Achievement, rural$All.Students.Math.Achievement,
       mu=1, alternative='greater')
```

```
##
## Welch Two Sample t-test
##
## data: urban$All.Students.Math.Achievement and rural$All.Students.Math.Achievement
```

```
## t = 2.5042, df = 809.73, p-value = 0.006234
## alternative hypothesis: true difference in means is greater than 1
## 95 percent confidence interval:
##  1.843955      Inf
## sample estimates:
## mean of x mean of y
##  67.43092  63.96621
```

2. Race

Testing if the difference in mean of White and Black Math Achievement Rates is greater than 13

$$H_0 : \mu_{White} - \mu_{Black} = 0$$

$$H_0 : \mu_{White} - \mu_{Black} > 13$$

$$p - value = 0.004886 < \alpha = 0.05 \rightarrow \text{Reject } H_0$$

```
mean(data$White.Math.Achievement)
```

```
## [1] 63.89831
```

```
mean(data$Black.Math.Achievement)
```

```
## [1] 48.41171
```

```
t.test(data$White.Math.Achievement, data$Black.Math.Achievement,
       mu=13, alternative='greater')
```

```
##
## Welch Two Sample t-test
##
## data: data$White.Math.Achievement and data$Black.Math.Achievement
## t = 2.6881, df = 3705.6, p-value = 0.003609
## alternative hypothesis: true difference in means is greater than 13
## 95 percent confidence interval:
##  13.96467      Inf
## sample estimates:
## mean of x mean of y
##  63.89831  48.41171
```

```
mean(urban$White.Percentage)
```

```
## [1] 35.32944
```

```
mean(rural$White.Percentage)
```

```
## [1] 50.33252
```



```
mean(urban$Black.Percentage)
```

```
## [1] 38.83198
```

```
mean(rural$Black.Percentage)
```

```
## [1] 32.6066
```

3. Economy

```
# 100% Econ Disadv Percentage
Econ_Dia_100 = data[data$Econ.Disadvantaged.Percentage == '100', ]
Econ_Dia_100_urban = Econ_Dia_100[Econ_Dia_100$Urban.Rural == "Urban",]
Econ_Dia_100_rural = Econ_Dia_100[Econ_Dia_100$Urban.Rural == "Rural",]
# 2019
c(mean(Econ_Dia_100_urban$All.Students.Math.Achievement),
  mean(Econ_Dia_100_rural$All.Students.Math.Achievement))
```

```
## [1] 54.89206 58.82841
```

```
# 2021
c(mean(Econ_Dia_100_urban$X2021.All.Students.Math.Achievement),
  mean(Econ_Dia_100_rural$X2021.All.Students.Math.Achievement))
```

```
## [1] 36.54889 47.08022
```

$$\begin{aligned}H_0 &: \mu_{Rural\ EconDis} - \mu_{Urban\ EconDis} = 0 \\H_0 &: \mu_{Rural\ EconDis} - \mu_{Urban\ EconDis} > 15 \\p\text{-value} &= 0.04061 < \alpha = 0.05 \rightarrow \text{Reject } H_0\end{aligned}$$

```
mean(urban$Econ.Disadvantaged.Percentage)
```

```
## [1] 65.87646
```

```
mean(rural$Econ.Disadvantaged.Percentage)
```

```
## [1] 83.43863
```

```
t.test(rural$Econ.Disadvantaged.Percentage, urban$Econ.Disadvantaged.Percentage ,
       mu=15, alternative='greater')
```

```
##
```

```
## Welch Two Sample t-test
```

```
##
```

```
## data: rural$Econ.Disadvantaged.Percentage and urban$Econ.Disadvantaged.Percentage
```

```
## t = 1.7462, df = 809.96, p-value = 0.04058
## alternative hypothesis: true difference in means is greater than 15
## 95 percent confidence interval:
##  15.14594      Inf
## sample estimates:
## mean of x mean of y
##  83.43863  65.87646
```

4. Teacher Certificates

$$H_0 : \mu_{Urban\ Certificates} - \mu_{Rural\ Certificates} = 0$$

$$H_0 : \mu_{Urban\ Certificates} - \mu_{Rural\ Certificates} > 10$$

$$p\text{-value} = 0.001039 < \alpha = 0.05 \rightarrow \text{Reject } H_0$$

```
# Number of total certificates at school level
mean(urban$Total)
```

```
## [1] 59.34454
```

```
mean(rural$Total)
```

```
## [1] 44.75061
```

```
t.test(urban$Total, rural$Total,
       mu=10, alternative='greater')
```

```
##
## Welch Two Sample t-test
##
## data:  urban$Total and rural$Total
## t = 3.1267, df = 806.62, p-value = 0.0009156
## alternative hypothesis: true difference in means is greater than 10
## 95 percent confidence interval:
##  12.17444      Inf
## sample estimates:
## mean of x mean of y
##  59.34454  44.75061
```

Reference

- [1] Mervosh, Sarah. “The Pandemic Erased Two Decades of Progress in Math and Reading.” The New York Times, The New York Times, 1 Sept. 2022, <https://www.nytimes.com/2022/09/01/us/national-test-scores-math-reading-pandemic.html?smid=nytcore-ios-share&referringSource=articleShare>.
- [2] Stern, Paul. “The Pandemic Worsened Racial Achievement Gaps. Making up the Difference Won’t Be Easy.” CT Mirror, 23 May 2022, <https://ctmirror.org/2022/05/22/the-pandemic-worsened-racial-achievement-gaps-making-up-the-difference-wont-be-easy/>.
- [3] Georgia Department of Education. CCRPI Reports. Retrieved from <https://www.gadoe.org/CCRPI/>

Pages/default.aspx

[4] The Governor's Office of Student Achievement. Downloadable Dataset. Retrieved from <https://gosa.georgia.gov/dashboards-data-report-card/downloadable-data>

row	column	cor	p
x10	x16	0.896	0
x8	x16	0.894	0
x8	x10	0.844	0
x1	x3	-0.833	0
x12	x13	-0.815	0
y1	x15	-0.702	0
x14	x15	0.699	0
x13	x15	0.688	0
y1	y2	0.679	0
x11	x17	-0.64	0
y1	x13	-0.639	0
x1	x2	-0.592	0
y1	x14	-0.588	0
x15	x19	-0.583	0
x5	x9	0.575	0
y2	x13	-0.553	0
y1	x12	0.55	0
y2	x12	0.541	0
x12	x15	-0.532	0
x5	x15	-0.504	0
x10	x11	0.503	0
y1	x19	0.501	0
x5	x6	0.494	0
x13	x14	0.489	0
x4	x5	0.488	0
y1	x3	-0.478	0
x10	x17	-0.472	0
y2	x15	-0.472	0
x12	x14	-0.431	0
x15	x18	0.43	0
x14	x19	-0.43	0
x18	x19	-0.425	0
x2	x12	0.424	0

	2019 Best Model	2021 Best Model
(Intercept)	89.695 (4.782)	140.757 (9.562)
x1	−0.317 (0.031)	
x3	−0.699 (0.048)	−0.182 (0.049)
x5	0.0006 (0.000 07)	0.0004 (0.0001)
x7	−1.495 (0.228)	
x11	−0.931 (0.106)	−3.604 (0.290)
x14	−0.085 (0.012)	−0.036 (0.023)
x15	−0.363 (0.026)	−0.366 (0.051)
x19	0.467 (0.042)	0.047 (0.069)
x17		−0.004 (0.0005)
Num.Obs.	1722	1702
R2	0.665	0.272
R2 Adj.	0.663	0.269
AIC	13 070.1	15 002.4
BIC	13 124.6	15 051.3
Log.Lik.	−6525.067	−7492.190
F		90.288
RMSE	10.70	19.75