# COMPUTER SCIENCE CHEAT SHEET

# Greek Alphabet

$\mid A \mid$	$\alpha$	Alpha	I	$\iota$	Iota	P	$\rho$	Rho
B	$\beta$	Beta	K	$\kappa$	Kappa	$\sum$	$\sigma$	Sigma
Γ	$\gamma$	Gamma	Λ	$\lambda$	Lambda	T	$\tau$	Tau
Δ	$\delta$	Delta	M	$\mu$	mu	Y	$\overline{v}$	Upsilon
$oxed{E}$	$\epsilon$	Epsilon	N	$\nu$	nu	Ф	$\phi$	Phi
Z	ζ	Zeta		ξ	Xi	X	$\chi$	Chi
H	$\eta$	Eta	O	0	Omicron	Ψ	$\psi$	Psi
( <del>-</del> )	$\theta$	Theta	П	$\pi$	Pi	$\bigcirc$	(1)	Omega.

e

$$e = \lim_{n \to \infty} \left( 1 + \frac{1}{n} \right)^n$$

$$\frac{1}{e} = \lim_{n \to \infty} \left( 1 - \frac{1}{n} \right)^n$$

$$e = \sum_{n=0}^{\infty} \frac{1}{n!}$$

$$e = \lim_{x \to 0} (1 + x)^{\frac{1}{x}}$$

## Abstract Algebra

#### Field

A set F with two binary operations + and  $\cdot$  ia a *field* if: 1. + and  $\cdot$  are commutative

 $2. + \text{and} \cdot \text{are associative}$ 

 $3. + \text{ and } \cdot \text{ have identities, 0 and 1 respectively, 0} \neq 1$  $4. \text{ every element } a \in F \text{ has inverse for } +, \text{ written } -a$ 

5. every element  $a \in F$  has inverse for  $\cdot$ , written  $a^{-1}$ 

 $6. \, \forall a, b, c \in F, \ a \cdot (b+c) = a \cdot b + a \cdot c$ 

# Linear Algebra

### Probability

# Complexity