

Girls' Programming Network

Markov ChainsWorkbook 2

Tutors Only

This project was created by GPN Australia for GPN sites all around Australia!

This workbook and related materials were created by tutors at:

Sydney, Canberra and Perth



Girls' Programming Network

If you see any of the following tutors don't forget to thank them!!

| Writers | lesters |
|-------------|-------------------|
| Maddy Reid | Olivia Gorton |
| Renee Noble | Anton Black |
| Emma Krantz | Josie Ang |
| | Maddie Jones |
| | Kassandra di Bona |
| | Isabel Brison |

A massive thanks to our sponsors for supporting us!



Part 0: Setting up

In the first Markov Chain workbook, you used a dictionary to generate random things. Now we're going to write code to create our own dictionary. This means we can use different pieces of text to generate things!

Task 0.1: Here's one I prepared earlier...

Make sure your file from before is still open in Replit. The file should be called main.py

Task 0.2: Making room for new code

Let's get started by making space for our new code!

- 1. Comment out the dictionary called cups by putting a '#' at the beginning of it.
- 2. Below that, make a brand new **empty** dictionary to replace it. Call that one cups as well.
- 3. Press enter a few times so that you have some space between that and the rest of your code.
- 4. Comment out the other code below that too, we'll use it later.

Hint

You can quickly comment out a block of code in Replit by highlighting it and using the keyboard shortcut ctrl+/ (in mac it is cmd+/).

☑ CHECKPOINT ☑

| lf y | ou/ | can | tick | all c | of these | off you | can g | o to | Part | 1: |
|------|-----|-----|------|-------|----------|---------|-------|------|------|----|
| | 1 | | | | | | | | | |

The code should now look like this:

```
cups = {} {}
```



Part 1: New ingredients for new sentences

We now start coding above the commented code block.

Task 1.1: Get some new source text

Let's give our program some new inspiration for what to generate.

- 1. Pick one of the texts from girlsprogramming.network/markov-files
- 2. Store it as a string in a variable. Give your variable a good, descriptive name like source_text.

Hint

Remember, in Python we call chunks of text *strings*. To tell python something is a string, we need to wrap it in quotes like

```
'Hello, I am a string' or "Hello, I am a string".
```

Multiline strings use triple quotes:

```
This is a multiline string.
I can put 'quotes' inside quotes.
```

TUTOR TIPS

The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
```

Task 1.2: Split the text into a list

Before we can do anything else, we need to split our source text into words—currently it's just one big blob of letters!

1. Turn our source_text string into a list of strings, where each string is a single word in a variable called split_text.

Hint

We can use .split() to do this.

```
blob = "Peter Piper picked a peck of pickled peppers"
blob.split()
['Peter', 'Piper', 'picked', 'a', 'peck', 'of', 'pickles',
'peppers']
```

• The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
split_text = source_text.split()
```

Task 1.3: Word count

Store the number of words in split_text in a variable called num_words.

Hint

We could count each word ourselves. But python gives us a handy shortcut! len() will tell you the length of a list.

```
print(len(['I', 'love', 'cats']))
will print out 3.
```

☑ CHECKPOINT **☑**

If you can tick all of these off you can go to Part 2:

| St | ore | some | e t | e) | kt in | а | va | ria | ble | |
|----|-----|------|-----|----|-------|---|----|-----|-----|--|
| _ | | | | | | | | _ | | |

☐ Split the text into a list of strings

☐ Use len() to count how many words are in the list and store that number in num words

TUTOR TIPS

• The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
split_text = source_text.split()
num_words = len(split_text)
```

2. Loopy for lists

Task 2.1: Use a for loop to make the computer count for us

Using a for loop, get your program to count from 0 along the length of the ${\tt split}$ text list.

```
If the length of split_text is 4, your program should print:
0
1
2
```

Hint

3

Remember using this in the first workbook?

```
for num in range(100):
    # The thing you want to do 100 times goes here
```

How could you change that to make it go for the number of words you have, not 100 times?

- Make sure the correct variables are being referenced!
- The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
split_text = source_text.split()
num_words = len(split_text)
for i in range(num_words):
    print(i)
```

Task 2.2: Accessing each item in a list

Instead of printing out numbers, we want to print out the word in the list we are up to. Use num to access that correct spot in the list and print it out!

- 1. Store the word you're about to print in a variable called <code>current_word</code>
- 2. Print it out!

Hint

You can get items out of the list like this:

```
>>> words = ["I", "love", "cats"]
>>> words[2]
cats
```

You can use the variable num to change which spot in the list you are grabbing ever loop.

- Make sure the correct variables are being referenced!
- The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
split_text = source_text.split()
num_words = len(split_text)
for i in range(num_words):
    current_word = split_text[i]
    print(current_word)
```

Task 2.3: Accessing the next item

Each time we loop, we also want to **look one word ahead** in our list.

- Create a variable called next_word, set it to the word in the list after current_word
- 2. Print out next word
- 3. What happens when you run your code?

- This code will cause an IndexError on the last iteration that's fixed in the next task, so don't be alarmed.
- The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
split_text = source_text.split()
num_words = len(split_text)
for i in range(num_words):
    current_word = split_text[i]
    next_word = split_text[i+1]
    print(next_word)
```

Task 2.4: List index out of range


IndexError: list index out of range

Whoops! This error is what happens when we try to access something past the end of the list. The index we're trying to access is bigger than the number of things in the list.

See if you can figure out how to fix this, by changing how many spots in the list you look at. We want to fix the error but for now, don't worry if the first word is not printed.

Hint

See what happens if we try to get the current word and the next word, for every word in "I like pie and cake". It gets a bit confusing at the end of the list of words!



☑ CHECKPOINT ☑

If you can tick all of these off you can go to Part 3:

☐ Loop through each word in split_text, storing it in a variable
☐ Store the next word in a variable as well
☐ Stop your loop from trying to access past the end of the list

- Make sure that the students are using the index number (i) to prevent the IndexError. They shouldn't be checking the contents of the current word - this method is "brittle" because it breaks as soon as you change the source text.
- The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
split_text = source_text.split()
num_words = len(split_text)
for i in range(num_words - 1):
    current_word = split_text[i]
    next_word = split_text[i+1]
    print(next_word)
```


3. Fill the cups with words

Let's look at our cups again

Instead of actual cups, our program uses a Python dictionary.

The **keys** of the dictionary are the words written on the outside of the cup

The **values** of the dictionary are lists of words that come after the word written on the cup



Task 3.1: Add new words

For every different word in the text, we want to make a cup for it to hold all the possible words that might come after it.

- 1. Inside your loop, add current_word as a key to cups, and set the value to next_word.
- 2. After your loop, print out cups.

Hint

To create an entry in a dictionary called phone, you can use: phone["Sam"] = 1023

Each dictionary entry is identified by a key, "Sam", and a value, 1023.

TUTOR TIPS

The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
split_text = source_text.split()
num_words = len(split_text)
for i in range(num_words - 1):
    current_word = split_text[i]
    next_word = split_text[i+1]
    cups[current_word] = next_word
```

Task 3.2: When we see a word again...

As you might have noticed, something isn't quite right. What if we run into the same word twice? Our cup is only ever going to have one word in it. Instead of a single string, we need to store a list.

In your loop:

- 1. Remove your code from Task 3.1, we're going to replace it with something better!
- 2. Check if current_word is not in the cups dictionary (You can use not in just like you use in!)
- If it's not there, add an entry to the dictionary.
 The key is the current_word, the value is a list containing one item, the next word.
- 4. Otherwise append the next word to the list that's already there.
- 5. Then check by printing out your cups dictionary outside the loop.

Hint

To add something to the end of a list, we use .append() as seen below:

```
favourite_things = ["raindrops on roses", "whiskers on
kittens"]
favourite_things.append("bright copper kettles")
```

Hint

Remember your green eggs and ham dictionary? It looks something like this (but longer):

The new dictionary you generate should look similar, but with different words in it.

☑ CHECKPOINT **☑**

If you can tick all of these off you can go to Part 4:

| Your dictionary containing | lists | possible | next v | vords | for | each |
|----------------------------|-------|----------|--------|-------|-----|------|
| word in the text | | | | | | |

You've printed out the dictionary and made sure that it looks similar to the example one (but with different words).

TUTOR TIPS

The code should now look like this:

```
cups = {}
source_text = """
<a bunch of text here>
"""
split_text = source_text.split()
num_words = len(split_text)
for i in range(num_words - 1):
    current_word = split_text[i]
    next_word = split_text[i+1]

if current_word not in cups:
    cups[current_word] = [next_word]
    else:
    cups[current_word].append(next_word)
print(cups)
```

4. Generating sentences

In the last step we finished our code that creates our dictionary from any text. Now we want to combine this with the code we wrote in Workbook 1, where we used a dictionary. Putting these two bits of code together means we can create our dictionary and then use it!

Task 4.1: Put it all together

Comment out the last print-statement. Uncomment your code from the first workbook, and run your program.

Task 4.2: Code that sometimes work

We will try out our code with different source texts and see what happens:

1. Run your code with the following text (source_text):

.....

i see whats happening yeah

youre face to face with greatness and its strange

you dont even know how you feel its adorable

well its nice to see that humans never change

open your eyes lets begin yes its really me

its maui breathe it in

i know its a lot the hair the bod

when youre staring at a demigod what can i say except youre welcome

for the tides the sun the sky

hey its okay its okay youre welcome

.....

This text should work.

2. Now we try another text. Run your code again with the following text. Generate a text with at least 100 words.

```
(Hint: The for-loop should be: for i in range(100)):
```

Another thing that got forgotten was the fact that against all probability a sperm whale had suddenly been called into existence several miles above the surface of an alien planet. And since this is not a naturally tenable position for a whale, this poor innocent creature had very little time to come to terms with its identity as a whale before it then had to come to terms with not being a whale any more. This is a complete record of its thoughts from the moment it began its life till the moment it ended it.

What happens if you run your code several times? Did you get a KeyError: 'it'. ?

3. Think about why this is broken!

Hint

What happens if a word does not have any subsequent words, e.g. like the last word? Let's say we have three words in our text: "I love cats" The next_word for each of the words are:

```
I > love
```

love > cats

cats > ????

Since no word comes after the word cats it doesn't go into our dictionary, so our program breaks. Our dictionary cups would look like this:

Task 4.3: Let's fix this!

We can prevent this by checking if the <code>current_word</code> is in our dictionary <code>cups</code>. Add an if statement inside the for loop that checks this. The following code should then be indented.

Now, run it again with the text that broke it last time! You might get a generated text that is shorter than 100 words but you won't get an error anymore.

Task 4.4: New texts

Try out your code with different source texts and see what happens!

☑ CHECKPOINT ☑

If you can tick all of these off you can go to Part 5:

| | 」Your program generates ra | andom sentences | without | getting a | 3 |
|--|----------------------------------|-----------------|---------|-----------|---|
| | eyError for the last word in the | | | | |
| | _ | | | | |

| You've | tried | three | different | SOURCE | teyte |
|--------|-------|-------|-----------|--------|--------------|
| TOU VE | แเนน | แแยย | umerent | Source | LEXIS |

• **Common mixups:** Depending on whether the student's commented code was left at the top or the bottom of their program, their program won't necessarily start working straight away.

Look carefully and make sure that:

- Their name comment is at the top
- The **import** is at the top
- The **rest of the old code** is **below** the new code
- Also, make sure they aren't overwriting the cups dictionary they've generated.
- The code should now look like this:

```
# <the student's name>
import random
cups = \{\}
source text = """
<a bunch of text here>
split_text = source_text.split()
num words = len(split text)
for i in range(num_words - 1):
    current_word = split_text[i]
    next_word = split_text[i+1]
    if current_word not in cups:
        cups[current word] = [next word]
    else:
        cups[current word].append(next word)
print("I am a markov chain generator")
current_word = input("What word do you want to start with? ")
print(current_word)
if current_word in cups:
    for i in range(100):
        if current word in cups:
            next_word_options = cups[current_word]
            next_word = random.choice(next_word_options)
            print(next word, end=" ")
            current word = next word
Else:
    print('/nSorry, you can't use that as a starting word!')
```