Welcome to the Labs

Scissors Paper Rock!

Who are the tutors?

Who are you?

- Start with a partner
- play scissors paper rock!









- Start with a partner
- 2. play scissors paper rock!
- If you win they become your cheer squad!
 And their squad becomes your squad!
- 4. Find a new partner!
- 5. Keep playing until there is only one person left!









- Start with a partner
- 2. play scissors paper rock!
- 3. If you win they become your cheer squad!
 And their squad becomes your squad!
- 4. Find a new partner!
- 5. Keep playing until there is only one person left!







- 1. Start with a partner
- 2. play scissors paper rock!
- 3. If you win they become your cheer squad!
 And their squad becomes your squad!
- 4. Find a new partner!
- Keep playing until there is only one person left!



- 1. Start with a partner
- 2. play scissors paper rock!
- 3. If you win they become your cheer squad!
 And their squad becomes your squad!
- 4. Find a new partner!
- 5. Keep playing until there is only one person left!



- Start with a partner
- 2. play scissors paper rock!
- 3. If you win they become your cheer squad!
 And their squad becomes your squad!
- 4. Find a new partner!
- Keep playing until there is only one person left!



Log on

Log on and jump on the GPN website

girlsprogramming.network/sydney-workshop

You can see:

- These slides (to take a look back or go on ahead).
- A digital copy of your workbook.
- Help bits of text you can copy and paste!

There's also links to places where you can do more programming!



Tell us you're here!

Click on the

Start of Day Survey

and fill it in now!

Today's project!

Scissors Paper Rock



Using the workbook!

The workbooks will help you put your project together!

Each **Part** of the workbook is made of tasks!

Tasks - The parts of your project

Follow the tasks **in order** to make the project!

Hints - Helpers for your tasks!

Stuck on a task, we might have given you a hint to help you **figure it out!**

The hints have <u>unrelated</u> examples, or tips. **Don't copy and paste** in the code, you'll end up with something **CRAZY**!

Task 6.2: Add a blah to your code!

This has instructions on how to do a part of the project

- 1. Start by doing this part
- 2. Then you can do this part

Task 6.1: Make the thing do blah!

Make your project do blah

Hint

A clue, an example or some extra information to help you **figure out** the answer.

print('This example is not part of the project')

Using the workbook!

The workbooks will help you put your project together!

Check off before you move on from a **Part**! Do some bonuses while you wait!

Checklist - Am I done yet?

Make sure you can tick off every box in this section before you go to the next Part.

Lecture Markers

This tells you you'll find out how to do things for this section during the names lecture.

Bonus Activities

Stuck waiting at a lecture marker?

Try a purple bonus. They add extra functionality to your project along the way.



If you can tick all of these off you're ready to move the next part!

- ☐ Your program does blah
- ☐ Your program does blob




★ BONUS 4.3: Do some extra!

Something to try if you have spare time before the next lecture!

Intro to Programming

What is programming?



It's giving computers a set of instructions!

Programming is not a bunch of crazy numbers



A Special Language

A language to talk to dogs!





Programming is a language to talk to computers




People are smart! Computers are dumb!


SALAD INSTRUCTIONS


Programming is like a recipe!


Computers do EXACTLY what you say, every time.

Which is great if you give them a good recipe!












People are smart! Computers are dumb!


SALAD INSTRUCTIONS


But if you get it out of order....

A computer wouldn't know this recipe was wrong!










People are smart! Computers are dumb!

SALAD INSTRUCTIONS

Computers are bad at filling in the gaps!

A computer wouldn't know something was missing, it would just freak out!







Everyone/thing has strengths!

- Does exactly what you tell it
- Does it the same every time
- Doesn't need to sleep!
- Will work for hours on end!
- Get smarter when you tell them how



- Understand instructions despite:
 - Spelling mistakes
 - Typos
 - Confusing parts
- Solve problems
- Tell computers what to do
- Get smarter every day




Intro to Python

Let's get coding!



Where do we program? In IDLE

Click the start button and type IDLE!



```
File Edit Shell Debug Options Window Help

Python 3.5.1 (v3.5.1:37a07cee5969, Dec 6 2015, 01:54:25) [MSC v.1900 64 bit (AMD64)] on win32

Type "copyright", "credits" or "license()" for more information.

>>> |

Ln:3 Col:4
```

Make a mistake!

Type by **button mashing** the keyboard!

Then press enter!

asdf asdjlkj;pa j;k4uroei

Did you get a big red error message?




Mistakes are great!

SyntaxError: Thyalid Syntax

Good work you made an error!

No module ror:

- Programmers make A LOT of errors!
- Errors give us hints to find mistakes
- Run your code often to get the hints!!
- Mistakes won't break computers!



Keyerror:
Hairy Potters

AttributeError:
'NoneType' object
has no attribute
'foo'

TypeError: Can't convert 'int' object to str implicitly

Write some code!!



Type this into the window Then press enter!

print('hello world')

Did it print:

hello world

???



Python the calculator!



Try writing some maths into python!

A calculator for words!



What do you think these bits of code do?

Try them and see!

```
>>> "cat" + "dog"
```

```
>>> "tortoise" * 3
```

Strings!

Strings are things with "quotes"

To python they are essentially just a bunch of pictures!

Adding:



Multiplying (3 lots of tortoise!):




No Storing is Boring!

It's useful to be able to remember things for later!
Computers remember things in "variables"

Variables are like putting things into a **labeled cardboard box**.

Let's make our favourite number 8 today!



Instead of writing the number 8, we can write fav num.

Instead of writing the number 8, we can write fav_num.

fav_num + 21

But writing 8 is much shorter than writing fav_num???





fav_num






Variables are useful for storing things that change

(i.e. things that "vary" - hence the word "variable")

Try changing fav num to **102**.

102






We're able to use our code for a new purpose, without rewriting everything:


No variables VS using variables







1 Change





Your turn!

Can you guess what each print will do?

Type the code into IDLE to check your guesses

```
>>> x = 3
>>> print(x)
>>> print(x + x)
>>> y = x
>>> print(y)
\Rightarrow\Rightarrow y = y + 1
>>> print(y)
```

Variables

Your turn!

Can you guess what each print will do?

Type the code into IDLE to check your guesses

```
>>> x = 3
>>> print(x)
3
>>> print(x + x)
6
>>> y = x
>>> print(y)
3
>>> y = y + 1
>>> print(y)
4
```

Switcharoo - Making copies!



Set some variables!

>>>
$$x = 3$$

$$>>> y = x$$

>>>
$$x = 5$$

What do x and y contain now?

5

3

y hasn't changed because it has a copy of x in it!

Asking a question!



It's more fun when we get to interact with the computer!

Try out this code to get the computer to ask you a question!

```
>>> my_name = input('What is your name? ')
>>> print('Hello ' + my_name)
```


How input works!

```
Writing input
                                              This is the
Store the answer
                          tells the
                                             question you
 in the variable
                      computer to wait
                                            want printed to
   my_name
                                              the screen
                       for a response
     >>> my_name = input('What is your name?')
     >>> print('Hello ' + my_name)
                                    We use the answer
                                   that was stored in the
                                       variable later!
```

Coding in a file!



Code in a file is code we can run multiple times! Make a reusable "hello world"!



- Make a new file called hello.py, like the picture
- Put your print('hello world') code in it
- 3. Run your file using the F5 key



Adding a comment!



Sometimes we want to write things in our file that the computer doesn't look at! We can use "Comments" for that!

Sometimes we want to write a note for a people to read

```
# This code was written by Vivian
```

And sometimes we want to not run some code (but don't want to delete it!)

```
# print("Goodbye world!")
```

Try it!

- 1. Add a comment to your hello.py file!
- 2. Run your code to make sure it doesn't do anything extra



Project time!



You now know all about printing and variables!

Let's put what we learnt into our project Try to do Part 0 - Part 2

The tutors will be around to help!



Conditions let us make decision.

First we test if the condition is met!

Then maybe we'll do the thing



If it's raining take an umbrella

Yep it's raining

..... take an umbrella

Booleans (True and False)



Computers store whether a condition is met in the form of

True and False

To figure out if something is True or False we do a comparison

Try typing these into IDLE!

So to know whether to do something, they find out if it's True!

```
fave_num = 5
if fave_num < 10:</pre>
    print("that's a small number")
```

So to know whether to do something, they find out if it's True!

```
fave_num = 5
if fave_num < 10:
    print("that's a small number")
That's the
condition!</pre>
```

So to know whether to do something, they find out if it's True!

```
fave_num = 5
if fave_num < 10:</pre>
    print("that's a small number")
```

That's the condition!

Is it True that fave_num is less than 10?

- Well, fave_num is 5
- And it's True that 5 is less than 10
- So it is True!



So to know whether to do something, they find out if it's True!

```
fave_num = 5
    print("that's a small number")
```

Put in the answer to the question

Is it True that fave_num is less than 10?

- Well, fave_num is 5
- And it's True that 5 is less than 10
- So it is True!



So to know whether to do something, they find out if it's True!

```
fave_num = 5
    print("that's a small number")
What do you think happens?
```

So to know whether to do something, they find out if it's True!

```
fave_num = 5
if True

print("that's a small number")

What do you think happens?
>>> that's a small number
```

How about a different number???

```
fave_num = 9000
if fave_num < 10:
    print("that's a small number")</pre>
```

It's False!

```
fave_num = 9000
    False
     print("that's a small number")
Put in the
answer to
the question
```

It's False!

```
fave_num = 9000
if False
    print("that's a small number")
What do you think happens?
>>>
```

```
fave_num = 9000
    print("that's a small number")
What do you think happens?
                              Nothing!
>>>
```

```
This line ...
fave_num = 5
if fave_num < 10:</pre>
    print("that's a small number")
                                     ... controls this line
```

Actually

```
fave_num = 5
if fave_num < 10:
    print("that's a small number")
    print("and I like that")
    print("A LOT!!")</pre>
```

... controls anything below it that is indented like this!



What do you think happens?

```
fave_num = 5
if fave_num < 10:</pre>
    print("that's a small number")
    print("and I like that")
    print("A LOT!!")
What do you think happens?
```

What do you think happens?

```
fave_num = 5
if fave_num < 10:</pre>
    print("that's a small number")
    print("and I like that")
    print("A LOT!!")
>>> that's a small number
>>> and I like that
>>> A LOT!!
```

```
word = "GPN"
if word == "GPN":
  print("GPN is awesome!")
          What happens??
```

```
word = "GPN"
if word == "GPN":
  print("GPN is awesome!")
```

```
What happens??
>>> GPN is awesome!
```

Else statements

```
word = "GPN"
if word == "GPN":
   print("GPN is awesome!")
```

```
What happens??
>>> GPN is awesome!
```

But what if we want something different to happen if the word isn't "GPN"

Else statements

else statements means something still happens if the **if** statement was False

```
word = "Chocolate"
if word == "GPN":
  print("GPN is awesome!")
else:
  print("The word isn't GPN :(")
```

What happens??



Else statements

else **Statements** means something still happens if the **if** statement was False

```
word = "Chocolate"
if word == "GPN":
  print("GPN is awesome!")
else:
  print("The word isn't GPN :(")
```

```
What happens??
>>> The word isn't GPN :(
```



Elif statements

elif

Means we can give specific instructions for other words

```
word = "Chocolate"
if word == "GPN":
  print("GPN is awesome!")
elif word == "Chocolate":
  print("YUMMM Chocolate!")
else:
  print("The word isn't GPN :(")
```

What happens??

Elif statements

elif

Means we can give specific instructions for other words

```
word = "Chocolate"
if word == "GPN":
  print("GPN is awesome!")
elif word == "Chocolate":
  print("YUMMM Chocolate!")
else:
  print("The word isn't GPN :(")
```

```
What happens??
>>> YUMMM Chocolate!
```



Practice Time!

- 1. Create a new file, call it weather.py
- Copy this code into your file

```
weather = input("What is the weather? ")
if weather == "raining":
    print("Take an umbrella!")
```

- 3. Add a third line to make it print a special message, but only if the user says "raining"
- Run your code! Try typing in **raining**, try typing in **sunny**
- 5. BONUS! Add an else statement, to print a non-rainy message!



Project Time!



You now know all about if and else!

See if you can do Part 3

The tutors will be around to help!

Random!

That's so random!

There's lots of things in life that are up to chance or random!



Python lets us **import** common bits of code people use! We're going to use the **random** module!

We want the computer to be random sometimes!



Using the random module



Let's choose something randomly from a list!

This is like drawing something out of a hat in a raffle!

Try this!

- 1. Import the random module!
 - >>> import random



Copy the shopping list into IDLE

```
>>> shopping_list = ["eggs", "bread", "apples", "milk"]
```

- Choose randomly! Try it a few times!
 - >>> random.choice(shopping_list)



Project Time!



Raaaaaaaaandom! Can you handle that?

Let's put what we learnt into our project Try to do Part 4

The tutors will be around to help!




While Loops

Loops









We know how to do things on repeat!

Sometimes we want to do some code on repeat!

What do you think this does?

```
while i < 3:
  print("i is " + str(i))
  i = i + 1
```

What do you think this does?

```
i = 0
while i < 3:
  print("i is " + str(i))
  i = i + 1
```

```
i is 0
i is 1
i is 2
>>>
```

Stepping through a while loop...

One step at a time!

while i < 3: print("i is " + str(i)) i = i + 1

Set the

One step at a time!

0 is less than 3!

```
while i < 3:◀
   print("i is " + str(i))
   i = i + 1
```

$$i = 0$$

One step at a time!

```
while i < 3:
  print("i is " + str(i))
   i = i + 1
```

MY VARIABLES

$$i = 0$$

i is 0

One step at a time!

```
i = 0
while i < 3:
  print("i is " + str(i))
i = i + 1
```

MY VARIABLES

```
UPDATE
TIME!
```

i is 0

One step at a time!

from the top!

```
while i < 3:
   print("i is " + str(i))
   i = i + 1
```

$$\frac{i = 0}{i = 1}$$

One step at a time!

than 3!

```
while i < 3:◀
   print("i is " + str(i))
   i = i + 1
```

One step at a time!

```
while i < 3:
  print("i is " + str(i))
   i = i + 1
```

$$\frac{i = 0}{i = 1}$$


```
i is 0
i is 1
```

One step at a time!

```
i = 0
while i < 3:
  print("i is " + str(i))
♠ i = i + 1-
```

i is 0 i is 1

MY VARIABLES



UPDATE TIME!

One step at a time!

```
from the
  top!
```

```
i = 0
while i < 3:
   print("i is " + str(i))
   i = i + 1
```

```
i is 0
i is 1
```

One step at a time!

```
i = 0
while i < 3:→
   print("i is " + str(i))
   i = i + 1
```

```
i is 0
i is 1
```

One step at a time!

```
while i < 3:
  print("i is " + str(i))
   i = i + 1
```

```
i is 0
i is 1
i is 2
```

One step at a time!

```
i = 0
while i < 3:
  print("i is " + str(i))
\phi i = i + 1
```

```
i is 0
i is 1
i is 2
```



One step at a time!

```
from the
  top!
```

```
i = 0
while i < 3:
   print("i is " + str(i))
   i = i + 1
```

```
i is 0
i is 1
i is 2
```

One step at a time!


3 IS NOT less than

```
i = 0
while i < 3:◀
   print("i is " + str(i))
   i = i + 1
```

MY VARIABLES

We are are done with this loop!

```
i is 0
i is 1
i is 2
```



What happens when.....

What happens if we forget to update the loop variable?

```
i = 0
while i < 3:
   print("i is " + str(i))
```

What happens when.....

What happens if we forget to update the loop variable?

```
i = 0
while i < 3:
   print("i is " + str(i))
i is 0
```

Infinite loop!

Sometimes we want our loop to go forever!

So we set a condition that is always True!

We can even just write True!

```
while True:
   print("Are we there yet?")
```

Project Time!



while we're here:

Try to do Part 5!

And extension Parts 8 & 9

The tutors will be around to help!



For Loops

Looping through lists!

What would we do if we wanted to print out this list, one word at a time?

```
words = ['This', 'is', 'a', 'sentence']

print(words[0])
print(words[1])
print(words[2])
print(words[3])
```

What if it had a 100 items??? That would be BORING!



For Loops

For loops allow you to do something for **each** item in a **group** of things

There are many real world examples, like:



For each page in this book: Read



For each chip in this bag of chips: Eat

Looping over a list of ints

We can loop through a list:

```
numbers = [1, 2, 3, 4]
for i in numbers:
   print(i)
```

What's going to happen?

Looping over a list of ints

We can loop through a list:

```
numbers = [1, 2, 3, 4]
for i in numbers:
    print(i)
```

```
What's going to happen?
>>> 1
>>> 2
>>> 3
>>> 4
```

- Each item of the list takes a turn at being the variable i
- Do the body once for each item
- We're done when we run out of items!

Practice Time!



- 1. Make a new file called yummy.py
- 2. Copy in this list

```
>>> fruits = ['apple', 'banana', 'mango']
```

- 3. Add **2 lines of code** that makes your program print out this. Use a for loop!
 - >>>Yummy apple
 - >>>Yummy banana
 - >>>Yummy mango

HINT!

```
numbers = [1, 2, 3, 4]
for i in numbers:
   print(i)
```



Somehow it knows how to get one fruit out at a time!!

It's like it knows english!

```
fruits = ['apple', 'banana', 'mango']
for fruit in fruits:
  print('yummy ' + fruit)
```

But fruit is just a variable! We could call it anything! Like dog!

```
fruits = ['apple', 'banana', 'mango']
for_dog in fruits:
  print('yummy ' + dog)
          >>>Yummy apple
```

>>>Yummy banana

>>>Yummy mango

Everything in the list gets to have a turn at being the <u>dog</u> variable

```
fruits = ['apple', 'banana', 'mango']
for dog in fruits:
   print('yummy ' + dog)
```

Let's set dog to to the first thing in the list! dog is now 'apple'!

Everything in the list gets to have a turn at being the <u>dog</u> variable

```
fruits = ['apple', 'banana', 'mango']
for dog in fruits:
   print('yummy ' + dog)
         >>>Yummy apple
```

```
Let's set dog to to the first
thing in the list!
dog is now 'apple'!
print('yummy ' + dog)
```

Everything in the list gets to have a turn at being the <u>dog</u> variable

```
fruits = ['apple', 'banana', 'mango']
for dog in fruits:
   print('yummy ' + dog)
```

>>>Yummy apple

Let's set dog to to the first thing in the list! dog is now 'apple'! print('yummy ' + dog) We're at the end of the loop body, back to the top!

Everything in the list gets to have a turn at being the <u>dog</u> variable

```
fruits = ['apple', 'banana', 'mango']
for dog in fruits:
   print('yummy ' + dog)
```

>>>Yummy apple

```
Let's set dog to to the first
thing in the list!
dog is now 'apple'!
print('yummy ' + dog)
We're at the end of the loop
body, back to the top!
Let's set dog to to the next
thing in the list!
dog is now 'banana'!
```

Everything in the list gets to have a turn at being the dog variable

```
fruits = ['apple', 'banana', 'mango']
                                                         Let's set dog to to the first
                                                         thing in the list!
for dog in fruits:
                                                         dog is now 'apple'!
   print('yummy ' + dog)
                                                         print('yummy ' + dog)
                                                         We're at the end of the loop
                                                         body, back to the top!
                                                         Let's set dog to to the next
            >>>Yummy apple
                                                         thing in the list!
                                                         dog is now 'banana'!
            >>>Yummy banana
                                                         print('yummy ' + dog)
```

Everything in the list gets to have a turn at being the dog variable

```
fruits = ['apple', 'banana', 'mango']
for dog in fruits:
   print('yummy ' + dog)
```

```
>>>Yummy apple
```

>>>Yummy banana

```
Let's set dog to to the first
thing in the list!
dog is now 'apple'!
print('yummy ' + dog)
We're at the end of the loop
body, back to the top!
Let's set dog to to the next
thing in the list!
dog is now 'banana'!
print('yummy ' + dog)
Out of body, back to the top!
```

Project Time!



Now you know how to use a for loop!

Try to do Extension Part 6-7!

The tutors will be around to help!

Tell us what you think!

Click on the **End of Day Form** and fill it in now!