

Girls' Programming Network

Password Cracker

Workbook 3

In this workbook, you will be getting salty with your hashed passwords!

You should only start working on this booklet if: You have completed Workbook 1 and Workbook 2

This project was created by GPN Australia for GPN sites all around Australia!

This workbook and related materials were created by tutors at:

Sydney, Perth and Canberra



Girls' Programming Network

If you see any of the following tutors don't forget to thank them!!

Writers Testers

Alex McCulloch Renee Noble Caitlin Shaw Taylah Griffiths Manou Rosenberg

Part 0: Setting up

We are going to be looking at how to make hashes more secure by "salting" our passwords.

Task 0.1: Back to the beginning

Let's get started by opening the file we worked on in the first workbook.

Task 0.2: Getting the text files.

Make sure you download the file called "salty-accounts.txt" and upload it to your project

☑ CHECKPOINT ☑

|--|--|

	You have 3	.txt files in	your proje	ct: comn	non_passv	words, a	ccounts
anc	l salty-accou	nts					

Part 1: Creating Salted Hashed Passwords

The idea of adding a salt is primarily to make it harder for rainbow tables to guess your passwords, even if you have a common one. To add a salt, we select a string to be the "salt" and add it to the end of a password before encoding

Task 1.1: Adding salt

Add two variables below the import statement:

- 1. One called salt with a value of "salty"
- 2. The other is called correct with a value of "The ship sails at midnight" and salt (both strings added together).

Task 1.2: Encoding correct

Using the same encode method we used for guess, encode the variable correct, calling it correct encoded.

Task 1.3: Hashing correct

Using the same hash and digest method we used for <code>guess</code>, hash and digest the variable <code>correct</code>, calling it <code>correct</code> salted hash.

☑ CHECKPOINT ☑
If you can tick all of these off you can go to Part 2:
☐ Imported hashlib
☐ Created salt and correct variables
☐ Encoded correct
☐ Hashed and digested correct
☐ Try running your code!

Part 2: Saving Salted Hash

Task 2.1: Changing the saved hash

Print out the value of <code>correct_salted_hash</code> and copy it into the <code>correct_hashed</code> variable, replacing the old hash value. Then you can delete the print statement you just wrote.

Task 2.2: Removing Lines

In this task we will be deleting some lines of code - we are deleting these so we do not have our correct password visible to anyone who could read our code!

Remove the lines from the last pass that helped you make the salted hash. Make sure you don't delete the salt variable.

Task 2.3: Comparing salty things

To compare the guess with the correct answer, we need to add the salt to the guess as well!

Before you encode the guess, add the salt to it.

	☑ CHECKPOINT ☑
lf you can ti	ick all of these off you can go to Part 3:
☐ Changed	the variable name and value
Removed	d the lines of code
☐ Added sa	alt to the guess as well
☐ Run your	code!

Part 3: Printing Salt!

We're going to try and guess the salt that is being used by coming up with every possible salt (to make this easier we know that the salt is a number between 1000 and 9999 but in the real world it would be very long and include letters and symbols) and trying to see if we can crack a password with each salt - if we can crack one, then we know that's the salt that is being used (again, to make this easier we're telling you that `password` is definitely being used by at least one user).

Task 3.1: Loop through salt

Create a new file for this code. Call it salty_guesser.py In this new file, loop through the numbers in the range of 1000-9999 and print out each one.

Hint

To print out number in the range of 1-9 you would write:

```
for number in range(1, 10):
    print(number)
```

					_
V	CH	FCK	PO	INT	M

If y	ou can tick	all of thes	se off you o	can go to	Part 4:
	Create a n	ew file tha	t contains	a for loo	р

- ☐ Print out each possible salt
- ☐ Run your code!

Part 4: Saving a file to list!

This part should be done **above the for loop** created in the previous part.

Task 4.1: Creating a list

Create an empty list called salted passwords.

Task 4.2: Open file and create a for loop

Open the file called salty-accounts.txt in a for loop so you can read each line.

Hint

If you've forgotten how to do this, have a look at your code from Workbook 2!

Tasks 4.3 - 4.6 will be written underneath this for loop.

Task 4.3: Strip the whitespace from each line

Use the .strip() method to remove the whitespace from each line.

Task 4.4: Split each line at the comma

Next, we want to use the .split() method to split the account name away from the account's hashed password at the comma, store in a list called account.

Task 4.5: Add a password_hash variable

Put the second value from account into a variable called password hash.

Task 4.6: Append to salted passwords

Append password hash to the list called salted passwords.

Hint

To append something to a list we can use code like this:

```
pets = ["Emmy", "Saphira", "BiBi"]
pets.append("Artemis")
```

☑ CHECKPOINT ☑			
If you can tick all of these off you can go to Part 5:			
☐ Create an empty list			
☐ Create a for loop			
Inside the for loop you:			
☐ Stripped each line of whitespace			
☐ Split each line at the comma			
☐ Put each password_hash into a variable			
☐ Appended password_hash to salted_passwords			

Part 5: Checking hash is salt

This entirety of the task is done inside the for loop that is looping through possible salts

Task 5.1: Creating possible_salted

Create a variable called possible_salted with a value of "password" and add the salt number to the end of "password" (make sure you change it to a string!)

Hint

To change a number into a string, use this code:

```
age = 17
```

birthday = "Happy Birthday! You are " + str(age) + " years old!"

Task 5.2: Creating possible_encoded

Create a variable called possible_encoded with a value of possible_salted encoded.

Hint

Remember to import hashlib in this file!

Task 5.3: Hash and digest possible_encoded

Create a variable called possible_hashed with a value of possible_encoded hashed and digested. Then make this variable a string!

Task 5.4: Check if possible_hashed in salted_passwords

Use an if statement to check if possible_hashed is in salted_passwords. Under that if statement, print salt, then break from the loop. If it isn't in salted_passwords then we know this isn't the salt, and the loop can keep going

☑ CHECKPOINT **☑**

іт у	ou can t	ick all of	tnese	orr you	can go	to Pa	art 6:
	Created	possible_	salted				

$\overline{}$			
	Created	nossible	encoded

	-	
Created	possible	hashed

 ordated possible_mash
Created if statement

ı	
Printed	salf

Part 6: Adding to Rainbow Table

Adding the salt to our old rainbow table code. This part should all be written in our rainbow table python file from Workbook 2

Task 6.1: Create salt

At the top of the file, create a variable called salt with the number value that you found in the last part as a string.

Task 6.2: Add salt

Inside the first ${ t for}$ loop, before we encode each password add the ${ t salt}$ to the ${ t password}$

Task 6.3: Changing the file

In the second for loop, instead of opening "accounts.txt", open "salty-accounts.txt".

☑ CHECKPOINT ☑
f you can tick all of these off you can go to Part 7:
Added the salt to each password
Using salty-accounts instead of the normal accounts file
Run your code!

7. Extension: Finding Secrets

Task 7.1: Secrets!

Using the accounts and passwords you found before, go to the following link to find secrets on the website!

https://girls-programming-network.github.io/meme-exchange/