

NAME

`_exit`, `_Exit` – terminate the calling process

SYNOPSIS

```
#include <unistd.h>
```

```
void _exit(int status);
```

```
#include <stdlib.h>
```

```
void _Exit(int status);
```

Feature Test Macro Requirements for glibc (see **feature_test_macros(7)**):

```
_Exit(): _XOPEN_SOURCE >= 600 || _ISOC99_SOURCE; or cc -std=c99
```

DESCRIPTION

The function `_exit()` terminates the calling process "immediately". Any open file descriptors belonging to the process are closed; any children of the process are inherited by process 1, *init*, and the process's parent is sent a **SIGCHLD** signal.

The value *status* is returned to the parent process as the process's exit status, and can be collected using one of the **wait(2)** family of calls.

The function `_Exit()` is equivalent to `_exit()`.

RETURN VALUE

These functions do not return.

CONFORMING TO

SVr4, POSIX.1-2001, 4.3BSD. The function `_Exit()` was introduced by C99.

NOTES

For a discussion on the effects of an exit, the transmission of exit status, zombie processes, signals sent, etc., see **exit(3)**.

The function `_exit()` is like **exit(3)**, but does not call any functions registered with **atexit(3)** or **on_exit(3)**. Whether it flushes standard I/O buffers and removes temporary files created with **tmpfile(3)** is implementation-dependent. On the other hand, `_exit()` does close open file descriptors, and this may cause an unknown delay, waiting for pending output to finish. If the delay is undesired, it may be useful to call functions like **tcflush(3)** before calling `_exit()`. Whether any pending I/O is canceled, and which pending I/O may be canceled upon `_exit()`, is implementation-dependent.

In glibc up to version 2.3, the `_exit()` wrapper function invoked the kernel system call of the same name. Since glibc 2.3, the wrapper function invokes **exit_group(2)**, in order to terminate all of the threads in a process.

SEE ALSO

execve(2), **exit_group(2)**, **fork(2)**, **kill(2)**, **wait(2)**, **wait4(2)**, **waitpid(2)**, **atexit(3)**, **exit(3)**, **on_exit(3)**, **termios(3)**

COLOPHON

This page is part of release 3.22 of the Linux *man-pages* project. A description of the project, and information about reporting bugs, can be found at <http://www.kernel.org/doc/man-pages/>.