

Introduction to Machine Learning

Introduction: Supervised Learning & Learning Tasksk

compstat-lmu.github.io/lecture_i2ml

IDEA OF SUPERVISED LEARNING


- **Goal:** Identify the fundamental functional relation in the data that maps an object's features to the target.
- Ideally, we would have full knowledge about the data-generating process and thus be able to specify this mapping function precisely.
- However, since this is basically impossible, we must try to **learn** the mapping function: for objects exhibiting certain patterns or properties, certain outcomes are much more likely.
→ We call such an assumed mapping a **model** f .

IDEA OF SUPERVISED LEARNING

- **Supervised** learning means we make use of *labeled* data, i.e., observations for which we already know the target outcome.
- We try to construct f automatically from an example set of such labeled objects.
→ The algorithm for finding f is called **learner**.
- Using the thus learned model, we can make **predictions** based on the features of our data.
- Knowing the “truth” allows us to test how well we have grasped the nature of the underlying mapping: we just need to compare our predictions to the actually observed values.


IDEA OF SUPERVISED LEARNING

- Ultimately, we will use our model to compute predictions for **new** data whose target values are unknown.




TASKS IN SUPERVISED LEARNING

- In general, supervised learning comes in two flavors we call **tasks**:
 - **Regression**: Given features \mathbf{x} , predict corresponding output from $\mathcal{Y} \in \mathbb{R}^m$.



- **Classification**: Assign an observation with features \mathbf{x} to one class of a finite set of classes $\mathcal{Y} = \{C_1, \dots, C_g\}$, $g \geq 2$ (details later).



REGRESSION TASKS: EXAMPLE

Imagine you want to investigate how salary and workplace conditions (*features*) affect productivity of employees (*target*) – a standard **regression** task. Therefore, you collect data about their worked minutes per week (productivity), how many people work in the same office as the employees in question, and the employees' salary.

Features x		Target y
People in Office (Feature 1) x_1	Salary (Feature 2) x_2	Worked Minutes Week (Target Variable)
4	4300 €	2220
12	2700 €	1800
5	3100 €	1920

$p = 2$

$x_1^{(2)}$


$n = 3$

$x_2^{(1)}$

$y^{(3)}$

REGRESSION TASKS: EXAMPLE

- For our observed data we know which outcome is produced.
- For new employees can only observe the features but not the target.



MORE REGRESSION TASKS

❶ Predict house prices

- **Aim:** Predict the price for a house in a certain area
- **Features:** e. g.
 - square footage
 - number of bedrooms
 - swimming pool yes/no

❷ Predict the length-of-stay in a hospital at the time of admission

- **Aim:** Predict the number of days a single patient has to stay in hospital
- **Features:** e. g.
 - diagnosis category (heart disease, injury,...)
 - admission type (urgent, emergency, newborn,...)
 - age
 - gender

CLASSIFICATION TASKS: EXAMPLE

- Imagine you work for an insurance company which **classifies** its life insurance customers according to five risk categories, depending on which insurance premiums are charged.
- You might use features such as
 - job type (white collar, carpenter, stuntman, ...)
 - age
 - smoking behaviorto perform this classification.

