



Theory of Computation, Fall 2021

Assignment 2 (Due October 8 Friday 9:35am)

- Q1. Run the following NFA on input abb . List all the configurations it can reach after consuming all the input symbols. Does it accept abb ?



- Q2. Let A be a regular language over Σ . Let M be an arbitrary DFA that accepts A . Let N be an arbitrary NFA that accepts A .
- (a) Let M' be the DFA obtained from M by exchanging the role of final and non-final states. What is $L(M')$?
 - (b) Let N' be the NFA obtained from N by exchanging the role of final and non-final states. Is it always true that $L(N) \cap L(N') = \emptyset$? If not, give a counterexample.
- Q3. Let $L = \{w \in \{0, 1\}^* : w \text{ does not have the substring } 01\}$. Show that L is regular. (Hint: take a look at Q2 and give a finite automata that accepts L)
- Q4. Let $L = \{w \in \{a, b, c\}^* : |w| \geq 1 \text{ and the last symbol of } w \text{ has appeared at least twice in } w\}$. Construct a NFA to accept L . Your NFA should have no more than 5 states.
- Q5. [1, Example 1.41] Convert the following NFA to an equivalent DFA. Give only the portion of the DFA that is reachable from the initial state.



References

- [1] Sipser M.. Introduction to the Theory of Computation. CENGAGE Learning (2013)
- [2] Lewis H., Papadimitriou C.. Elements of the Theory of Computation. Prentice-Hall (1998)