




# Service Discovery using Docker and Kubernetes


Arun Gupta, @arungupta

# Why Service Discovery?




# Development using Docker

- Docker Community Edition
  - Docker for Mac/Windows/Linux
  - Monthly edge and quarterly stable releases
  - Native desktop or cloud provider experience



# Docker for Mac/Windows




- Native application and UI
- Auto update capability
- No additional software required, e.g. VirtualBox
  - OSX: xhyve VM using `Hypervisor.framework`
  - Windows: Hyper-V VM
- Download: [docker.com/getdocker](https://docker.com/getdocker)
- Requires Yosemite 10.10+ or Windows 10 64-bit

# Swarm Mode: Initialize



```
docker swarm init --listen-addr <ip>:2377 --secret <SECRET>
```


# Swarm Mode: Add Worker



```
docker swarm join --secret <SECRET> <manager>:2377
```




# Swarm Mode: Add More Workers



```
docker swarm join --secret <SECRET> <manager>:2377
```


# Swarm Mode: Primary/Secondary Master



```
docker swarm join --manager --secret <SECRET> --listen-addr  
<master2>:2377 <master1>:2377
```



# Swarm Mode: Replicated Service




```
docker service create --replicas 3 --name web jboss/wildfly
```

# Swarm Mode - Routing Mesh

- Load balancers are host-aware, not container-aware
- Swarm mode introduces container-aware routing mesh
- Reroutes traffic from any host to a container
  - Reserves a Swarm-wide ingress port
  - Uses DNS-based service discovery

# Swarm Mode: Routing Mesh




```
docker service create --replicas 3 --name web -p 8080:8080 jboss/wildfly
```



# Service Discovery with Docker


```
version: "3"
services:
  db:
    image: arungupta/couchbase:travel
    ports:
      - 8091:8091
      - 8092:8092
      - 8093:8093
      - 11210:11210
  web:
    image: arungupta/wildfly-couchbase-javaee:travel
    environment:
      COUCHBASE_URI=db
    ports:
      - 8080:8080
      - 9990:9990
```



```
docker stack deploy --compose-file=docker-compose.yml webapp
```

# Kubernetes Concepts

- **Pods**: collocated group of Docker containers that share an IP and storage volume
- **Service**: Single, stable name for a set of pods, also acts as LB
- **Label**: used to organize and select group of objects
- **Replica Set**: manages the lifecycle of pods and ensures specified number are running



# Development using Kubernetes

- Single node cluster
  - minikube
- Multi-node cluster
  - kops
  - kube-aws (CoreOS + AWS)
  - kube-up (deprecated)
  - Google Cloud, Azure, Tectonic, ...




# kubectl

- Controls the Kubernetes cluster manager
- `kubectl get pods or minions`
- `kubectl create -f <filename>`
- `kubectl update or delete`
- `kubectl resize --replicas=3 replicaset <name>`


# Kubernetes Configuration File

```
1  apiVersion: v1
2  kind: Service
3  metadata:
4    name: couchbase-service
5  spec:
6    selector:
7      app: couchbase-rs-pod
8    ports:
9      - name: admin
10        port: 8091
11      - name: views
12        port: 8092
13      - name: query
14        port: 8093
15      - name: memcached
16        port: 11210
17  ---
18  apiVersion: extensions/v1beta1
19  kind: ReplicaSet
20  metadata:
21    name: couchbase-rs
22  spec:
23    replicas: 1
24    template:
25      metadata:
26        labels:
27          app: couchbase-rs-pod
28      spec:
29        containers:
30          - name: couchbase
31            image: arungupta/couchbase:travel
32            ports:
33              - containerPort: 8091
34              - containerPort: 8092
35              - containerPort: 8093
36              - containerPort: 11210
37  ---
38  apiVersion: extensions/v1beta1
39  kind: ReplicaSet
40  metadata:
41    name: wildfly-rs
42    labels:
43      name: wildfly
44  spec:
45    replicas: 1
46    template:
47      metadata:
48        labels:
49          name: wildfly
50      spec:
51        containers:
52          - name: wildfly-rs-pod
53            image: arungupta/wildfly-couchbase-javaee:travel
54            env:
55              - name: COUCHBASE_URI
56                value: couchbase-service
57            ports:
58              - containerPort: 8080
59  ---
```

# Services



# Services



# References

- Docker: [github.com/docker/labs/tree/master/developer-tools/java](https://github.com/docker/labs/tree/master/developer-tools/java)
- Kubernetes: [github.com/arun-gupta/kubernetes-java-sample](https://github.com/arun-gupta/kubernetes-java-sample)



ONLINE COURSE



Arun Gupta

# KUBERNETES FOR JAVA DEVELOPERS

September 23 | 10AM-12PM

[bit.ly/kubejava](https://bit.ly/kubejava)

O'REILLY®

# Docker for Java Developers

Package, Deploy, and Scale with Ease



Arun Gupta

[bit.ly/dockerjava](https://bit.ly/dockerjava)





# Thanks!

Arun Gupta, @arungupta

[github.com/javaee-samples/docker-java/tree/master/slides](https://github.com/javaee-samples/docker-java/tree/master/slides)