

# Capstone Proposal - Parachute

Taylor de Vet, 1328296

Glenn Grossman, 1318168

Jamal Habash, 1317467

Cameron Nowikow, 1401694

November 6th, 2017

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Background</b>	<b>1</b>
<b>3</b>	<b>Software Design Component</b>	<b>4</b>
3.1	Technology . . . . .	4
3.2	Functional Design . . . . .	4
3.3	Non-Functional Design . . . . .	5
<b>4</b>	<b>Hardware Design Component</b>	<b>5</b>
4.1	Sensor . . . . .	5
4.2	Receiver . . . . .	6
4.3	Transmitter . . . . .	6
<b>5</b>	<b>Conclusion</b>	<b>6</b>
	<b>References</b>	<b>7</b>

## Table of Figures

1	Ontario eHealth Systems View . . . . .	2
2	Screenshot of iMedic Software . . . . .	3

# 1 Introduction

Information is a vital resource, especially in the context of Healthcare. When a patient's health is at risk, their medical history becomes the most important piece of information in providing them with appropriate care [1].

At present, there exists no secure, lifetime record of your health history [2]. When faced with a problem, healthcare providers are left without the big picture, and often fumble for generic solutions, instead of catering care to each individual. In Ontario, the government is addressing this problem through a new initiative called eHealth Ontario; a group focused on researching how to best connect patients and providers through digital technology and information [1]. The initiative has developed a framework for building the future of "inter-operable electronic health records (EHR) for Ontarians", which outlines and defines how a comprehensive EHR may be developed [3].

Among technical details, the blueprint defines how "information access portals" may be used to distribute and present information to stakeholders, ensuring patients and providers are presented with the information most relevant to them. The blueprint further identifies key areas that may require unique access portals, such as hospitals, community care facilities and pharmacies [2].

One stakeholder identified as requiring an information access portal are Emergency First Responders (EFRs). Today, EFRs respond to emergencies knowing little or nothing about the people in their care. This results in a noticeable information gap that reduces the effectiveness of EFRs, and the negatively impacts the outcomes of their patients.

The objective of this capstone is to therefore develop "information access portal" (IAP) software, that can be used by EFRs to obtain and create patient health records while responding to a call. In addition to software, hardware will be developed to provide EFRs with a means to track and store a patients vitals (i.e. Heart Rate) in real-time. Such information can be useful in determining the status of a patient, and in the case of a large-scale event, allow responders to allocate their resources and time to the people that need it most. Vitals information can be stored and displayed through the information access portal, functioning as a proof-of-concept for a more comprehensive emergency response event tracking system in the future. The ideal system would then consist of an information access portal that allows responders to not only access medical information, but work in conjunction with hardware to create a record of the emergency for use by other medical professionals.

# 2 Background

Throughout Ontario, there is a clear desire to bring healthcare into the digital age by using software to improve access to medical information. The province intends to use a service-

oriented architecture to allow for the development of components (i.e. IAPs) that distribute information between systems using a standard protocol known as the Health Information Access Layer (HIAL). HIAL will act as “the broker and mediator for information exchange, ensuring that all [software] abide[s] by a common set of rules” [3]. The intention of the government is to have a comprehensive and secure electronic health record, that may be accessed by HIAL-supporting software. This software may be developed by any vendor to support any patient or healthcare professional as the vendor sees fit. A systems diagram of Ontario’s future eHealth infrastructure can be seen in figure 1 below.




Figure 1: A systems view of Ontario’s planned eHealth infrastructure, showing “how EHR resources and services [will be] integrated and deployed.” [3]

In regards to software and hardware for EFRs, we talked to a number of paramedics about how technology can support and improve the care they provide. Currently, EFRs use software such as the system seen in figure 2 on page 3, to guide them through collecting data that may be important to a patients health. These systems are cumbersome, require time to fill, and are only as helpful as the information the paramedic manages to collect. Throughout our discussions, there was overwhelmingly interest in a system that could provide paramedics with patient medical history. We discovered that any information provided to a paramedic is helpful, and can greatly improve the quality and speed of care. In general, our findings can be summarized with the following quote from paramedic Matt Sartor:

Nursing homes carry [transfer documents] that contain updated information on [a patient] such as: medications, allergies and diagnosed disorders; including say if they [have] had a stroke, or have dementia, and what level of cognition or communication is normal for them. This kind of information gives us as paramedics a tipping point for how we assess our patients, or how we expect to communicate with them or have them do the same with us. [This information]

would be very helpful for anyone we meet. Even if it's only [medication] history and allergies, we can decipher a lot from that. Even recent visits to hospital gives us a pattern of problems with a patient.

Currently the hospital can scan their card and get all prior hospital visits and diagnoses on discharges, but it's not available or compact enough for [paramedics] to get. If somehow our laptop forms, which we have to manually input all information we can attain, could get the aforementioned information, it would largely influence our practice.

The screenshot shows the iMedic software interface (Rev 2.0.6.353) with a menu bar (Extra Functions, Interfaces, Data Transfer, Help) and a toolbar with icons for Left Tab, Search, New, Finish, Check, Zoll, Support, Larger, Smaller, Expand, Tab, and Logout. A sidebar on the left contains icons for Quick, Vitals, I.V., Meds, Air, ECG, Vent, BLS, Patch, RoS, Other, and Forms. The main window displays several sections: Incident History (with tabs P, Q, R, S, T and A, E, I, O, U), Traumatic Injury Site / Type (a table with 3 rows for Location, Type, and Mechanism), Relevant Past Hx Provided By, Relevant Past Hx, Medication, Allergies (with checkboxes for NKA, Other (List Below), and CNO), and Cardiac Arrest Information (with fields for Arrest Witnessed By, CPR Started By, Estimated Time of Arrest, and Estimated CPR Start Time). A large 'SERVER' watermark is visible across the center of the form.

Location	Type	Mechanism
Location (1)	Type (1)	Mechanism (1)
Location (2)	Type (2)	Mechanism (2)
Location (3)	Type (3)	Mechanism (3)

Figure 2: A screenshot of the current software, iMedic, used by paramedics when responding to a call.

We came across a document made in 2003 that outlined the possibility of implementing a medical information system through a smart card. The paper outlines how a smart card would implement QRF technology, that when scanned, would bring up the patients medical history. However, this method has the medical history actually being stored in the card itself. We want to design a database and use, lets say a health card, as just an ID, rather than the storage of the data itself. Before developing a database, and the app to access the database, we first need to determine what relevant information we would need to be stored in the database. When talking to a paramedic, he gave this as a response to what information would be helpful: Nursing homes carry a transfer document that (should) contain updated information on them such as: medications, allergies, and diagnosed disorders, including say

if they had a stroke or have dementia, what level of cognition or communication is normal for them. This kind of information gives us as paramedics a tipping point for how we assess our patients or how we expect to communicate with them or have them do the same with us. That would be very helpful for anyone we meet. Even if it's only medical history and allergies, we can decipher a lot from that. Even recent visits to hospital gives us a pattern of problems with a patient. Currently the hospital can scan their card and get all prior hospital visits and diagnoses on discharges, but it's not available or compact enough for us to get. If somehow our laptop forms, which we have to manually input all information we can attain could get the aforementioned information it would largely influence our practice. Currently there are 2-3 different documenting systems in use in Ontario. So no unfortunately it's not standardized, that being said, neither is the hospital retrieval software, so an external device and software would help to standardize at least the ohip card aspect of retrieval. We are creating the system based off the fact that we have acquired all the information, so we are focusing on the storing and displaying of the data, rather than the acquisition of it. Therefore, we need to decide how to effectively display and store the data.

### **3 Software Design Component**

The software system we are designing will function as a portal to Electronic Health Records in Ontario. The main user of the system will be paramedics. In the future, we hope users will extend to all levels of the medical profession as well as the general public. We will design an application targeted at paramedics that works on both iOS and Android phones. This application will allow paramedics to view patient information that they do not normally have access too. The app will have a loading screen, a login page, a home page, patient pages accessed by scanning health cards or inputting the health card number.

#### **3.1 Technology**

In order to create the Android and iOS app we will require certain technologies. Firstly, the app will be written using React Native a javascript framework that allows apps to be written for Android and iOS concurrently. The app will require a database to store the patient information. For this, we will use Node.js however, we are assuming that in the future if our app is put to use we will easily adapt to how the EHR are stored by Ontario.

#### **3.2 Functional Design**

The app will have basic functional requirements as well as features we would like to implement once the basic requirements are completed. The basic functional requirements are that the device follows the standards outlined on the ehealth blueprint documents put out

by eHealth Ontario. This document guides us through the appropriate exchange and access of information within the app. Functionally, it will need to have a secure log-in screen for paramedics. A home screen with buttons leading to history, settings, option to connect to WiFi hardware device, and the health card scanner. Once a hardware device or a health card are connected it will then need to bring up a patient page and show the sensor data and/or the patients EHR. The history screen for the basic requirements will simply show what patients the paramedic has treated but will not allow the paramedic more access to their information once the paramedic has closed the patient's EHR. In future versions the paramedic will be able to record information about the particular visit into the EHR, and will be able to view these additions on the history screen. In the future additions, the sensed data will also be stored and be visible in the EHR so medical personell at a hospital or later at a doctor's visit will be able to view the patients vitals at the time of the paramedics visit.

### **3.3 Non-Functional Design**

The app must have secure information storage and transmission by the standards outlined in the eHealth Blueprint. The app must have a cohesive look, including size and colour scheme in order to be easy to navigate. The app must be available in english and french. The app will be made so that the average paramedic is able to use it (assuming paramedics are males and females adults with above secondary education) and will use terms that are familiar to them. The app must be able to run on Android and iOS devices that still recieve updates from their providers. The app must not have harsh colouring or flashing lights in order to prevent harm to the paramedics.

## **4 Hardware Design Component**

To adequately track the vitals of a patient, there are 2 main hardware components required; the receiver, the transmitter and the sensor.

### **4.1 Sensor**

Lastly, and most importantly, is the construction of the sensor itself. For the sake of this design, the sensor will only monitor the patients heart rate. A simple heart rate sensor consisting of an infrared emitter and receiver as well as an amplification circuit will be attached to the patients skin to generate a signal. The IR light is shone into the skin and depending on the amount of blood in the skin at that time, the light will scatter accordingly. If enough IR light is reflected, the receiver picks this up and output the corresponding current and voltage. This is then amplified and is sent to a microcontroller. To decrease the size of the overall sensor, an ATmega microcontroller can be used with the appropriate capacitors,

oscillators, and power source to avoid the use of a full Arduino board. This chip will receive signals in from the pulse sensing circuit and will then output the signals through the Wi-Fi Transceiver module to the users mobile device.

## **4.2 Receiver**

In modern society all mobile devices such as tablets and mobile phones, can connect to auxiliary devices via Bluetooth and Wi-Fi. Bluetooth communication has limitations on how many auxiliary devices can be connected to a parent device at any given time. The ideal number is 4 with the absolute maximum being 6 or 7. [1] As mass car accident can have anywhere from 3 to 15 people involved, having any paramedic limited to 4 patients per device seems impractical. Conversely, using a device as a wireless hotspot or having all devices on the same Wi-Fi network allows for 10 or up to 250 devices to be connected, respectively. [2] Because of this we have chosen to connect to our sensors through Wi-Fi with the receiver being the devices own internal Wifi receiver.

## **4.3 Transmitter**

To transmit the data from the sensor to the mobile device, a serial WiFi transceiver module. Once the drivers are installed and the device is connected to the wireless network, the sensor will be able to connect with any device on the same network.

## **5 Conclusion**

Throughout the development process, both the software and hardware will be tested to ensure it meets design requirements. In terms of software, each module will be verified using test cases that have known outcomes to ensure functionality. The hardware will be tested in a similar way, using test cases to verify the hardware meets specification.

An example of real-world testing that can be used is in verifying the pulse-sensing capabilities. The hardware can be tested on a group member with a known pulse (through traditional human pulse reading), to ensure that the device senses pulses correctly.



## References

- [1] “eHealth Ontario — It’s Working For You.” [Online]. Available: <http://www.ehealthontario.on.ca/en/about-us/our-privacy-commitment/pias>
- [2] “Ontario Ehealth Blueprint,” 2014.
- [3] “eHealth Blueprint.” [Online]. Available: <http://www.ehealthblueprint.com/en/>