## Exercise 1: VC Dimension

Consider a binary classification learning problem with feature space  $\mathcal{X} = \mathbb{R}$  and label space  $\mathcal{Y} = \{-1, 1\}$ . Moreover, let

$$\mathcal{H} = \{ h_{a,b} : \mathcal{X} \to \mathcal{Y} \mid a, b \in \mathbb{R}, a \le b \}$$

be the hypothesis space of interval classifiers on the reals, where  $h_{a,b}(x) = 1$  for  $x \in [a,b]$  and = -1 otherwise, and

$$\mathcal{H}' = \{ h_c : \mathcal{X} \to \mathcal{Y} \mid c \in \mathbb{R} \}$$

be the hypothesis space of neighborhood classifiers, where  $h_c(x) = 1$  for  $x \in [c-1, c+1]$  and = -1 otherwise.

An assignment for a set of points  $x_1, \ldots, x_N \in \mathcal{X}$  by means of  $h \in \mathcal{H}$  (or  $h \in \mathcal{H}'$ ) is the vector  $(h(x_1), \ldots, h(x_N))^{\top} \in \mathcal{Y}^N$ . A set of points is shattered by  $\mathcal{H}$  (or  $\mathcal{H}'$ ) if we can find for any  $(y_1, \ldots, y_N)^{\top} \in \mathcal{Y}^N$  a hypothesis  $h \in \mathcal{H}$  (or  $h \in \mathcal{H}'$ ) such that

$$(y_1, \ldots, y_N)^{\top} = (h(x_1), \ldots, h(x_N))^{\top}.$$

The maximal number of points N which can be shattered by  $\mathcal{H}$  (or  $\mathcal{H}'$ ) is the VC-dimension of  $\mathcal{H}$  (or  $\mathcal{H}'$ ) and denoted by  $VC_p(\mathcal{H})$  (or  $VC_p(\mathcal{H}')$ ), where p is the dimension of  $\mathcal{X}$ .

(a) Show that  $\mathcal{H}$  is "richer" than  $\mathcal{H}'$  in the sense that  $\mathcal{H}' \subseteq \mathcal{H}$  but  $\mathcal{H} \not\subseteq \mathcal{H}'$ .

(b) Consider three (arbitrary) points  $x_1, x_2, x_3 \in \mathcal{X}$ . How many assignments are in general possible for these three points?

(c) Now assume that the points are such that  $x_1 < x_2 < x_3$ . Is there an assignment which cannot be generated by some  $h \in \mathcal{H}$ ?

(d) What does the latter mean for the VC-dimension of $\mathcal H$ and $\mathcal H'$ ?
(e) Specify two points $x_1', x_2' \in \mathcal{X}$ such that they can be shattered by $\mathcal{H}'$ .
(f) What does the latter mean for the VC-dimension of $\mathcal{H}'$ and $\mathcal{H}$ ?
(g) Quiz time: Log in to Particify (https://partici.fi/63221686) and try to answer the questions for Week 8.