

GoTechnology[®]

hub2

User Guide

TABLE OF CONTENTS

1.	About.....	2
2.	UI.....	3
3.	Levels	6
4.	Permissions	16
5.	Beyond Levels: The Extended Logical Structure of hub2	23
6.	Populating Data	25
7.	Handovers	32
8.	Preservation.....	35
9.	Imports & Exports.....	37
10.	Glossary / Listing.....	39

1. About

1.1.1. Introduction

This user guide describes an introduction or reference guide for some of the more complex features of GoTechnology hub2; Wood's next generation completions and commissioning management solution.

The document contains screen shots and information that were relevant at the time of release. As GoTechnology hub2 is a continuously developed product the actual appearance or function may differ from what is depicted.

In addition, some sections or operations shown may not be accessible due to permissions issues.

For the latest information on GoTechnology please visit <http://qedi-gotechnology.github.io> or contact commissioning.info@woodplc.com

1.1.2. Intended Audience

It's expected that readers will have completed the required training courses, and understand the fundamental concepts and basic operations, before reading this document.

This guide is intended for authorised users only and should not be distributed without the express consent of Wood.

1.1.3. hub2

First released in October 2017, hub2 is the latest generation of Wood's GoTechnology family of online, web-accessible completions and commissioning management solutions.

Intended as a replacement for all previous products within the range, hub2 delivers the facilities to track, record and report on details of equipment, certification, handovers, procedures, preservation routines and Job Card information, amongst others.

1.1.3.1. Access

Details of how to access GoTechnology hub2 will be provided separately. Please note: As hub2 is a primarily online solution, an internet connection and a modern, HTML5 compliant web browser are required.

1.1.4. Glossary of Terms / Listing of Information

At the end of this document is an abbreviated list of the information stored within hub2, where it can be viewed from, and which Level within the information hierarchy (described in 3 Levels below) it resides.

Important Note: This is not a complete listing and is intended for basic reference purposes to the most commonly used areas of GoTechnology hub2. Client, industry or process specific information types will be excluded for this reason.

2. UI

Let’s take a look at the User Interface (or UI) for hub2. This is the “look and feel” of the application: How information is displayed onscreen and how you interact with it.

ImportsRef. TablesTagged ItemsCertificationPunch ListHandoversProceduresChangesPreservationDocumentsReportAdmin

Demo Site / qedi / Alpha / Accom / Refit

Josh

Tagged Item Search

Recent SearchesSaved Searches

SearchClearSave Search

Name

Description

Discipline

Equipment Type

System

Sub System

Tag ITRs Primary Handover

Tag ITRs Secondary Handover Number

Sub System Phase

Sub System Priority





Show Additional Filters













SearchClearSave Search



	Name	Description	Discipline	Tag Type	Sub System(s)	Tag ITR(s)
<input type="checkbox"/>	01-TP-003	Pipeline flushing	P	Tag	AL-045-501, AL-045-502	QED-A06A, QED-A09A, QED-A06A, QED-A01A, PTP, QED-A03A, QED-A02A2
<input type="checkbox"/>	076-E3979	Hydoholoric Cooling Valve	E	Tag	AL-070-504	QED-I31A, QED-E34A, QED-I31A, QED-A01A, QED-140B

Depending on which version of hub2, your preferences, permissions and configuration, and the device your viewing on, some elements may appear differently, or not at all.

If we apply some highlighting to some different elements on this screen we can cover a lot of the basic concepts within hub2, which follow all the way through the application.

Colour	Location	Element	Description
	Top of screen (menu bar)		<p>The top menu buttons are the key to navigating hub2. Clicking one of these buttons will open a drop-down menu with links to specific pages.</p> <p>This includes the button at the top right, which displays your name (or the name of whoever is currently logged in) and provides links to User preferences and options.</p>
	Top Right		<p>The navigation "breadcrumbs" show which Level A / Level B / Level C / Level D you're currently logged in to. Click any of these</p>

			elements will take you back to the Level select screen.
	Top Right		The final breadcrumb element represents the Level E. Clicking this will provide a drop-down of other Level E's within this Level D, allowing you to quickly switch between them.
	Search Header		A drop-down menu that provides the five most recent searches you've run, allowing you to re-run them easily.
			Lists any "Saved Searches" you have created via the "Save Search" button.
	Various locations, throughout hub2		Buttons within hub2 have many purposes but are mainly used to trigger an action, whether it's to start a search or import, add or delete an item, or, in the case of the button shown to the left, clear all the values from a form.
	Near the top of the search form		The quick search bar can be used to enter multiple search fields in one place. In addition, the drop-down arrow, when clicked, provides a list of field definitions.
	Various locations, throughout hub2	Name 	Input fields can be used to enter search terms or add data. This can be either typed directly, or in the case of dates, selected from a date picker.
		Discipline 	For "lookup" fields, the magnifying glass button on the right can be clicked to open a


		<p>popup containing all the possible values that can be selected.</p> <p>Alternatively, a value can be typed in directly as normal.</p>
	<p>Name</p> <div> <input type="text" value="Required"/>  </div> <p>Discipline</p> <div> <input type="text" value="Required"/>  </div>	<p>Fields which are "Required" have the word <i>Required</i> shown when they are empty.</p> <p>When a field is Required it means that it won't be possible to add a new record if those fields are blank or contain invalid information (and hub2 will tell you if the information is invalid).</p>

3. Levels

Within hub2 project information is stored in five connected levels. This might seem like a more complex approach than you're used to before, but once we've explained it, you'll understand how it's easy to use, and will save time and improve consistency of data. Within the structure, inheritance is used: Information defined in the first level flows through to the second, third, fourth and fifth levels, information in the second flows through to the third, fourth and fifth level, and so on.

Within this document, we will refer to these levels as Level A, Level B, Level C, Level D and Level E, however they can be renamed by yourself or your hub2 administrator to use names that are much more relevant to your project or industry.

Here's an example of how an instance of hub2 might be laid out. Don't worry too much about the details at this stage, we'll go into those later!




As you can see, in the above picture we have a fictional company named “Astro Works”, and a data structure that’s been designed in hub2 to best support their operations. This structure will allow the Astro Works teams to share the information they need, while making it clear who is working on what, and ensuring that any information is only available to the appropriate persons.

So how do we build up a structure like that, and what do these levels really represent? We’ll get into that in a second, but before we do, an important point.

An Important Point about Levels

You (or your hub2 administrator) can change your Level configuration whenever you need to, so don’t worry about having to get it right first time.

If you’d like some advice on Level configuration, just get in touch. We’re here to help!




Section 3.1. Thinking about Levels

When it comes time to build up our data within hub2, we start at the “top” of the data hierarchy (Level A) and work our way down from there.

3.1.1. Level A

As we know, Level A represents the “Company”, “Corporate” or “Global” level. It contains configuration options that will be utilised **in every part of the world, in every industry, on every project and work scope** the company does... Or at least that’s the idea! Of course, in reality this may not be practical, but we’ll discuss that later.

For now, let's assume that there's just one item in Level A representing the whole company. In our example case, that is Astro Works, our fictional space exploration organisation.



There's no data stored at this level, but there are some options:

- Aliases

Aliases allow us to "rename" certain items on screen. As we've mentioned these can include the Levels themselves, as well as other items such as Certification Grouping. When we set an Alias for any field then the default name is replaced by the alias we've chosen.

The screenshot shows the 'Level A : Demo Site' configuration form. The form has a header bar with navigation links: Imports, Ref. Tables, Tagged Items, Certification, Punch List, Handovers, Procedures, Changes, Preservation, Documents, Report, and Admin. The 'Admin' link is highlighted. Below the header, there is a 'Level Select' dropdown menu with options: Level A, Level B, Level C, Level D, Level E, Custom Fields, and Saved Searches. The 'Level A' option is highlighted with a purple border. The form itself has a 'Name' field with the value 'Demo Site' and a 'Description' field with the value 'Demo Site'. There is a 'Disabled' checkbox and an 'Add Alias' button, which is highlighted with an orange border. At the bottom, there are 'Save' and 'Save & View' buttons. The footer shows the copyright notice '© 2018 - qedi (1.3.1)' and the support email 'support@qedi.co.uk'.

In the above screenshot, the orange highlight shows that there are no Alias at present, just the "Add Alias" button. The purple highlight shows that the default "Level A" to "Level E" are shown.

Let's rename those to some more friendly values.

< Back

Company : Demo Site

Save Save & View

Name
Demo Site

Description
Demo Site

☐ Disabled

Level A Alias
Company

Level B Alias
Region

Level C Alias
Facility

Level D Alias
Project

Level E Alias
Scope

Add Alias

Save Save & View

Admin

- Level Select
- Company
- Region
- Facility
- Project
- Scope
- Custom Fields
- Saved Searches


qedi / Alpha / Accom / Refit

© 2018 - qedi (1.3.1) support@qedi.co.uk

Once we save we can see the menu has updated too.

3.1.2. Level B


Level B represents the first sub-division of the structure and is the first place we can actually store data. It's usually used to represent a region, division or industry sector.



3.1.2.1. Information at Level B

The kind of information we store at this Level is very high level

Remember, any information set here will be used by the associated levels below:



In the above picture we can see our two Level B's (which we're calling "Regions") **Astro Works Texas** and **Astro Works Florida**, containing different information (which is shown by having one in purple and one in orange).

The solid colour indicates where the information is set, with the outlining showing where the information is used or referenced from.

As you would expect from our previous explanations, Levels below, reference the information defined in those above (by now we're hoping this is becoming painfully obvious, and even repetitive, to you).

3.1.3. Level C

Level C is usually used to represent a physical construction or geographic area in which multiple projects (which themselves have multiple scopes of work) are being (or will be) executed.

As such it contains a large amount of data, as well as a few key configuration options:

- Preservation Progress Method
- Preservation Window Before
- Preservation Window After

These are described in more detail, and in context, in 8 Preservation.

Let's go back to our diagram and take a look at Level C in more detail


Again, we can see here that each "Facility" has it's own set of data.

The *types* of data (e.g., Area, Authorised Person, Attachment, Cable, and so on) stored at this Level stay the same, but the *data itself* can be different for each "Facility"...

...this means if we created Cape Canaveral Launch Site (which is a child of the **Astro Works Florida** Level B "Region"), the ITR list would be empty until we added ITRs to it. However, the ITR Class would already be populated, as that is defined at Level B (which we have named "Region")


If we then created the Level C for Storage Warehouse, it's ITR list would be empty, until we added ITRs there too. However, as it is also a child of **Astro Works Florida**, it would share the same ITR Class list as **Cape Canaveral Launch Site**.

This is because there isn't no transfer of data *between* levels (they're totally separate), only the ability for child Levels to reference the information in the parent.



And again, each Level C (which we're calling "Facility") can have different settings for the

Just to repeat our previous point once more, the information set at Level C, will be utilised by the levels below:



3.1.4. Level D

Level D is the "Project" level, and represents a grouping of work scopes (which are recorded at Level E). As such, there's not too much data stored here and, aside from the logos which appear on reports and certification, only one setting:


- Punch List Item Auto Number – Set whether Punch List numbers are generated automatically, and any conventions/formats for that number.

We're going to stop showing the same repeated information now, because you get the idea:


The type of data and Configuration Options for a Level is consistent and fixed, but the data itself can be different for each level.

Level B (or "Region") will always be where the Discipline list is defined, but each "Region"'s list will be totally separate and can contain completely different values.

And remember: Changing a value in one "Region" will not affect another "Region".




As we know, the information at a higher Level is referenced by those beneath it. This time we'll show the structure without highlighting. Can you imagine which Level E's inherit from where?



We're sure you figured it out – it's just a case of tracing the lines.

3.1.5. Level E

Level E represents the scope of work – it's where sign-offs are stored and progress is recorded.



Level E is the lowest level, so any of our Level E's (or "Scopes" as we've aliased them) won't affect anything other than themselves.

4. Permissions

Certain standard levels are provided in GoTechnology hub2, however we can also create Custom Permissions for you too.

Section 4.1. Standard User Levels

The following Standard User Levels are available within GoTechnology hub2:

NOTE: It is possible for you or your focal point to restrict sign-off by discipline (for example a Commissioning Tech that can only sign off Electrical Tag ITRs)

	Can Add:	Can Edit:	Can Delete:	Can Sign-off:	Special abilities:
Admin	All	All	All	All	Custom Fields Digital Document Templates Enter any name against Sign-Off Import
Commissioning Engineer	Attachments Procedures Punch Lists Tag ITRs	Procedures Tag ITRs	Procedures Tag ITRs	All	Custom Fields Digital Document Templates Import
Commissioning Technician	Attachments Punch Lists	None	None	Job Cards MOC Procedures Punch Lists Tag ITRs Tag PWLs Work Packs	
Completions Engineer	All	All	All	All	Custom Fields Digital Document Templates Import
Management	Attachments	None	None	All	
Operations Supervisor	Attachments Handovers Tags	Handovers Tags	Handovers Tags	All	
Project Engineer	None	None	None	MOC	

				Procedures Punch Lists Work Packs	
Read Only	None	None	None	None	
Supervisor	Punch Lists	None	None	All	
TA	Attachments Punch Lists	None	None	All	
Technician	Attachments Punch Lists	None	None	Job Cards Punch Lists Tag ITRs Tag PWLs Work Packs	
Work Pack Engineer	Punch Lists Tags Tag ITRs Work Packs	Tags Tag ITRs Work Packs	Tags Tag ITRs Work Packs	All	

Section 4.2. Custom User Levels

An Important Note about Permissions & Roles

Roles and Permissions can be changed as needed and, for most users, you won't need to know about them at all! For those who do need to know about it (because they'll be performing Administrator functions) special training and guidance will be available.

So no need to worry! Just treat this as a little background about how hub2 works.

Permissions within GoTechnology hub2 have a high level of flexibility: Authorisation can be fine-tuned for almost every table, to specify if a User can Add, Update, Delete or even see it at all. There are also additional special permissions for certain tables, such as the ability to sign-off Tag ITRs or Tag PWLs.

4.2.1. Part 1: Roles

To make all these Permissions easier to manage, we have a couple of tools at our disposal. Firstly, permissions can be grouped together as a "Role". Secondly, we can choose which Level we "Assign" a Role or Permission too – this is because the abilities of a Role are limited/linked to the Level it's assigned to and it's "children"

(for example, Tags are managed at Level C. If we assign a role for creating tags, but only on a Level D or a Level E, then the User won't be able to do anything.)

We'll talk more about that later though. Let's start off by looking at Roles.

The standard roles within hub2 are as follows (correct at time of writing):

Role	Permissions Included
Tag Full Permissions	Tags, Test Packs, Lines, Spools, Cables and Mech Joints: <ul style="list-style-type: none"> • Create (Add) • Read (View) • Update (Edit) • Delete • Import
Tag ITR Sign Off	Tag ITR: <ul style="list-style-type: none"> • Sign Off
Tag ITR Full Permission	Tag ITR: <ul style="list-style-type: none"> • Create (Add) • Read (View) • Update (Edit) • Delete • Import • Review (Access the "Equipment Type to ITR Review" page) • Full Tag ITR Digital Document permissions (fill in Tag ITRs onscreen, or via "Smart" PDFs)
Punch List Raise	Punch List, Punch List Item: <ul style="list-style-type: none"> • Create (Add)
Punch List Sign Off	Punch List Item: <ul style="list-style-type: none"> • Sign Off
MOC Sign Off	MOC: <ul style="list-style-type: none"> • Sign Off
Scope User Sign Off	Handovers, Punch List Items, Tag ITR, and Tag PWL: <ul style="list-style-type: none"> • Sign Off
Asset User Sign Off	Procedure, Procedure Section, Procedure Step and MOC:

	<ul style="list-style-type: none"> • Sign Off
Handover Full Permission	<p>Handovers:</p> <ul style="list-style-type: none"> • Create (Add) • Read (View) • Update (Edit) • Delete • Import • Sign Off
Level Administrator	<p>Levels A, B, C, D and E:</p> <ul style="list-style-type: none"> • Create (Add) • Read (View) • Update (Edit) • Delete <p>Note: This allows the creation of the Levels themselves. So new "Regions", "Assets", "Projects", etc can be created by this user. However, on its own it does not give them permission to perform any tasks (e.g. create Tags, sign-off Tag ITRs, etc) within any levels.</p>
Full Write Access	<p>This is the opposite of the Level Administrator in that it grants full permissions to do everything (Create, Read, Update, Delete, Import, Sign Off, Review) except the actual creation of Levels themselves.</p>
Importer	<p>Import Access for all tables except Level A to E</p>
Scope Importer	<p>Tag ITR, Punch Lists, Punch List Items, Tag PWL, Procedure, Procedure Step, Procedure Section, Primary Handovers, Secondary Handovers and Handovers:</p> <ul style="list-style-type: none"> • Import
Template Admin	<p>Handover Types, ITR, MOC Type and PWL:</p> <ul style="list-style-type: none"> • Upload (add/replace DOTX templates)
Base Access	<p>Read Access to all tables</p>
Asset User Sign Off	<p>Procedure, Procedure Section, Procedure Step and MOC:</p> <ul style="list-style-type: none"> • Sign Off
Attachment Upload	<p>Attachments:</p> <ul style="list-style-type: none"> • Create (Add) • Read (View) • Update (Edit)

As you can see, some of the roles overlap. That's ok – it won't cause any problem if someone has the "same" permission twice.


In general, our advice is to go for the fewest amount of permissions possible, as it makes it much clearer who can do what.

4.2.2. Part 2: Assignment

Now we have our Roles, but how do we choose which "Project" they apply to? And how do we make the whole process as flexible as possible, while still making it quick and easy to change?

The answer is through how we assign these roles, and in hub2 **any role** can be assigned at **any level**.

Let's look at our Level Diagram again:



So, we can assign any of the roles listed in the table above, to any of the Levels in that diagram. We could assign it to any Level A, any Level B, any Level C, any Level D.... Well, let's start off with something easy... Let's assign permissions so that a User can create Punch List Items in any of the "Scopes" (Level E's) in the Houston Research Facility (Level C).


4.2.2.1. A simple example of assigning a role to multiple scopes.

First, we need to know what Role to choose. If we look back at the table we can see that "Punch List Raise" does exactly what we need, and nothing more. Sounds perfect!

Now, where to assign it? Well, we could assign it to each Level E itself:


- Fuel Pump
- Booster Housing
- Enclosure (Hot Gas)
- Coolant
- Create Initial Plan

But there's an easier way! You might be able to guess as to what it is (keeping in mind what we know about how Levels work, and that we can assign permissions at any Level), but if not, here it is:



By assigning the Permission to "Houston Research Facility" then the permission applies to all levels beneath. This also means that if a new Level E is added, then the User with this role will automatically have permission to Create Punch Lists and Punch List Items there too.

If, on the other hand, we only wanted to assign to specific Level E's (let's say all of those in "Houston Research Facility" **except** "Coolant")



As we can see, there's no one "right" way to do things. We can accomplish the same outcome in several ways, mixing and matching Roles and Levels to get the right result.

Let's look at another, more complex example.

4.2.2.2. Achieving the same result in different ways

Depending on what Role we choose and what Level we assign it, we can achieve the same result in different ways.


Understanding this can help us grasp how the Permissions system works.

Let's imagine an example where we want to give a User permission to **import** to all Level E's within "Houston Research Facility", but **only the items stored at Level E** (Tag ITR, Punch Lists, Punch List Items, Tag PWL, Procedure, Procedure Step, Procedure Section, Primary Handovers, Secondary Handovers and Handovers).

Well, let's look back at what Roles are available for Importing...


Role	Permissions Included
Importer	Import permissions for all tables expect Level A to E
Scope Importer	Tag ITR, Punch Lists, Punch List Items, Tag PWL, Procedure, Procedure Step, Procedure Section, Primary Handovers, Secondary Handovers and Handovers: <ul style="list-style-type: none"> • Import

The first option (Importer) looks like it might be overkill for what we need, as we only want to import the tables which are at Level E. However, the second option (Scope Importer) matches perfectly. If we assign that to "Houston Research Facility", we get exactly the result we want.



Perfect!

But could we achieve the **same** result with the other Role as well? As it happens we can:




How does this work? Well, even though the “Importer” role specified access to import **all** tables, what it really should say is “Provides import permission to tables belonging to the Level it is assigned to and to the tables belonging to any child levels, except for the tables representing the Levels themselves.” But that’s a bit wordy!

So, by assigning a powerful permission at a low level, we limit its power. As with data, permissions flow downwards. By assigning the ability to use any import, but allocating it to a Level E, what we actually get is that any Import within that Level E can be used. So, assigning it to those four Level E’s gives us what we want in a different way.

5. Beyond Levels: The Extended Logical Structure of hub2

Now we know all about Levels, what’s stored there and how we can set up the right permissions, but what happens when we go **deeper**? How is information within a Level E structured to allow us to assign, progress and track Completions and Commissioning execution? The answer can be seen by delving into the “Scope” level and looking at what we call the “Extended Logical Structure”:

GoTechnology hub2 Extended Logical Structure



While this might seem complicated, the main principles are quite simple:

- We're already familiar with Level A to E and what they represent.
- Work Packs and Activities are the next subdivision of data. Work Packs represent the physical documentation and Activities represent the effort involved in completing the work.

- When a Project is planned a Work Breakdown Structure is created, decomposing the overall Project (Level D in hub2 and Level 1 in most planning approaches) into two further levels: Scopes of Work (Level E in hub2, Level 2 in planning) and Work Pack or Activity (in hub2 we track both)
- Beneath this, comes Job Cards which represent both physical documentation **and** a planning activity.
- After this comes Tag ITRs (documentation) and Operations (planning activity)
- Finally we go a level beyond what a project plan would reasonably expect to capture, to the actual Task level of the Tag ITRs.

As you can see, hub2 captures quite a depth of information, allowing the status of entire facilities to be accurate down to the individual checkboxes being completed on a Tag ITR.

You can probably also see why we used A to E as the “behind the scenes” names of our Levels (and remember, you or your hub2 administrator can adjust the terminology to be relevant and easy to understand for your company) instead of 1 to 5.

6. Populating Data

Once permissions and levels are in place it’s time to start adding data. Depending on what level (and permissions) you have access to, as well as the way hub2 is set up for your company or project, the actual specifics of what you can and can’t change may vary, but we can cover the basic concepts involved.

There’s two ways to populate:

- On-Screen: Best for individual changes.
- Imports: Best for multiple changes

Section 6.1. Populating Reference Tables On-Screen

Reference Tables are the building blocks of hub2. Normally the information contained within the Reference Tables is simple, perhaps just a Name and a Description, but they exist to provide a library that the more complex elements can draw from, increasing consistency of data and reducing rework.

To make it easy to find the Reference Tables, they have their own tab on the top menu, and are listed second from the left, just after the Imports:



If you have a look, you’ll see there’s quite a lot of them, however we don’t need to populate them all at the same time (or ever if they’re not required!) only the ones that we know, or that we need to move forward and set up the more complex entities.

As an example, let's look at what Reference Tables we need to add our first Tag.

Tags have a lot of fields, but only a few of them are **Required**.

For Tags the standard required fields (as of the time of writing – things do change!) are:

- Name
- Discipline
- Description
- Equipment Type
- Subsystem

And of those, Name and Description are not Reference Tables. Remember, as we described in the UI chapter, we can tell which fields are Required, and which are Reference Tables just by looking at the fields themselves:

Required Fields

When a field is Required it means that it won't be possible to add a new record if those fields are blank or contain invalid information (and hub2 will tell you if the information is invalid).

Required fields have the word "Required" inside the text box when they are empty:

Reference Tables have a blue magnifying glass button at the right-hand side:

Discipline

Required



Clicking on this button will open a pop-up window, from which you can select the information you want, just by clicking on it:

Search for Discipline

Filter Name

A	Architectural
B	Buildings
C	Civil
D	Drilling
E	Electrical
ec	Plumbing
F	Fire and Gas
G	Safety
H	HVAC
I	Instrumentation
L	Lifeboat
M	Mechanical
P	Piping
Q	Insulation

19 Rows Loaded

In some pop-up windows (such as Subsystems) you can choose multiple values. In that case you click on the rows you want **then** click the add button:




Search for Sub System

Filter Name


Name	Description
AL-045-501	Flash Gas From ALPHA LP
AL-045-502	ALPHA LP Separator
AL-045-503	ALPHA LP Separator Pre-Shutdown Scope - Phase 2B
AL-045-504	ALPHA - Shutdown Scope 2015
AL-045-506	Flash Gas Tie In Point - Shutdown 2015
AL-046-501	Export Oil Coolers - Shutdown Scope 2015
AL-048-501	Production Gas Scrubber - Vessel Internals - 2015
AL-048-502	Blow Down Valve - Shutdown Scope 2015
AL-055-501	Injection Compressor
AL-055-502	Injection Compressor
AL-055-503	Injection Compressor
AL-059-501	ALPHA Produced Water To JRP - Phase 2B
AL-059-502	ALPHA Produced Water To JRP - Shutdown Scope 2015

40 Rows Loaded


Add Items

If the pop-up window is blank, that means there is no data in the reference table:



If that's the case, (or we just want to add in an additional value) we know we need to go into the reference table and add some values in! Just click on Reference Tables and select the appropriate choice (for this example we'll use Disciplines).



Help! I can't see the table I want!

If the table you need to populate isn't in the list then you might not have access to it. Talk to your GoTechnology focal point about it.

If you **are** the GoTechnology focal point then get in touch with us instead! We'll help figure it out.

Once we've chosen the table we can go ahead and add data in (provided we have the right permissions).
If you can't see an Add button then you need to get in touch with your focal point or with us to discuss.

Discipline Search

Recent Searches Saved Searches

Search Clear + Add Save Search

Name Description

Created Date Updated Date

dd/mm/yyyy dd/mm/yyyy dd/mm/yyyy dd/mm/yyyy

Search Clear + Add Save Search

Search Results

Export Delete

	Name	Description
<input type="checkbox"/>	A	Architectural
<input type="checkbox"/>	B	Buildings
<input type="checkbox"/>	C	Civil
<input type="checkbox"/>	D	Drilling
<input type="checkbox"/>	E	Electrical

You can click either Add button, they both do the same thing. We have them at the top **and** bottom because some of the pages are quite long, and it makes it a little easier to use.

Enter in a name and description and click Save & View.

Discipline: Example

Save Save & View

Name

Example

Description

Our example discipline to show adding values to reference tables!

Save Save & View

© 2019 - Wood (1.18.0) GoTechnology.Support@woodplc.com

Now we can go **back** to Tags and when we are adding or editing and we click on the Discipline popup button we'll see our new "Example" discipline in the list.

Name	Description
A	Architectural
B	Buildings
C	Civil
D	Drilling
E	Electrical
ec	Plumbing
Example	Our example discipline to show adding values to reference tables!
F	Fire and Gas
G	Safety
H	HVAC
I	Instrumentation
L	Lifeboat
M	Mechanical
-	-


19 Rows Loaded

Section 6.2. Using Imports and Exports

By now you’re a totally confident GoTechnology expert. You’ve completed all the required training **and** you’ve read this far into the User Guide! Well done! That means you probably know all about the imports, and some of this might be repeating the obvious. But there might just be a few tips and tricks you’re not aware of.

6.2.1. Downloading all blank templates

Let’s start at the beginning: Where do we go to get all the blank import templates? Simple: Go to Imports and click the “Download All Blank Templates” button:



That will download a zipped file with all the blank templates ready to be populated.

6.2.2. Import Templates

All the import templates for GoTechnology are simply spreadsheets and can be opened in Microsoft Excel or similar and they utilise coloured headings to convey information:

	A	B	C	D	E	F	G
1	Name	Description	Sub Systems	Discipline	Equipment Type	Source Drawing	Equipment Status
2							
3							
4							
5							
6							
7							
8							

These colours are there to help you understand the nature of the fields. They're only there to aid you, so changing them won't make any difference.

But what do they mean?

Heading Colour	Meaning	Can be removed?	Details
Orange	Identifying	No	Uniquely identifies the record. There may be more than one Identifying field, meaning the record is identified by the combination of multiple fields.
Gold	Optional Identifying	Sometimes	Can be used as part of the identification for the field but if not then can be removed.
Blue	Required	Sometimes	Must be populated when new records are created. For existing records this can be removed.
White	Optional	Yes	Can be removed.

It might sound complicated but really, it's not:

- When you're creating new records, you need at least the Orange and Blue fields.
- When you're updating existing records, you need at least the Orange fields.

That's it!

Wait! What about the gold fields?!

A gold field is an **optional identifier**. That means they're there to give you a way of differentiating two records that would otherwise seem identical.

Imagine it this way: Your name is John Smith and you've just joined a new company. Unfortunately, there's already a John Smith there. As a way of telling the difference people might start using your middle name too. It's an **optional identifier**. If there was only one John Smith it wouldn't be required, but as there are two it's useful to fill in.

This means that if we want to change an optional field such as Source Drawing **we can remove the columns we don't need from the import sheet** leaving just the identifying column and the column we want to change:

	A	B	C	D	E	F	G	H
1	Name	Source Drawing						
2	01-TP-003	07R4187-WIN-0001						
3	076-E3979							
4	076-E3981							
5	076-E3983							
6	076-FT-1005							
7	076-FT-1011							
8	076-J3980							
9	076-J3982							
10	076-PST-1004							
11	076-PT-1001	2"-PG-FN-12022/MZ/A/1/FO-SHT1						
12	076-PT-1003							
13	081-XS-3001							
14	081-XS-3002							
15	084-E3197							
16	084-XS-3005							
17	088-XS-1201-J							
18	088-XS-1201-Y							
19	088-XS-1227-J							
20	088-XS-1227-Y							
21	088-XS-1228-A							
22								
23								
24								

Not only does this make it easier to read, it's faster to import too!

You can also change the order of the columns, so Source Drawing comes first and then Name.

Don't try renaming the column names though; that won't work.

7. Handovers

Handover Certificates, usually referred to simply as 'Handovers' are used to guarantee Technical Integrity when responsibility is being transferred between Authorities.

Exactly what is being handed over, and when, varies between company, project and geographic location. Because of this, GoTechnology applications have a flexible approach, with a variety of configurations which

can be used on a “per-project” basis (Level D within hub2) allowing each to have its own Handover configuration.

The key components in each Handover are:

1. Name
2. Grouping
3. Gating

While the name is self-explanatory, the Grouping and Gating require further explanation.

7.1.1. Grouping

The Handover Grouping controls the “what” of the Handover, as in “What is it that I am handing over?” Perhaps the most commonly used Handover Groupings are System and Subsystem (e.g. when a Subsystem Handover is completed it represents a statement that responsibility for that Subsystem can be transferred onwards) but there are other categories too. The following groupings are available in hub2

1. Certification Grouping
2. System
3. Subsystem
4. Primary Handover
5. Secondary Handover
6. System / Discipline
7. Subsystem / Discipline
8. Area
9. Module
10. Level E

7.1.2. Gating

The Handover Gating determines the “which” (the ‘scope’) and “when” (the ‘ordering’) of the Handover within the overall project, serving to answer the questions “Which certificates/ITRs are covered by this Handover and when in the complete Handover process should this particular Handover occur?”

Both questions are answered with a single field: The Handover Gate Number.

This field acts as both a link between the Handover and the ITR Classes as well as means of ordering the Handover within the project.

7.1.2.1. Example: How Gating affects ordering.

As an example of how this works, consider a scenario where there are three Handovers (please note these are intended as examples only):

Handover	Gating
----------	--------

HOC	3
MCDAC	1
PCDAC	2

The Handovers are listed above alphabetically; however, in terms of the order within the Process, the MCDAC comes first, followed by the PCDAC and finally the HOC.

We can expand this further with an additional Handover:

Handover	Gating
CCC	1
HOC	3
MCDAC	1
PCDAC	2

Now we can see that both the CCC and the MCDAC are to be completed first, followed by the PCDAC and HOC.

7.1.2.2. **Example: How Gating affects scoping.**

If we retain our previous set of four Handovers and introduce a table listing our ITRs and ITR Classes we can see how Gating affects scoping too.

ITR Class	Gating
COM	3
MC	1
PC	2

Now we know that our CCC and MCDAC cover all ITRs in the MC ITR Class, our PCDAC covers all in the PC class and our CCC in the COM class.

7.1.3. **Walk Downs**

Another key element in the handover process involves the physical inspection of the scope of the Handover (be it a System, Subsystem, Area or something else) by the process stakeholders. This process is known as a Walk Down.

There may be multiple Walk Downs held but all have the same general purpose: To identify any unrecorded defects and to verify that defects which have previously been identified have been actioned appropriately.

8. Preservation

Preservation involves tasks related to ensuring unused equipment is kept in working condition. These tasks are often repeated on a regular schedule, to ensure the equipment is properly maintained and ready to use when required.

8.1.1. Preservation Work List (PWL)

Within hub2 'Preservation Work Lists' (PWLs) are used to record the completion of preservation tasks, and can be assigned to Tags, in a similar fashion to ITRs. The difference is that PWLs are part of a regular schedule of maintenance on unused equipment, while ITRs are used to sign-off that installed equipment is safe and has been properly tested as part of the Handover process (in which the goal is to start, or restart, the facility).

8.1.2. Tag Preservation Work List (Tag PWL)

Just as a Tag ITR represents an actual assignment of an ITR to a Tag so does a Tag PWL represent a PWL to a Tag. To explain this further; our PWL table will contain an entry for each type of Work List available for use. So, if there are ten different Work List types (perhaps named 'PRES-A', 'PRES-B', 'PRES-C' and so on) then there will be ten entries in the PWL table.

However, any one of these PWLs may be assigned multiple times to many different tags. This is where the Tag PWL entity comes into play; storing the details of each Work List the user creates and assigns.

8.1.3. Frequency

The Frequency of a Tag PWL describes how regularly the applicable preservation work should be performed. If a Tag PWL has a Frequency of seven days, then it should be performed once every week.

If it has a Frequency of 365 days it should be performed once, and then is not due for another 365 days, either from the Due Date (so the schedule remains consistent) or from the Sign-Off Date (so the schedule adjusts based on when the Tag PWL was actually signed off), depending on the configuration of hub2.

8.1.4. Due Date and Sign-Off Date

The Due Date is when the Tag PWL is expected to be completed by, while the Sign-Off Date is when the Tag PWL was actually signed off. It is possible in hub2 to apply restrictions to when Sign-Off can be accomplished, via the Level C Preservation Window Before and Preservation Window After settings.

8.1.5. Preservation Window

The Preservation Window (via the Preservation Window Before and Preservation Window After fields on Level C) allows restrictions to be placed on when a Tag PWL can be signed-off, specifically in relation to the Due Date.

The settings allow the Preservation Window to be restrict how many days before and how many days after the Due Date is acceptable. These values can be different. If either (or both) value is left blank, then no restriction applies.

8.1.5.1. Examples

8.1.5.1.a. *Due Date: 14 February 2017*

Due Date	Preservation Window		Acceptable Sign-Off Values
	Before	After	
14 February 2017			Any
14 February 2017		2	Any date before 17 February 2017.
14 February 2017	2	2	12 February 2017 to 16 February 2017.
14 February 2017	5	2	9 February 2017 to 16 February 2017.

8.1.5.1.b. *Due Date: 20 March 2049*

Due Date	Preservation Window		Acceptable Sign-Off Values
	Before	After	
20 March 2049			Any
20 March 2049		2	Any date before 19 March 2049.
20 March 2049	3	4	17 March 2049 to 24 March 2049
20 March 2049	31	16	17 February 2049 to 5 April 2049

8.1.6. Preservation Progress Method

Preservation Progress Method is a Level C setting which will be used to determine the next Due Date when advancing Preservation which is being signed off. When any Tag PWL item which has a populated Frequency, field is signed off a new Tag PWL record will be created and its Due Date will be set based on the Preservation Progress Method as detailed in the following table:

Preservation Progress Method	Due Date	Sign Off Date	Advanced Due Date (Frequency of 5 Days)
Due Date	15/01/2016	18/01/2016	20/01/2016
Sign Off Date	15/01/2016	18/01/2016	23/01/2016

9. Imports & Exports

Section 9.1. Recommendations

It's recommended that Imports are kept at 20,000 rows or less per file for performance reasons.

Section 9.2. Import Ordering

The recommended order to perform Imports is listed below. Those which are **essential** are **bold and underlined**.

9.2.1. List

- 1) Primary Handover (if applicable)
- 2) Secondary Handover (if applicable)
- 3) Location
- 4) Module
- 5) Area
- 6) Priority
- 7) System Group
- 8) System**
- 9) Subsystem**
- 10) Loop
- 11) Activity
- 12) Unit of Measure
- 13) Test Pack Type
- 14) Discipline**
- 15) Profession
- 16) Authorised Person
- 17) DrawingType
- 18) MOC Type
- 19) Operation Type

20) Punch List Item Category

21) Certification Grouping

22) ITR Class**23) ITR**

24) Q Pack (if applicable)

25) PWL

26) Equipment Type

27) Equipment Status

28) Equipment Type to ITR

29) Drawing

30) Parent Tag

31) Tag ITR Completion Status

32) Preservation Completion Status

33) Work Pack Completion Status

34) Tag**35) Tag ITR**

36) Tag Q-Pack

37) Tag Subsystem

38) Test Pack

39) Work Pack

40) Job Card

41) Operation

42) Procedure

43) Procedure System

44) Procedure Section

45) Procedure Skeleton

46) Procedure Skeleton Section

47) Procedure Skeleton Step

48) Procedure Step

49) Punch List

50) Punch List Item

51) Handovers (multiple)

52) Equipment Type to PWL

53) Tag PWL

54) Line

55) Spool

56) Mechanical Joint

57) Cable

58) MOC

59) MOC Discipline

60) MOC Primary Handover

- 61) MOC Secondary Handover
- 62) MOC System
- 63) MOC Subsystem
- 64) MOC Tag
- 65) MOC Work Pack

10. Glossary / Listing

Name	Description	Menu Location	Level
Activity	<p>Activity within hub2 represents Level 3 in the recommended Work Breakdown Structure and as such exists as the "parent" of Job Cards and as a "child" of Level E.</p> <p>The term "Activity" is often used interchangeably with Work Pack or Work Package, however hub2 treats them as separate but equivalent.</p> <p>The Activity is intended to represent the Planning Component and as such represents a period of time utilised, rather than a physical collection of documents.</p>	Reference Table	E
Area	Physical space, usually used in conjunction with Module representing part of a floor, an entire floor or even a whole building or structure, within a larger Asset or Facility.	Reference Table	C
As Built Drawings	As Built Drawings reflect what was constructed, rather than what was originally drawn; they are usually required when circumstances on site required a deviation and are issued when Construction is complete.	Documents	E
Attachment	An association between a file and a database entry.	Documents	C
Authorised Person	An entry in the Authorised Person reference table represents an individual who is authorised to perform certain activities on a work scope. Within hub2 Authorised Person is used to record information regarding the sign-off of a certification such as an ITR or PWL. Each one can be linked to a user account through the Hub User ID field.	Reference Tables	C
Cable	In simple terms Cables are collections of one or more lengths of electrically conductive materials that are contained within protective and non-conductive coatings. The coatings are commonly known as	Tagged Items	C

	<p>'Sheaths'. Each conductive-material-and-Sheath combination is known as a Core.</p> <p>It is possible that a cable may contain only a single Core, however it is more likely that it will comprise multiple Cores contained within an additional overall Sheath.</p>		
Certification Grouping	<p>A means by which a collection of ITRs can be associated by Discipline, Subsystem and Level E, the Certification Grouping is an aliased entity (meaning the labels shown on page can be renamed from "Certification Grouping" to something else) that can be used to fill the role of a 'Discipline Mechanical Completion (DMC)' field, while allowing project specific naming of that field.</p>	Reference Tables	E
Discipline	<p>Perhaps the easiest way to begin to describe a Discipline is to provide some examples of it: Electrical, Mechanical, Safety, Fire & Gas. These represent not only schools of knowledge to which an individual might specialize in, or assume responsibility for, but also categories of equipment or certification.</p> <p>Within hub2 the Discipline will be recorded against items such as tagged equipment (Tags), Punch List Items and Inspection and Test Records (ITRs). This can then be used to filter and subdivide information, as well as to assign permissions and responsibilities to authorised individuals, with the full details of these functions being detailed in the relevant sections.</p>	Reference Tables	B
Drawings	<p>Drawings can cover a range of different types of illustration, including Isometrics, Process and Instrumentation Diagrams and General Arrangement Drawings amongst others. They serve to communicate information visually in a variety of ways, with the type of drawing used determined both by convention and what is most effective for serving the purpose required.</p>	Reference Tables	C
Equipment Type & Status	<p>Equipment Type provides a way of categorizing Tags based on the type of equipment. This can be useful in determining what type of ITR should be assigned, something that is covered in more detail in the Auto Allocation of Data section.</p>	Reference Tables	C

	Equipment Status represents a further subdivision of this, and is an optional attribute to enable greater granularity.		
Equipment Type to ITR / PWL	Allows ITRs and PWLs to be automatically assigned to a Tag based on its Equipment Type.	Reference Tables	C
Handover	Handover Certificates, usually referred to simply as 'Handovers' are used to guarantee Technical Integrity when responsibility is being transferred between Authorities. They're explained in more detail in the Handovers section.	Handovers	E
ITR	Inspection and Test Records (ITRs) are records (traditionally paper-based checklists, but increasingly available digitally) used to certify that tagged equipment has been properly built and tested in line with agreed processes and procedures by approved and competent personnel. The ITRs (also referred to as check sheets, tally sheets and certificates) include a list of tasks, measurements and activities that should be completed to verify the status of the equipment concerned. While the design, content, naming and terminology of ITRs will vary between different companies, locations and projects their ultimate purpose is the same: To ensure the safety of equipment being certified.	Reference Tables	C
Job Card	Job Cards (also known as Job Packs) represent a further subdivision of Work Packs and detail jobs to be undertaken at a facility. They exist to authorise and instruct the workers to perform the listed task and contain task guidelines, safety information and other relevant documentation such as inspection procedures and drawings.	Reference Tables	E
Line	A Line is defined as a section of pipe. Lines can be connected via spools; a short section of pipe with fittings that allow one pipe line to connect to another. Like spools, lines can also be part of a test pack.	Tagged Item	C

Location	Location represents a physical space. This can be used to record the position (either currently, previously or subsequently) of an object or activity.	Reference Tables	C
Loop	A Loop is an electrical circuit consisting of any number of electronic components. Loops can be associated with Tags or Cables but not any other tag-like object.	Reference Tables	C
Mechanical Joint	A connection established between two sections of pipe, using nuts and bolts. Factors such as the material used are critical in establishing the required tool and amount of force used to adjust the nuts on joints, to ensure that no leak can occur, and that the nuts and bolts are not under undue stress. Failure of a mechanical joint could cause the fluid inside to leak. If this were a hydrocarbon (oil) then the results could have serious consequences.	Tagged Items	C
MOC	<p>Management of Change is the process by which potential deviations from original scope/design are tracked.</p> <p>The MOC section may record queries being raised by site personnel about deviations (e.g. if a piece of equipment is different than expected) or instructions from the site (e.g. expect the equipment to be different).</p> <p>It's essential that any such information is recorded for reasons of safety and efficiency, as not properly bringing these issues to attention could have hazardous consequences.</p>	Changes	C
MOC Type	The category to which the MOC item belongs: Common examples are TQ ("Technical Query") and EQ ("Engineering Query") amongst others.	Reference Tables	C
Module	The use of Module can vary: It may be used in conjunction with Area to indicate a subdivision of the Area, such as a grouping of equipment or a room on a floor, or alternatively may be used to represent a vast physical component which is a major part of a facility or asset.	Reference Tables	C
Operation	An Operation represents an item of work on a Job Card and is usually associated with a Tag ITR. Both are intended to represent	Planning	E

	Level 5 of a Work Break Down Structure. In effect the Tag ITR is the deliverable while the Operation is the time spent producing the deliverable.		
Operation Type	Operation Type is merely a way to categorise Operations. It can be used for any purpose. Operation Type can be "aliased" (renamed to something else) for convenience by users with the appropriate level of administrative access.	Reference Tables	C
Parent Tag	A Parent Tag is a grouping that can be used either to represent a collection of Tagged Items that are related or that, when taken together, constitute a larger functional object.	Reference Tables	C
Phase	Phases provide a means by which a Level C can be subdivided into distinct periods of time during which work will occur.	Reference Tables	C
Priority	Priorities provide a means by which a Sub System or Secondary Handover can be grouped together into specific tasks that will occur during the same timeframe.	Reference Tables	C
Procedure	A Procedure is a set of logically sequenced instructions for the way of executing a class of activity. There can be many different types of Procedures with the main ones in hub2 being Commissioning Procedures which is a Procedure with a step by step description of activities required to commission an object.	Procedures	C
Procedure Section	As with many other types of document, including this one, Procedures are commonly sub-divided into separate sections, which in hub2 are represented via Procedure Sections entities.	Procedures	C
Procedure Step	Procedure Steps represent the actual activities associated with a Commissioning Procedure. In this regard, they fill a similar role as a task on an ITR.	Procedures	C
Punch List	A Punch List is a grouping of Punch List Items.	Punch List	E
Punch List Item	Punch Lists Items are used to record items of outstanding work which should have been completed previously. This could include examples such as missing insulation or trace heating on pipework, painting not complete or paint touch-ups required, outstanding	Punch List	E

	<p>earthing of instruments or junction boxes, amongst many others. Each of these examples could be raised as a Punch List Item (PLI).</p> <p>Punch List Items are assigned a Punch List Category which is usually used to indicate the severity of the defect. A common, and simple, arrangement is to create two Punch List Item Categories, one with the Name "A" and one with the Name "B". Category "A" is used for safety related defects, while "B" is used for others.</p> <p>The ability to define Punch List Item Categories is however completely at the discretion of the user and so may deviate completely from the above example, which is provided for general information only and does not constitute guidance on this subject.</p> <p>Punch List Items also have a Scope. This Scope denotes what type of Entity the Punch List Item refers to, with the following values available:</p> <ul style="list-style-type: none"> • <u>Subsystem</u> • <u>Tag</u> • <u>Tag ITR</u> • No Scope <p>When a PLI is considered complete by the person responsible for undertaking the work it is reported as 'Cleared'. After this, if it is agreed by the responsible parties that the item is complete and requires no further action it is 'Accepted'.</p>		
PWL	<p>Preservation involves tasks related to ensuring unused equipment is kept in working condition. These tasks are often repeated on a regular schedule, to ensure the equipment is properly maintained and ready to use when required.</p> <p>Preservation is described in more detail in 8 Preservation</p>	Reference Tables	C
Spool	<p>A short, prefabricated section of pipe, with fittings, that allow one pipe line to connect to another (possibly of different size).</p> <p>The fittings can include items such as Flanges (a plate or ring at the end of a pipe), Elbows (used to change the direction of the pipe) and Tees (three pipe connectors in a T shape), amongst others</p>	Tagged Items	C
Subsystem	<p>A Subsystem is a functional object that represents a collection of items that serve a common purpose. As with Systems, the items themselves do not have to be physically connected.</p>	Reference Tables	C

System	A System is a functional object that itself is a collection of functional objects (Subsystems) that form a network to provide a type of service, or serve a common purpose. It's worth noting that the objects within a System do not have to be physically connected ¹ .	Reference Tables	C
Tag	<p>In hub2 a Tag is a type of tagged-item that represents functionality provided by physical equipment within a facility, with the nomenclature arising from the equipment tag assigned (and usually physically attached) to the equipment for identification purposes. While this does mean that, taken literally, the tag is the label itself, it is usually used to refer to the function of the equipment.</p> <p>It should be noted that if a piece of equipment, or part of a piece of equipment, is replaced this does not constitute a different tag. Therefore, if Tag 'A' was a compressor with the Serial Number '0001' and it down and was replaced with compressor with serial number '0002', it would still be Tag 'A'.</p>	Tagged Items	C
Tag ITR	<p>Tag ITRs represent an actual instance of an ITR (a check sheet used to record test results) assigned to a tagged-item (such as a Tag, which represents a piece of equipment, or a Test Pack which is a dossier of information representing a section of pipework to be tested).</p> <p>To explain this; imagine a project which has a type of ITR called QED-E01A (an Electrical Check Sheet). When a user assigns an E01A type ITR to a Tag then a new Tag ITR is created. If the user were to mark it as complete, that Tag ITR would be updated, and if the user were to remove it then the Tag ITR would be deleted. None of this would affect that actual ITR itself, no matter what, QED-E01As would still be available to assign to Tags.</p> <p>As such it may be easier to think of the ITR Entity (which is described in section 14 ITR) as the "library" of available Inspection and Test Records, with the Tag ITRs being the actual assigned instances.</p>	Certification	E
Tag PWL	Just as a Tag ITR represents an actual assignment of an ITR to a Tag so does a Tag PWL represent a PWL to a Tag.	Preservation	E

¹ <http://data.posccaesar.org/rdl/RDS316259>

	Preservation is described in more detail in 8 Preservation.		
Walk Down	Walk Downs are explained in more detail in the Handovers section,	By viewing a specific Handover itself.	E
Work Pack	<p>Work Packs (also called Work Packages, Construction Work Packs and Construction Work Packages) are the lowest level represented on a project's Work Break Down structure (WBS) and are used as a way of grouping tasks within a Work Scope (which, when following recommended data population guidelines, maps to Level E of the hub2 data structure).</p> <p>In a literal sense, a Work Pack is a collection of documents necessary for the completion of a group of tasks within the timescale specified in the Project plan Activity. This will include Job Cards containing details of Operations to be completed, corresponding Tag ITRs, Drawings and details of the Equipment and Materials required to complete them.</p>	Reference Tables	E