	Utech
Name :	<b>A</b>
Roll No.:	To Owner (5' Executings 2nd Explains
Invigilator's Signature :	

### PRINCIPLE OF COMMUNICATION ENGINEERING

Time Allotted: 3 Hours Full Marks: 70

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

#### **GROUP - A**

#### (Multiple Choice Type Questions)

- 1. Choose the correct alternatives for any ten of the following:  $10 \times 1 = 10$ 
  - i) The modulating technique which is most affected by noise is
    - a) PSK

b) ASK

c) DPSK

- d) FSK.
- ii) Recording information from a carrier is known as
  - a) demultiplexing
  - b) carrier recovery
  - c) modulation
  - d) detection.

4301 (O) [ Turn over


- iii) The Nyquist sampling rate for a signal band limited to 4 kHz is
  - a) 4 kHz

b) 8 kHz

c) 2 kHz

- d) 16 kHz.
- iv) Pulse amplitude modulation is a process where by
  - a) the position of the pulse is changed as a function of the sample value
  - b) the width of the pulse is varied as a function of time
  - c) the height of a pulse is maid proportional to the sampled value
  - d) none of these.
- v) Which of the following methods is employed in telephony?
  - a) FDM

- b) TDM
- c) Both (a) & (b)
- d) None of these.
- vi) The narrow samples produced at the pulse demodulator output are distributed to appropriate low pass construction filter by means of
  - a) multiplexer
- b) decommutator
- c) commutator
- d) none of these.



3

[ Turn over

4301 (O)

- xiii) The channel capacity of a 5 kHz bandwidth binary system is
  - a) 10,000 bits/sec
- b) 5,000 bits/sec
- c) 8,000 bits/sec
- d) 4,000 bits/sec.


#### **GROUP - B**

#### (Short Answer Type Questions)

Answer any *three* of the following.  $3 \times 5 = 15$ 

- 2. a) What is Nyquist interval?
  - b) What is folding frequency?
  - c) Which kind of filter is used to demodulate a PAM signal?
- 3. a) What is apogee?
  - b) Define Azimuth angle.
- 4. a) What is the difference between geosynchronous and geostationary orbit?
  - b) Discuss the disadvantages of geostationary orbit.
- 5. a) What is regenerative repeater?
  - b) Explain the eye-pattern with proper diagram.

4301 (O)



4301 (O) 5 [ Turn over

- 8. a) A carrier is frequency modulated with a sinusoidal signal of 2 kHz resulting in a maximum frequency deviation of 5 kHz. Find
  - i) modulation index
  - ii) bandwidth of modulating signal.

5

- b) Explain the method of generating FM signal using indirect method.
- 9. a) Explain coherent QPSK system. 10
  - b) What is DPSK? What is the bandwidth requirement of DPSK?
- 10. a) 1 kHz signal is sampled by 8 kHz sampling signal and the samples are encoded with 12 bit PCM system. Find
  - i) required bandwidth
  - ii) total no. of bits in the digital output signal in 10 cycles.
  - b) With a suitable block diagram explain the principle of pulse code modulation ( PCM ).
  - c) What is companding? Discuss the two laws of companding.



11. Write shorts notes on any *three* of the following:  $3 \times$ 

- a) TDM
- b) ISI
- c) ARQ
- d) D/A converter.

4301 (O) 7 [ Turn over