```
2
3
   int main()
4
5 🔻
6
   char str[1000];
7
   scanf("%s",str);
8
   9
   int temp;
10
   for(int i=0;str[i]!='\0';i++)
11 √ {
12
   temp=str[i]-'0';
13
   if(temp<=9&&temp>=0)
14 + {
```

	Input	Expected				Got																
~	a11472o5t6	0	2	1	0	1	1	1	1	0	0	0	2	1	0	1	1	1	1	0	0	~
~	lw4n88j12n1	0	2	1	0	1	0	0	0	2	0	0	2	1	0	1	0	0	0	2	0	~
~	1v888861256338ar0ekk	1	1	1	2	0	1	2	0	5	0	1	1	1	2	0	1	2	0	5	0	~

Passed all tests! 🗸

```
2
3
   int main()
4
5 ▼ {
6
   int t;
   scanf("%d",&t);
7
8
   while(t--)
9 ▼ {
   char str[100000];
10
11
   int count=0;
   scanf("%s",str);
12
   for(int i=0;str[i]!='\0';i++)
13
14 ▼ {
15
   char c= str[i];
```

```
16  | if((c=='a')||(c=='e')||(c=='i')||(c=='o')||(c=='u')||(c=='A')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c=='a')||(c
```

(c=='o')||(c=='u')||(c=='A')||(c=='E')||(c=='I')||(c=='0')||(c=='U

	Input	Expected	Got	
~	2 nBBZLaosnm JHkIsnZtTL	2	2	~
<b>✓</b>	2 nBBZLaosnm JHkIsnZtTL	2	2	~

Passed all tests! 🗸

```
2
3
    int main()
4
5 √ {
   char s[1000];
   scanf("%[^\n]s",s);
7
   for(int i=0;s[i]!='\0';i++)
8
9 → {
   if (s[i]!=' ')
10
   printf("%c",s[i]);
11
    else
12
    printf("\n");
13
14
    }
   raturn 1.
```

	Input	Expected	Got	
~	This is C	This is C	This is C	~
~	Learning C is fun	Learning C is fun	Learning C is fun	~

```
#include<stdio.h>
1
 2
    int main()
 3
4
5 √ {
    char str1[10],str2[10],t;
 6
   int i=0,j=0;
   int count1=0,count2=0;
   scanf("%s",str1);
9
   scanf("%s",str2);
10
   while(str1[i]!='\0')
11
12 ▼ {
13
   count1++;
```

```
while(str2[j]!='\0')
16
17 √ {
18
    count2++;
    j++;
19
20
21
   printf("%d %d\n",count1,count2);
    printf("%s%s\n",str1,str2);
22
23
   t=str1[0];
24
   str1[0]=str2[0];
25
    str2[0]=t;
26
    printf("%s %s",str1,str2);
27
    return 0;
28
    }
```

	Input	Expected	Got	
~	abcd	4 2	4 2	~
	ef	abcdef	abcdef	
		ebcd af	ebcd af	