# Rajalakshmi Engineering College

Name: Gowtham M 1 Scan to verify results Email: 241501059@rajalakshmi.edu.in Roll no: 241501059 Phone: 8778441691 Branch: REC Department: I AIML AD Batch: 2028 Degree: B.E - AI & ML NeoColab\_REC\_CS23221\_Python Programming REC\_Python\_Week 6\_MCQ Attempt: 1 Total Mark: 20 Marks Obtained: 17 Section 1: MCO 1. What is the default value of reference\_point in the following code? file\_object.seek(offset [,reference\_point]) Answer 0 Status: Correct Marks: 1/1 2. Fill in the blanks in the following code of writing data in binary files.

import \_\_\_\_\_ (1)

rn=int(input("Enter"

rec=[]

while True:

```
nm=input("Enter")
temp=[rn, nm]
  rec.append(temp)
  ch=input("Enter choice (y/N)")
  if ch.upper=="N":
    break
f.open("stud.dat","_
                                 _")(2)
          _{\rm dump(rec,f)(3)}
           .close()(4)
Answer
(pickle,wb,pickle,f)
                                                                     Marks : 1/1
Status: Correct
3. What will be the output of the following Python code?
# Predefined lines to simulate the file content
lines = [
  "This is 1st line"
  "This is 2nd line"
  "This is 3rd line",
  "This is 4th line",
  "This is 5th line"
print("Name of the file: foo.txt")
# Print the first 5 lines from the predefined list
for index in range(5):
  line = lines[index]
  print("Line No %d - %s" % (index + 1, line.strip()))
Answer
Displays Output
Status: Correct
                                                                      Marks: 1/1
```

Fill in the code in order to get the following output:

Output: Name of the file: ex.txt	2,475010
fo = open((1), "wb") print("Name of the file: ",)(2)	V
Answer	
1) "ex.txt"2) fo.name	
Status: Correct	Marks : 1/1
5. How do you rename a file?  Answer os.rename(existing_name, new_name)  Status: Correct	2 <sup>A15010</sup> Marks : 1/1
6. What is the correct way to raise an exception in Python?	
Answer	
raise Exception()	
Status: Correct	Marks : 1/1

7. What happens if no arguments are passed to the seek function?

Answer

error

Status: Wrong Marks: 0/1

8. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

 $['John,21\n','Raj,20\n']$ 

## Answer

1) f.seek(0, 0)2) f.rlines()

Status: Wrong

9. What is the purpose of the except clause in Python?

#### Answer

To handle exceptions during code execution

Marks: 1/1 Status: Correct

10. What is the difference between r+ and w+ modes?

#### Answer

in w+ the pointer is initially placed at the beginning of the file and the pointer is at the end for r+

Status: Wrong Marks: 0/1

11. What is the output of the following code?

try: 
$$x = \text{"hello"} + 5$$

```
except TypeError:
   print("Type Error occurred")
finally:
      print("This will always execute")
   Answer
   Type Error occurredThis will always execute
   Status: Correct
                                                                      Marks: 1/1
   12. What is the output of the following code?
   try:
   ^{\circ} x = 1 / 0
   except ZeroDivisionError:
      print("Caught division by zero error")
   finally:
      print("Executed")
   Answer
   Caught division by zero errorExecuted
   Status: Correct
                                                                      Marks: 1/1
    13. What is the output of the following code?
   class MyError(Exception):
      pass
   try:
      raise MyError("Something went wrong")
   except MyError as e:
      print(e)
   Answer
   Something went wrong
                                                                      Marks: 1/1
   Status: Correct
```

14. How do you create a user-defined exception in Python?

# Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/1

15. Which clause is used to clean up resources, such as closing files in Python?

#### Answer

finally

Status: Correct Marks: 1/1

- 16. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

## **Answer**

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

17. Which of the following is true about

fp.seek(10,1)

#### Answer

Move file pointer ten characters ahead from the current position

Status: Correct Marks: 1/1

18. What happens if an exception is not caught in the except clause?

# Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

19. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
        if i > 2:
            break
print(f.closed)

Answer
True
```

Status: Correct Marks: 1/1

20. Which of the following is true about the finally block in Python?

## Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

01059

24150105

241501055