



C PROGRAMMING

2024

EUGENE KO

PROGRAMMING LANGUAGE


- ▶ A formal system of **communication** used to write instructions that a computer can execute. These instructions, known as code, tell the computer how to perform specific tasks. Programming languages have their own syntax (rules for writing code) and semantics (meaning of the code)
- ▶ **Syntax**: The set of rules that defines the combinations of symbols that are considered to be correctly structured programs in that language.
- ▶ **Semantics**: The meaning of the symbols, expressions, and statements within the language.
- ▶ Types of Programming Languages: There are many types, including high-level languages like **Python** and **Java**, which are easier for humans to read, and low-level languages like Assembly, which are closer to machine code.

https://www.youtube.com/watch?v=XASY30EfGAc&ab_channel=WomenTechmakers

OPERATING SYSTEM (I)

- ▶ An operating system (OS) is essential software that **manages** computer hardware and software resources. It provides common services for computer programs, acting as an **intermediary** between users and the computer hardware

OPERATING SYSTEM (II)

- ▶ **Resource** Management: Allocates CPU time, memory, and other resources to various programs and processes.
 - ▶ **Process** Management: Starts, stops, and manages processes, ensuring efficient execution.
 - ▶ **Memory** Management: Manages the computer's primary memory, optimizing its usage.
 - ▶ **File** Management: Organizes and manages files and directories on storage devices.
 - ▶ **Security**: Implements security policies to protect data and resources.
 - ▶ **Device** Management: Manages input/output devices like printers, keyboards, and displays
- 
- A series of white diagonal lines of varying lengths and thicknesses are positioned on the right side of the slide, extending from the middle towards the bottom right corner.


OPERATING SYSTEM (III)

- ▶ <https://www.bing.com/videos/search?q=&view=detail&mid=CE1401FB06B5686916C9CE1401FB06B5686916C9&FORM=VIRE>



COMPUTER CODING

- ▶ <https://www.bing.com/videos/search?q=&view=detail&mid=CE1401FB06B5686916C9CE1401FB06B5686916C9&FORM=VIRE>




C PROGRAMMING LANGUAGE

- ▶ The C programming language is a general-purpose, procedural language that was developed in the early 1970s by Dennis Ritchie at Bell Laboratories. It is known for its efficiency and control, making it a popular choice for system programming, including operating systems, embedded systems, and high-performance applications


<https://www.bing.com/videos/search?q=&view=detail&mid=E99625A709B3763B4B79E99625A709B3763B4B79&FORM=VIRE>

KEY FEATURES OF C PROGRAMMING LANGUAGE

- ▶ **Procedural Language:** C follows a procedural programming paradigm, which means it relies on procedures or routines to perform tasks.
 - ▶ **Low-Level Access:** It provides low-level access to memory through pointers, which allows for efficient manipulation of data.
 - ▶ **Portability:** C code can be compiled and run on various computer architectures with minimal changes.
 - ▶ **Rich Library:** It has a rich set of built-in functions and operators that can be used to write complex programs.
 - ▶ **Structured Language:** It supports structured programming, which helps in organizing and managing code efficiently
- 
- A series of white diagonal lines of varying lengths and thicknesses are positioned on the right side of the slide, extending from the middle to the bottom right corner.

STRUCTURED PROGRAMMING

- ▶ A programming paradigm aims at improving the clarity, quality, and development time of a computer program. It emphasizes the use of structured control flow constructs such as selection (if/then/else), **repetition** (while and for), **block** structures, and subroutines. This approach helps in organizing code in a way that is easier to understand, maintain, and debug



https://www.youtube.com/watch?v=TmtYFcLWXwo&t=12s&ab_channel=EzEdChannel

ASCII AND ANSI CHARACTER TABLE

- ▶ ASCII (American Standard Code for Information Interchange) is a 7-bit character set that contains characters from 0 to 127.
- ▶ The generic term ANSI (American National Standards Institute) is used for 8-bit character sets. These character sets contain the unchanged ASCII character set. In addition, they contain further characters from 128 to 255, which differ in the various ANSI character sets. There are character sets for western special characters and umlauts, and for Arabic, Greek or Cyrillic characters.

ANSI C

- ▶ ANSI C, also known as C89 or C90, refers to the standardization of the C programming language by the **American National Standards Institute** (ANSI) in 1989. This standard was later adopted by the **International Organization for Standardization** (ISO) in 1990, hence it is sometimes also referred to as ISO C

CODING AND SOURCE CODE

- ▶ Coding is the **process** of writing instructions for computers to perform specific tasks. These instructions, known as code, are written in programming languages that the computer can understand. Coding is essential for creating software, websites, apps, and more. It allows developers to build complex systems and solve problems efficiently
- ▶ **Source code:** A simply code is any **collection** of text, written using a human-readable programming language, usually as plain text

[https://www.bing.com/videos/search?
q=&view=detail&mid=6AB22E5F9F48CF8150E56AB22E5F9F48CF8150E5&
FORM=VIRE](https://www.bing.com/videos/search?q=&view=detail&mid=6AB22E5F9F48CF8150E56AB22E5F9F48CF8150E5&FORM=VIRE)


Eclipse

- Eclipse is a popular integrated development environment (IDE) primarily used for Java development, but it also supports other programming languages through plugins. It is an open-source platform that provides a wide range of tools for software development, including code editing, debugging, and testing


Eclipse (II)

- **Extensibility**: Eclipse has a modular architecture that allows developers to extend its functionality with plugins.
- Support for **Multiple Languages**: While it is best known for Java, Eclipse also supports C/C++, Python, PHP, and more through various plugins.
- Rich Ecosystem: It includes a vast array of tools for different aspects of software development, such as version control, build automation, and project management.
- Community and Resources: Eclipse has a large community of users and contributors, providing extensive documentation, tutorials, and forums for support

VISUAL STUDIO CODE

1. Install VS Code
 2. Download MinGW Compiler
 3. Run the Installer
 4. Mark mingw32-base for installation, click on installation and apply changes.
 5. Add MinGW to System PATH
 6. Install C/C++ Extension in VS Code
- 
- Several white lines of varying lengths and angles are positioned in the bottom right corner of the slide, creating a modern, abstract graphic element.

DEV-C++

- ▶ Dev-C++ is a free full-featured integrated development environment (IDE) distributed under the GNU General Public License for programming in C and C++.
 - ▶ It was originally developed by Colin Laplace and was first released in 1998. It is written in Delphi.
- 
- A series of white diagonal lines of varying lengths and thicknesses, located in the bottom right corner of the slide, creating a modern, abstract graphic element.

EXAMPLE 1

```
#include <stdio.h>
```

```
int main() {
```

```
    // var declarations
```

```
    // execute commands
```

```
    // printf() displays the string inside quotation
```

```
    printf("Hello, World!");
```

```
    return 0;
```

```
}
```

```
void functionName(){
```

```
}
```

Several white diagonal lines of varying lengths and thicknesses are positioned on the right side of the slide, extending from the middle towards the bottom right corner.

EXAMPLE 02

```
#include <stdio.h>
#include <stdlib.h>
int main() {
    int number1, number2, result=0;
    char op;
    printf("Enter two integers: \n"); scanf("%d%d", &number1, &number2);
    printf("Enter one of following operators: +, -, *, / --> \n"); fflush(stdin);    scanf("%c", &op);
    switch(op){
        case '+': result = number1 + number2; break;
        case '-': result = number1 - number2; break;
        case '*': result = number1 * number2; break;
        case '/': result = number1 / number2; break;
    }
    printf("\n The result = %d", result);
    return 0;
}
```

CONVERSION CHARACTER

<i>Conversion Character</i>	<i>Data Type of the corresponding data item</i>
c	Character
d, i	Signed integer
f, e, g	Float without exponent, float with exponent, float using either f-type or e-type
s	String
u	Unsigned integer
X, x	Hexadecimal value in Caps, hexa value in small

EXAMPLE 3

```
#include <stdio.h>

int main() {

    int number1, number2, sum;

    printf("Enter two integers: ");
    scanf("%d %d", &number1, &number2);

    // calculate the sum
    sum = number1 + number2;

    printf("%d + %d = %d", number1, number2, sum);
    return 0;
}
```

Q and A

