

Documentation for Financial Transactions HTML Page
Jason N.
April 26, 2020

Contents

1	Foreword	1
2	HTML	1
2.1	Preamble and head	1
2.2	Inputs	1
2.2.1	Labels	2
2.2.2	Date	2
2.2.3	Text	2
2.2.4	List	2
2.3	Table	3
3	Javascript	4
3.1	getData()	4
3.2	validate()	4
3.3	generateId()	4
3.4	calculateCostBasis()	4
3.5	addTransaction()	4
3.6	deleteRow()	4
3.7	editRow()	4
3.8	saveChanges()	4
3.9	discardChanges()	4
3.10	sortTable()	4
4	CSS	5
4.1	Vertical Scrolling Table	5
4.2	Horizontal Scrolling on Overflow	5
4.3	Miscellaneous	5
A	HTML Source	6
B	Javascript Source	10
C	CSS Source	15

1 Foreword

Some of the code samples in this document were copied by hand. If there are any discrepancies between code in this document and in the source files, refer to the source files.

This does not apply to the appendix. Code in the appendix was generated directly from the source files.

2 HTML

2.1 Preamble and head

```
1 <!DOCTYPE html>
```

This line declares that the document is an HTML5 document.

```
2 <head>
3   <meta charset = "UTF-8"/>
4   <link rel="stylesheet" type="text/css" href="./style.css"/>
5   <script src="./script.js"></script>
6 </head>
```

`<head>` tags are used to contain meta information about the document. Within the `head` element:

- The first line defines the character set of the document.
- The second line defines the source of an external CSS document.
- The third line defines the source of an external Javascript document.

2.2 Inputs

The input section of this page is contained within `<article>` tags for the purpose of organisation. This can be used to facilitate styling this part of the page with CSS if desired.

```
10 <article id="inputFields">
```

The `article` element has been assigned a unique id for the purpose of styling. Specifically, this id is used to define padding and overflow. This is described in further detail in section [4.2](#) of this document.

All input fields and buttons are contained within `<form>` tags. Although this is not strictly necessary for the purpose of this project, it is useful for organising data and specifying the fields from which data should be submitted.

```
11 <form onsubmit="return false" autocomplete="off">
```

The attribute `onsubmit` is used to define a Javascript function to be executed when pressed. The form expects that `true` is returned when data is successfully submitted. If so, the default behaviour is to clear the fields and enter the data in the browser URL bar as arguments. To prevent this behaviour, `onsubmit` is set to `return false`.

The attribute `autocomplete` can be used to specify whether user input from a previous session should be used to populate input fields. This attribute also determines whether or not suggestions are displayed when the user enters data. In this case, `autocomplete` has been set to `off` to prevent these actions from occurring, however, this does not affect the functionality of the program.

The buttons and input fields within the `form` element are contained within `<section>` tags for organisation. This is primarily done to allow elements to be positioned properly by the CSS file.

2.2.1 Labels

Each of the inputs are given a label to specify to a user the type of information which should be entered in the given field. This is done with the `input` element.

```
12 <label for="date">Date:</label><br/>
```

The `for` attribute is used to specify an element which corresponds to this label. This is done by setting the attribute to the id of the other element. Labels allow a user to select an input field by clicking the label rather than the field itself. Labels are also used to facilitate the use of assistive technologies.

2.2.2 Date

```
11 <section>
12     <label for="date">Date:</label><br/>
13     <input id="date" name="date" type="date" required/>
14 </section>
```

2.2.3 Text

```
16 <section>
17     <label for="account">Account Number:</label><br/>
18     <input id="account" name="account" type="text" placeholder="Account
19     ↪ Number" required/>
19 </section>
```

2.2.4 List

```
21 <section>
22     <label for="type">Transaction Type:</label><br/>
23     <select id="type" name="type">
24         <option value=""></option>
25         <option value="BUY">BUY</option>
26         <option value="SELL">SELL</option>
27         <option value="DIVIDEND">DIVIDEND</option>
28         <option value="INTEREST">INTEREST</option>
29         <option value="WITHDRAW">WITHDRAW</option>
30         <option value="DEPOSIT">DEPOSIT</option>
31     </select>
32 </section>
```

2.3 Table

3 Javascript

3.1 `getData()`

3.2 `validate()`

3.3 `generateId()`

3.4 `calculateCostBasis()`

3.5 `addTransaction()`

3.6 `deleteRow()`

3.7 `editRow()`

3.8 `saveChanges()`

3.9 `discardChanges()`

3.10 `sortTable()`

4 CSS

4.1 Vertical Scrolling Table

4.2 Horizontal Scrolling on Overflow

4.3 Miscellaneous

A HTML Source

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset = "UTF-8"/>
5     <link rel="stylesheet" type="text/css" href="./style.css"/>
6     <script src="./script.js"></script>
7   </head>
8   <body>
9     <article id="inputFields">
10       <form onsubmit="return false" autocomplete="off">
11         <section>
12           <label for="date">Date:</label><br/>
13           <input id="date" name="date" type="date" required/>
14         </section>
15
16         <section>
17           <label for="account">Account Number:</label><br/>
18           <input id="account" name="account" type="text"
19             ↪ placeholder="Account Number" required/>
20         </section>
21
22         <section>
23           <label for="type">Transaction Type:</label><br/>
24           <select id="type" name="type">
25             <option value=""></option>
26             <option value="BUY">BUY</option>
27             <option value="SELL">SELL</option>
28             <option value="DIVIDEND">DIVIDEND</option>
29             <option value="INTEREST">INTEREST</option>
30             <option value="WITHDRAW">WITHDRAW</option>
31             <option value="DEPOSIT">DEPOSIT</option>
32           </select>
33         </section>
34
35         <section>
36           <label for="security">Security:</label><br/>
37           <input id="security" name="security" type="text"
38             ↪ placeholder="Security" required/>
39         </section>
40
41         <section>
42           <label for="amount">Amount:</label><br/>
43           <input id="amount" name="amount" type="text"
44             ↪ placeholder="Unit Amount" required/>
45         </section>
46
47         <section>
48           <label for="dAmount">$ Amount:</label><br/>
49           <input id="dAmount" name="dAmount" type="text"
50             ↪ placeholder="$ Amount" required/>
51         </section>
52       </form>
53     </article>
54   </body>
55 </html>
```



```

49         <section>
50             <button id="add" type="submit" onclick="
                    ↪ addTransactionButton();">Add Transaction</button>
                    ↪ >
51             <button id="save" type="submit" hidden="true" onclick
                    ↪ ="saveChanges();">Save</button>
52             <button id="discard" type="button" hidden="true"
                    ↪ onclick="discardChanges();">Discard</button>
53         </section>
54     </form>
55 </article>
56
57 <article id="table">
58     <table>
59         <thead>
60             <tr>
61                 <th>
62                     <section>
63                         Transaction ID
64                     </section>
65                     <section class="sort">
66                         <button type="button" onclick="sortTable(0,
                                ↪ true)">^</button>
67                         <button type="button" onclick="sortTable(0,
                                ↪ false)">v</button>
68                     </section>
69                 </th>
70                 <th>
71                     <section>
72                         Date
73                     </section>
74                     <section class="sort">
75                         <button type="button" onclick="sortTable(1,
                                ↪ true)">^</button>
76                         <button type="button" onclick="sortTable(1,
                                ↪ false)">v</button>
77                     </section>
78                 </th>
79                 <th>
80                     <section>
81                         Account Number
82                     </section>
83                     <section class="sort">
84                         <button type="button" onclick="sortTable(2,
                                ↪ true)">^</button>
85                         <button type="button" onclick="sortTable(2,
                                ↪ false)">v</button>
86                     </section>
87                 </th>
88                 <th>
89                     <section>
90                         Transaction Type
91                     </section>
92                     <section class="sort">

```

```

93         <button type=button onclick="sortTable(3,
94             ↪ true)">^</button>
95         <button type=button onclick="sortTable(3,
96             ↪ false)">v</button>
97     </section>
98 </th>
99 <th>
100     <section>
101         Security
102     </section>
103     <section class="sort">
104         <button type=button onclick="sortTable(4,
105             ↪ true)">^</button>
106         <button type=button onclick="sortTable(4,
107             ↪ false)">v</button>
108     </section>
109 </th>
110 <th>
111     <section>
112         Amount
113     </section>
114     <section class="sort">
115         <button type=button onclick="sortTable(5,
116             ↪ true)">^</button>
117         <button type=button onclick="sortTable(5,
118             ↪ false)">v</button>
119     </section>
120 </th>
121 <th>
122     <section>
123         $ Amount
124     </section>
125     <section class="sort">
126         <button type=button onclick="sortTable(6,
127             ↪ true)">^</button>
128         <button type=button onclick="sortTable(6,
129             ↪ false)">v</button>
130     </section>
131 </th>
132 <th>
133     <section>
134         Cost Basis
135     </section>
136     <section class="sort">
137         <button type=button onclick="sortTable(7,
138             ↪ true)">^</button>
139         <button type=button onclick="sortTable(7,
140             ↪ false)">v</button>
141     </section>
142 </th>
143 <th>Actions</th>
144 </tr>
145 </thead>
146 <tbody id="tableBody">

```

```
137         </tbody>
138     </table>
139 </article>
140 </body>
141 </html>
```

B Javascript Source

```
1 function getData() {
2     var date = document.getElementById("date").value;
3     var account = document.getElementById("account").value;
4     var type = document.getElementById("type").value;
5     var security = document.getElementById("security").value;
6     var amount = document.getElementById("amount").value;
7     var dAmount = document.getElementById("dAmount").value;
8
9     amount = Number(amount);
10
11     if(dAmount[0] == '$') {
12         dAmount = dAmount.substr(1);
13     }
14     dAmount = Number(dAmount);
15
16     if(validate(date, account, type, security, amount, dAmount)) {
17         var costBasis = calculateCostBasis(amount, dAmount);
18         dAmount = '$' + dAmount.toFixed(2);
19
20         return [ date, account, type, security, amount, dAmount, costBasis
21                 ↪ ];
22     }
23     else return false;
24 }
25
26 function validate(date, account, type, security, amount, dAmount) {
27     if(!validateDate(date)) return false;
28     if(!validateAccount(account)) return false;
29     if(!validateType(type)) return false;
30     if(!validateSecurity(security)) return false;
31     if(!validateAmount(amount)) return false;
32     if(!validateDAmount(dAmount)) return false;
33
34     return true;
35 }
36
37 function validateDate(date) {
38     realDate = new Date();
39     inputDate = document.getElementById('date').valueAsNumber;
40
41     if(isNaN(inputDate)) {
42         alert('Error: No date specified');
43         return false;
44     }
45
46     if(realDate.valueOf() < inputDate) {
47         alert('Error: Date is in the future');
48         return false;
49     }
50
51     return true;
52 }
```

```

52
53 function validateAccount(account) {
54     if(account == '') {
55         alert('Error: Missing Account Number');
56         return false;
57     }
58
59     return true;
60 }
61
62 function validateType(type) {
63     if(type == '') {
64         alert('Error: Missing Transaction Type');
65         return false;
66     }
67
68     return true;
69 }
70
71 function validateSecurity(security) {
72     if(security == '') {
73         alert('Error: Missing Security');
74         return false;
75     }
76
77     return true;
78 }
79
80 function validateAmount(amount) {
81     if(amount == '') {
82         alert('Error: Missing Amount');
83         return false;
84     }
85
86     if(isNaN(amount)) {
87         alert('Error: Invalid Amount');
88         return false;
89     }
90
91     return true;
92 }
93
94 function validateDAmount(dAmount) {
95     if(dAmount == '') {
96         alert('Error: Missing $ Amount');
97         return false;
98     }
99
100     if(isNaN(dAmount)) {
101         alert('Error: Invalid $ Amount');
102         return false;
103     }
104
105     return true;

```

```

106 }
107
108 function generateId() {
109     var id = '';
110     var idLength = 6;
111
112     var characters = 'ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789';
113     var charactersLength = characters.length;
114
115     var unique = false;
116
117     while(!unique) {
118         for(var i = 0; i < idLength; i++) {
119             id += characters.charAt(Math.floor(Math.random() *
120                 ↪ charactersLength));
121         }
122
123         unique = true;
124         for(var i = 0; i < document.getElementsByClassName('idCell').
125             ↪ length; i++) {
126             if(document.getElementsByClassName('idCell')[i].innerText ==
127                 ↪ id) {
128                 unique = false;
129                 break;
130             }
131         }
132     }
133     return id;
134 }
135
136 function calculateCostBasis(amount, dAmount) {
137     costBasis = '$' + (dAmount / amount).toFixed(2);
138     return costBasis;
139 }
140
141 function addTransaction(id, date, account, type, security, amount, dAmount
142     ↪ , costBasis) {
143     var tableBody = document.getElementById('tableBody');
144     var newRow = tableBody.insertRow(0);
145     newRow.classList += "bodyRow";
146
147     var actionsContent = "<button type='button' onclick='editRow(this)'"
148         ↪ "Edit</button> <button type='button' onclick='deleteRow(this)'"
149         ↪ "Delete</button>";
150     var rowContents = [id, date, account, type, security, amount, dAmount,
151         ↪ costBasis, actionsContent];
152
153     for(var i = 0; i < rowContents.length; i++) {
154         var newCell = newRow.insertCell(i);
155         newCell.innerHTML = rowContents[i];
156         if(i == 0) {
157             newCell.classList += "idCell";
158         }
159     }
160 }

```

```

153 }
154
155 function addTransactionButton() {
156     var data = getData();
157     if(data) {
158         var date = data[0];
159         var account = data[1];
160         var type = data[2];
161         var security = data[3];
162         var amount = data[4];
163         var dAmount = data[5];
164         var costBasis = data[6];
165
166         var id = generateId();
167
168         addTransaction(id, date, account, type, security, amount, dAmount,
            ↪ costBasis);
169     }
170 }
171
172 function deleteRow(button) {
173     var row = button.parentElement.parentElement;
174     document.getElementById("tableBody").removeChild(row);
175
176     if(document.getElementsByClassName('editing').length == 0) {
177         document.getElementById('add').removeAttribute('hidden');
178         document.getElementById('save').setAttribute('hidden', true);
179         document.getElementById('discard').setAttribute('hidden', true);
180     }
181 }
182
183 function editRow(button) {
184     if(document.getElementsByClassName('editing').length > 0)
185         document.getElementsByClassName('editing')[0].classList = "bodyRow
            ↪ ";
186
187     var row = button.parentElement.parentElement;
188     var rowContent = row.getElementsByTagName('td');
189     row.classList = "bodyRow editing";
190
191     document.getElementById('date').value = rowContent[1].innerText;
192     document.getElementById('account').value = rowContent[2].innerText;
193     document.getElementById('type').value = rowContent[3].innerText;
194     document.getElementById('security').value = rowContent[4].innerText;
195     document.getElementById('amount').value = rowContent[5].innerText;
196     document.getElementById('dAmount').value = rowContent[6].innerText;
197
198     document.getElementById('add').setAttribute('hidden', true);
199     document.getElementById('save').removeAttribute('hidden');
200     document.getElementById('discard').removeAttribute('hidden');
201 }
202
203 function saveChanges() {
204     data = getData();

```

```

205     if(data) {
206         rowToEdit = document.getElementsByClassName('editing')[0];
207         cellsToEdit = rowToEdit.getElementsByTagName('td');
208
209         for(var i = 0; i < data.length; i++) {
210             cellsToEdit[i + 1].innerHTML = data[i];
211         }
212         rowToEdit.classList = "bodyRow";
213     }
214
215     document.getElementById('add').removeAttribute('hidden');
216     document.getElementById('save').setAttribute('hidden', true);
217     document.getElementById('discard').setAttribute('hidden', true);
218 }
219
220 function discardChanges() {
221     document.getElementsByClassName('editing')[0].classList = "bodyRow";
222
223     document.getElementById('add').removeAttribute('hidden');
224     document.getElementById('save').setAttribute('hidden', true);
225     document.getElementById('discard').setAttribute('hidden', true);
226 }
227
228 function sortTable(column, ascending) {
229     var tableBody = document.getElementById('tableBody');
230     var rows = document.getElementsByClassName('bodyRow');
231
232     var sorting = true;
233     while(sorting) {
234         sorting = false;
235         for(var i = 0; i < (rows.length - 1); i++) {
236             rowA = rows[i].getElementsByTagName('td')[column];
237             rowB = rows[i + 1].getElementsByTagName('td')[column];
238
239             var swap = false;
240
241             if(ascending && rowA.innerHTML.toLowerCase() > rowB.innerHTML.
242                 ↪ toLowerCase()) swap = true;
243             else if(!ascending && rowA.innerHTML.toLowerCase() < rowB.
244                 ↪ innerHTML.toLowerCase()) swap = true;
245
246             if(swap) {
247                 sorting = true;
248                 rows[i].parentNode.insertBefore(rows[i + 1], rows[i]);
249             }
250         }
251     }

```


C CSS Source

```
1 body {
2     font-size: 14px;
3 }
4
5 #inputFields {
6     padding: 10px 0;
7     overflow-x: auto;
8 }
9
10 form {
11     min-width: 1900px;
12 }
13
14     form > section {
15         width: 14%;
16         display: inline-block;
17     }
18
19     input,
20     select {
21         min-width: 100px;
22         width: 80%;
23     }
24
25     button {
26         width: 40%;
27     }
28
29 #table {
30     max-height: 80vh;
31     overflow: auto;
32 }
33
34 table {
35     width: 100%;
36     margin: auto;
37     border-collapse: collapse;
38 }
39     th {
40         min-width: 200px;
41         width: 10%;
42         position: sticky;
43         background: white;
44         top: 0;
45     }
46
47     th > section {
48         width: 80%;
49         display: inline-block;
50         padding: 0;
51         margin: 0;
52     }
```

```
53
54 .sort {
55     width: 10%;
56 }
57
58 .sort > button {
59     padding: 0;
60     border: 0;
61     display: block;
62     width: 100%;
63 }
64
65 .editing {
66     background-color: yellow;
67 }
68
69 #table,
70 table,
71 td,
72 th {
73     box-shadow: 1px 1px black, inset 1px 1px black;
74 }
```