Chapter 10, Sections 1,2 Chapter 11, Sections 1-5

Instructions: You must solve each question completely, explaining your reasoning. Partial credit will be awarded for answers that are incorrect, but show progress towards a correct solution. You will not receive credit if you do not clearly show how you are obtaining your answers. Grading will be based on the solution and your write-up. Do all the work on the exam.

- 1. (12 Points) The profit earned by a producer to manufacture and sell n units of a good is given by P(n) = 13n 2821. The average profit for n units is given by  $A(n) = \frac{P(n)}{n}$ .
  - A) Compute A(1), A(217), A(284).
  - B) Interpret the economic significance of each the values in part (A).

- C) What trend do you notice in the values of A(n) as n gets large? Explain this trend in economic terms.
- 2. (10 points) Let  $P = 30 \ln(t)$  give the annual profit of a company (in thousands of dollars) t years after its formation.

What is  $P^{-1}(38)$ ? Round to the nearest whole number and include units. Explain what this expression means in the context of this problem.

3. (10 points) List a set functions (g(x), h(x), p(x)) that is a decomposition of  $f(x) = \cot^4(\ln x)$  in the form of g(h(p(x))).

4. (10 points) Write a possible formula for a rational function, f(x), with zeros at x = -7, x = 2, vertical asymptotes at x = 11, x = -11, and a horizontal asymptote at y = 4.


- 5. (20 points) Given the function  $f(x) = \frac{1}{x+7} \frac{x}{x-6}$ .
  - A) Rewrite the function  $f(x) = \frac{p(x)}{q(x)}$ , a ratio of polynomials (*Get a common denominator and subtract*).

B) Find any vertical asymptotes

C) Find any horizontal asymptotes.

D) Describe the long term behavior of the graph.


6. (12 points) The graph of  $f(x) = \frac{16}{x^2 - 9} + 2$  is shown below.




- A) State the domain of f(x). What are the vertical asymptotes?
- B) Does f(x) have an inverse over the domain you stated in part A? Explain your reasoning.

C) Define (Restrict) a new domain and find the inverse of  $f(x) = \frac{16}{x^2 - 9} + 2$ .

7. (8 points) Suppose f and g are invertible functions such that f(-9) = -5, f(-7) = -2, f(-5) = -6, g(-13) = -12, g(-7) = -13, and g(-2) = -5. Find  $f^{-1}(g(f(-7)))$ .





- A) What is the y-intercept of f(x)?
- B) What are the zeros of f(x)? State which of these are multiple zeros and whether their multiplicities are even or odd. Give reasons for your conclusions.

- C) What is the long run behavior of f(x)?
- D) Find a possible formula for f(x). Do not multiply the factors.

Bonus If  $\frac{3\pi}{2} < \theta < 2\pi$  and  $\sin(\theta) = \frac{-4}{7}$ , find  $\sin(2\theta)$ ,  $\cos(2\theta)$ , and  $\tan(2\theta)$  exactly.

## **Double Angle Formulas**

$$\sin 2\theta = 2\sin \theta \cos \theta$$

$$\cos 2\theta = \cos^2 \theta - \sin^2 \theta$$

$$=2\cos^2\theta-1$$

$$=1-2\sin^2\theta$$

$$\tan 2\theta = \frac{2\tan \theta}{1 - \tan^2 \theta}$$