

# Battle stats formula

## 1 Gym gain formula

From Vladar [1996140]. This formule gives the stat gains as a function of the current stat, the energy spent on train and a other parameters.

In this formula and for the rest we will need:

- 2 variables and there increment
  - Energy  $E$  and  $dE$
  - Stat  $S$  and  $dS$
- 6 known coefficients
  - $a = 0.0000003480061091$
  - $b = 250$
  - $c = 0.000003091619094$
  - $d = 0.0000682775184551527$
  - $e = -0.0301431777$
  - $S_{\text{cap}} = 50000000$  (known as the stat cap)
- 3 states variables
  - Happy level  $\mathcal{H}$
  - Gym coefficient  $\mathcal{G}$
  - Gym gain bonus  $\mathcal{B}$

The Valdar formula eq.(1) gives the stat gains  $dS$  as a function of the current stat  $S$  and the energy spent  $dE$ . It is usually written:

$$dS = [(a \ln(\mathcal{H} + b) + c)\bar{S} + d(\mathcal{H} + b) + e] (1 + \mathcal{B})\mathcal{G}dE \quad (1)$$

with  $\bar{S} = \min(S_{\text{cap}}, S)$

By introducing 2 new parameters  $\alpha$  and  $\beta$  that depends only on the 5 coefficients  $a, b, c, d, e$  and the state variables  $\mathcal{H}, \mathcal{B}, \mathcal{G}$ , eq.(1) can be written as follow:

$$\frac{dS}{dE} = \alpha\bar{S} + \beta \quad \Leftrightarrow \quad \frac{dS}{dE} - \alpha\bar{S} = \beta \quad (2)$$

with

$$\begin{cases} \alpha = (a \ln(\mathcal{H} + b) + c)(1 + \mathcal{B})\mathcal{G} \\ \beta = (d(\mathcal{H} + b) + e)(1 + \mathcal{B})\mathcal{G} \end{cases} \quad (3)$$

## 2 Battle stats formula: $S(E)$

**Assumption:  $\mathcal{H}$ ,  $\mathcal{G}$  and  $\mathcal{B}$  remain constant (which is not realistic for a long term prediction at early stages).**

From eq.(2) it can clearly be seen that the  $S(E)$  is driven by a simple ODE. Because of the piece wise definition of the equation the two cases  $S < S_{\text{cap}}$  (before cap) and  $S > S_{\text{cap}}$  (after cap) have to be treated separately.

### 2.1 Before cap

With  $S < S_{\text{cap}}$  eq.(2) can be written:

$$\frac{dS}{dE} - \alpha S = \beta \quad (4)$$

Which leads to the solution:

$$\forall k \in \mathbb{R}, \quad S(E) = ke^{\alpha E} - \frac{\beta}{\alpha} \quad (5)$$

With the initial condition  $S(0) = 0$  we have

$$S(E) = \frac{\beta}{\alpha} (e^{\alpha E} - 1) \quad (6)$$

It can be interesting to compute  $E = E_{\text{cap}}$  such that  $S(E_{\text{cap}}) = S_{\text{cap}}$  which can be done by inverting eq.(6). It gives:

$$E_{\text{cap}} = \frac{1}{\alpha} \ln \left( \frac{\alpha S_{\text{cap}}}{\beta} + 1 \right) \quad (7)$$

### 2.2 After cap

With  $S > S_{\text{cap}}$  eq.(2) can be written:

$$\frac{dS}{dE} = \alpha S_{\text{cap}} + \beta \quad (8)$$

which directly yields

$$\forall k \in \mathbb{R}, \quad S(E) = (\alpha S_{\text{cap}} + \beta)E + k \quad (9)$$

With the condition  $S(E_{\text{cap}}) = S_{\text{cap}}$  we have:

$$\begin{aligned} S &= (\alpha S_{\text{cap}} + \beta)E + S_{\text{cap}} - (\alpha S_{\text{cap}} + \beta)E_{\text{cap}} \\ &= (\alpha S_{\text{cap}} + \beta)(E - E_{\text{cap}}) + S_{\text{cap}} \end{aligned} \quad (10)$$




Figure 1: Battle stats as a function of energy for  $\mathcal{H} = 5000$ ,  $\mathcal{G} = 7.3$  and  $\mathcal{B} = 15\%$

### 3 Prediction

In this section we are now interested at making a prediction of the energy need  $\Delta E$  to reach  $S_f$  from  $S_i$ . For this we need to analyse the 3 cases:

- $S_i < S_{\text{cap}}$  and  $S_f < S_{\text{cap}}$
- $S_i < S_{\text{cap}}$  and  $S_f > S_{\text{cap}}$
- $S_i > S_{\text{cap}}$  and  $S_f > S_{\text{cap}}$

### 3.1 Before cap: $S_i < S_{\text{cap}}$ and $S_f < S_{\text{cap}}$

From eq.(6) we can determine  $k$  with the condition  $S(0) = S_i$  which gives:

$$k = S_i + \frac{\beta}{\alpha} \quad (11)$$

leading to

$$S(E) = \left( S_i + \frac{\beta}{\alpha} \right) e^{\alpha E} - \frac{\beta}{\alpha} \quad (12)$$

In our context we can rewrite this equation with  $S_f$  and  $\Delta$  as:

$$S_f = \left( S_i + \frac{\beta}{\alpha} \right) e^{\alpha \Delta E} - \frac{\beta}{\alpha} \quad (13)$$

which can be inverted giving:

$$\Delta E = \frac{1}{\alpha} \ln \left( \frac{S_f + \frac{\beta}{\alpha}}{S_i + \frac{\beta}{\alpha}} \right) \quad (14)$$

$\Delta E$  being the energy need to reach  $S_f$  stats from  $S_i$ .

### 3.2 Passing cap: $S_i < S_{\text{cap}}$ and $S_f > S_{\text{cap}}$

Boring...

### 3.3 After cap: $S_i > S_{\text{cap}}$ and $S_f > S_{\text{cap}}$

Trivial...