


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 19–20, 2020 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 19–20, 2020. A total of 167 fish were sampled and 167 were analyzed (164 had adequate data to include in the analysis).


Reporting Group	Stock Composition	90% Confidence Intervals	
	Estimate	Lower	Upper
North Peninsula	6.1%	0.8%	12.2%
Ugashik	7.2%	0.0%	15.9%
Egegik	17.2%	11.1%	24.3%
Naknek	15.5%	9.7%	22.0%
Alagnak	0.9%	0.0%	6.2%
Kvichak	6.9%	2.0%	12.6%
Nushagak	17.6%	9.4%	25.9%
Wood	21.6%	13.5%	30.8%
Igushik	6.7%	0.0%	12.5%
Togiak	0.1%	0.0%	0.5%
Kuskokwim	0.2%	0.0%	1.1%

### Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 19–20, 2020 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

# Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number Port Moller Test Fishery 2020




# Historical Comparison of Stock Composition Estimates


2020



2019




2018




Date


# Historical Comparison of Stock Composition Estimates



# Historical Comparison of Stock Composition Estimates



# Historical Comparison of Stock Composition Estimates



# Historical Comparison of Stock Composition Estimates

