


Biomass Coverage in Bivalves–Gastropods Taxonomy Group




Biomass Coverage Over Time in Bivalves–Gastropods Taxonomy Group

Stocks ordered from lowest to highest average biomass




# Ocean quahog Atlantic Coast – Bivalves–Gastropods Taxonomy Group

Stock represents 10% of average absolute surplus production




Atlantic surfclam Mid-Atlantic Coast – Bivalves–Gastropods Taxonomy Group

Stock represents 65% of average absolute surplus production




Sea scallop Georges Bank and Mid-Atlantic Bight – Bivalves–Gastropods Taxonomy Group

Stock represents 14% of average absolute surplus production




Pacific geoduck Washington – Bivalves–Gastropods Taxonomy Group


Stock represents 3% of average absolute surplus production



# Ocean quahog Atlantic Coast in Bivalves–Gastropods Taxonomy Group




# Atlantic surfclam Mid-Atlantic Coast in Bivalves–Gastropods Taxonomy Group






# Sea scallop Georges Bank and Mid-Atlantic Bight in Bivalves–Gastropods Taxonomy Group



First and last years with recorded surplus production are labeled

Pacific geoduck Washington  
in Bivalves–Gastropods Taxonomy Group



First and last years with recorded surplus production are labeled