

1 Young children's spontaneous comprehension of symbol-object-relationships in the graphic
2 domain

3 Gregor Kachel¹, Daniel Haun², & Manuel Bohn¹

4 ¹ Leuphana University

5 ² Max-Planck-Institute for Evolutionary Anthropology

Ethics, consent and conflict of interest: This study confirms with recognized standards (e.g. the Declaration of Helsinki) and was approved by an internal ethics committee at the Max-Planck-Institute for Evolutionary Anthropology. Informed consent has been obtained from all participants. The authors declare no conflict of interest.

Acknowledgments: We are thankful to Susanne Mauritz for her help in the organization of the study and to Valerie Jurgenson and Cynthia Pones for help with data collection. We would like to thank Anne Deiglmayr for hosting this project in her research group and for her continuous support. Finally, we are very thankful to all parents and children participating in the study. Gregor Kachel was supported by the German Research Foundation (Deutsche Forschungsgemeinschaft) under project number 429220405.

The authors made the following contributions. Gregor Kachel: Conceptualization, Funding Acquisition, Project Administration, Investigation, Methodology, Data Curation, Formal Analysis, Visualization, Writing - Original Draft Preparation, Writing - Review & Editing; Daniel Haun: Resources, Writing - Review & Editing; Manuel Bohn: Methodology, Software, Formal Analysis, Validation, Writing - Review & Editing, Supervision.

Correspondence concerning this article should be addressed to Gregor Kachel, Universitätsallee 1, C1.008a, 21335 Lüneburg. E-mail: gregor.kachel@leuphana.de

Abstract

24

25 One or two sentences providing a **basic introduction** to the field, comprehensible to a
26 scientist in any discipline. Two to three sentences of **more detailed background**,
27 comprehensible to scientists in related disciplines. One sentence clearly stating the **general**
28 **problem** being addressed by this particular study. One sentence summarizing the main
29 result (with the words “**here we show**” or their equivalent). Two or three sentences
30 explaining what the **main result** reveals in direct comparison to what was thought to be
31 the case previously, or how the main result adds to previous knowledge. One or two
32 sentences to put the results into a more **general context**. Two or three sentences to
33 provide a **broader perspective**, readily comprehensible to a scientist in any discipline.
34 Abstract must be less than 120 words

35 *Keywords:* graphical representation, iconicity, analogy, symbol, communication,
36 emerging literacy

37 Word count: Child Development Max 40 pages // PNAS 1,500–2,000 words

Young children's spontaneous comprehension of symbol-object-relationships in the graphic domain

Introduction

~~Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.~~

Preschoolers invent and comprehend iconic gestures spontaneously (Bohn, Kachel, & Tomasello, 2019).

Children's understanding of graphical representations. ~~Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.~~

This Paper. ~~Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et~~

dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo
dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum
dolor sit amet. For the first time, the studies contributing to this paper investigate
children's understanding of xxx.

Hypotheses. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam
nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam
voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd
gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit
amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et
dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo
dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum
dolor sit amet.

Methods

All three studies presented here share the same methods and analyses. For
convenience, common aspects of the procedure, participant recruiting and stimulus design
are reported first before discussing the individual studies respectively.

General Methods

Setup and Data Collection. In order to trace the development of children's
symbolic competence continuously across the preschool years, data collection aimed at
testing two children per month of age between the third and the seventh birthday for a
total 96 participants while euqally balancing male and female participants. As children
participated on the basis of availability and data collection was done by several
experimenter teams visiting different institutions in parallel, the resulting final samples
slightly exceed this preregistered minimum sample size. The final sample approximate an

equal distribution of male and female participants and while aligning with conventions in the field, by providing at least 24 participants per condition and year of age.

All participants were recruited in **MASKED FOR REVIEW**, a medium-sized middle-European city, and came from a predominantly white population of middle to high income families. They were contacted via a database of participants for child development studies to which their parents had voluntarily signed up. Children were tested in day- and afterschoolcare for the most part, and occasionally in the lab or at home. The studies were reviewed and approved by an internal ethics committee at the **MASKED FOR REVIEW**. Data collection took place from June 2022 to February 2023.

During test sessions, one child and an experimenter sat down together to play a picture-book-style hiding game presented on a touch-screen laptop. Verbal instructions were played back by the experimental script. Experimenters supervised children during data collection and assisted with a fixed set of verbal prompts when necessary. Test sessions always took place in a quiet separate room. See figure 1 for an illustration of the setup.

Procedure. *Familiarization.* Experimenters invited children to join a hiding game and to follow the narration of the story. First, the presentation introduced a cartoon monkey. This character then placed two barriers on the bottom left and right side of the screen. After holding up a banana, one of the barriers was lifted, the banana was placed there and the barrier was lowered to conceal the banana. Children were now prompted to touch the hiding place and in doing so the barrier of their choice was lifted to reveal the banana if they chose correctly. Hence to succeed here, children solely had to remember where the item went and touch this part of the screen after a few seconds. The experimental script provided immediate feedback upon children’s choice (“yes, great job!”; “No, that’s not it. Let’s try again!”) during the familiarization. To ensure that children were familiar with the goal of the game and the touch interface, they first had to complete a set of four to eight familiarization trials with a success rate of 75%. In case a child did not reply correctly in three out of four trials, another four familiarization trials were

provided. If the child was correct in six out of eight trials, she was included in the main sample. Children that did not succeed during familiarization were allowed to participate but their data was not submitted to analysis. These children are reported below as failing the familiarization phase.

Test phase. The main phase of the study commenced with announcing that the cartoon character had an idea for a new game. The narration conveyed that children were not allowed to see where the banana would be hidden, but that the monkey would help them find it. Hence, the cartoon character was established as a partner in a cooperative coordination game. The hiding sequence was identical to the familiarization phase, however the placement of the banana was concealed by a barrier over the lower half of the screen and the two hiding places displayed different graphical shapes in the same colour. The monkey then held up piece of paper and a pencil. Pencil movement and a short scribble sound indicated that the monkey was drawing something. Children were reminded that the monkey was going to help them. Children were now prompted with the phrase “Where is the banana?” and the monkey’s drawing was placed in the center between the two barriers. The drawing now served as a cue to guide children’s choice. In the most basic experimental condition in study one, each hiding places, for example, showed either a solid blue circle or square and the paper displayed a simple outline drawing of either shape. Here, the drawing was a direct representation of the target shape. Crucially, however, children received only neutral feedback upon making a choice (“Ah, thank you”) and there was no reveal animation. The game simply continued with the next round in which two new hiding places with different shapes were displayed, and hiding sequence was repeated as before.

Except for the geometric shapes displayed on the hiding places and the respective drawing, the experimental representation was identical for all test trials. A single trial lasted roughly 30 to 60 seconds, depending on how swiftly children chose. Each study presented four different experimental conditions with four trials each in a blocked order for a maximum of 16 test trials. Children occasionally wished to stop before completing all

141 trials, resulting in minor deviations of the total number of trials per condition that are
142 submitted to analyses. Children that did not complete a minimum of eight test trials were
143 not submitted to analysis and are reported below. The entire test session lasted about 12
144 minutes.

145 **Stimuli and Experimental Manipulations.** Description of cues and targets and
146 maybe how they were created.

147 For an illustration of the stimuli and example presentations, please see supplementary
148 materials sections XX and XX.

149 **Data Handling and Analyses.** Participant choices were recorded by the
150 experimental script and directly coded as correct or incorrect. Exclusions of data were
151 solely made on the level of participants with regard to the exclusion criteria reported
152 above. The analyses modeled participants' binary choices to predict the probability of
153 children interpreting the cues correctly and to model how this probability would change as
154 a function of their age. Logistic Bayesian generalized linear mixed models (GLMM) fitted
155 children's responses (0/1) as a function of their age, the experimental condition and an
156 interaction between trial and condition. Trial and sex were included as fixed effects to be
157 controlled for. Trial number was added as a random slope within subject. To evaluate the
158 relevance of age and condition for children's performance, a full model was compared with
159 a reduced model lacking the interaction of age and task by using WAIC scores and weights
160 (McElreath, 2016). Furthermore, model estimates were inspected for the different
161 predictors (including their 95% Credible Interval (CrI)). In each study, the most simple
162 condition was set as the reference level within conditions. All Bayesian models used default
163 priors and were run in Stan (<http://mc-stan.org/>) via the function `brm` of the package
164 `brms` (Bürkner, 2017).

165 To answer the main research question of when children performed above chance in
166 any of the study's conditions, we use the models to predict the developmental trajectory

(with 95% CrI) for each condition (expected values of the posterior predicted dist via fct fitted). The criterion for settling when children passed criterion as a group was the point at which the 95% CrI for a particular trajectory did no longer overlap with a midline demarcating the 50% chance level.

To further explore the data, participants were binned according to their age in years. To test whether group-level performance was above chance in all experimental groups, we used two-tailed one-sample t-tests with the chance level set to .5. We provide Cohen's d as a standardized effect size for significance testing (computed via the function `cohensD`).

- deviation from preregistration
- `elpd_diff` ist neu und zusätzlich
- most simple condition als reference ...warum
- bezeichnung output fitted function -> wie macht brms die confidence intervale um die mittelwerte ->
- "expected value of the posterior predicted distribution"

Study 1

Participants. A sample of 106 children ($M = 59.18$ months, $SD = 13.58$ months, range 36 - 83 months; 51 female) participated in study 1. In addition, 22 children (11 female) were tested but excluded from analysis for not succeeding during familiarization ($N = 13$), for not completing at least eight out of 16 test trials ($N = 1$), or due to being fussy ($N = 2$). For 4 children, experimenters only learned during testing that children were not fluent enough in German to participate as their families had only recently migrated. Finally, 2 children had to be excluded due to technical issues. For a graphical and tabular overview of participants and exclusions across all three studies presented here, please see Appendix A.

Stimuli.


Analyses. A total of 1688 trials (mean per condition = 422, range: 420 - 424) from 106 participants were submitted for analysis. The full model notation was '*correct condition * z.age + z.trial + sex + (z.trial|subid)*'. In addition, a null model lacking the interaction of condition and age was fitted.


Results. Posterior predictive checks for both full and null model indicated excellent fit of observed data and model predictions (see supplements for more information). Comparing the models using weights based on the Widely Applicable Information Criterion (WAIC) yielded 76.06% of the model weight for the full model, and 23.94% for the null model. Hence, the full model generally has a higher probability of making accurate predictions. Directly comparing the models' WAIC via expected log predictive density (ELPD) corroborates this (ELPD WAIC; full model = -901.65; null model = -904.26). The standard error of the difference in predictive accuracy (3.15), however is lower than the difference itself (-2.61). While the full model slightly exceeds in predictive power, evidence in favor of this model is not decisive. A similar comparison via Leave-One-Out Cross-Validation (LOO) provided essentially the same results. In absence of conclusive evidence for either model, we report the results for the full model below in line with the preregistration.

Relative to the *Representation* condition, the *Simple Form Analogy* (beta = -1.39, 95% CI [-1.69, -1.10]) and *Complex Form Analogy* (= -1.36, 95% CI [-1.67, -1.07]) have a considerably lower probability of correct responses. The *Pars Pro Toto* condition has no clear difference from the reference condition (= -0.14, 95% CI [-0.48, 0.19]). Interaction terms between age and condition were not reliably different from zero. The developmental curves for each condition have essentially similar trajectories.

Finally, by tracing when the lower bound of the 95% CrI exceeds the chance level of 50%, it is possible to report when children's group level performance exceeds chance level and becomes robustly systematic in favor of the correct choice option. In study 1, children perform above chance in the *Representation* condition as early as 36 months. Quickly after

219 at XX months, children succeed in the *Pars Pro Toto* condition. In the more abstract
 220 conditions *Simple Form Analogy* and *Complex Form Analogy*, preschoolers meet criterion
 221 at 48 and 50 months respectively.





223
224 Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod
225 tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos
226 et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata
227 sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing
228 elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat,
229 sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd
230 gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.


231 **Study 2**

232 **Participants.** A total of 99 three- to seven-year-old children (M = 60.04 months,
233 SD = 13.69 months, range 36 - 83 months; 49 female) participated. In addition, 13 children
234 (6 female) were tested but excluded from analysis for failing familiarization (N = 9), being
235 fussy (N = 1), not being fluent in German (N = 1) or due to technical issues (N = 2).

Materials.

Data analysis. A total of 1561 trials (mean per condition = 390.25, range: 388 - 393) from 99 participants were submitted for analysis. The full model notation was $'correct\ condition * z.age + z.trial + sex + (z.trial|subid)'$. In addition, a null model lacking the interaction of condition and age was fitted.

Results.



f Feature ● Orientation of Object ● Relative Position condition ● Absolute Position ● Relative Position



Study 3

General note on the aim of the investigation

Participants. A total of 99 three- to seven-year-old children ($M = 59.88$ months, $SD = 13.44$ months, range 36 - 83 months; 55 female) participated. In addition, 23 children (7 female) were tested but excluded for low performance during familiarization ($N = 12$), for not completing at least eight out of 16 test trials ($N = 1$), or being fussy ($N = 3$). Another 4 children were excluded due to language problems or technical issues ($N = 3$).


Materials.

Analysis. For study three, 1559 trials (mean per condition = 389.75, range: 388 - 392) from 99 participants were submitted for analysis. Data were analyzed both with a full model ($'correct\ condition * z.age + z.trial + sex + (z.trial|subid)'$) and a null model


255 lacking the interaction of condition and age.

256

Results.



257



Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

```
## # A tibble: 12 x 7
```

##	condition	Q2.5_closest_to.5	estimate_closest_to.5	days	months	years
##	<chr>	<dbl>	<dbl>	<dbl>	<dbl>	<dbl>
##	1 Representation	0.635	0.761	1096	36	3
##	2 Pars Pro Toto	0.503	0.637	1155.	38	3.16

271	##	3 Absolute Position	0.498	0.616	1305.	43	3.57
272	##	4 Orientation of Fe~	0.506	0.613	1394.	46	3.82
273	##	5 Simple Form Analo~	0.503	0.601	1451.	48	3.97
274	##	6 Relative Position	0.505	0.604	1454.	48	3.98
275	##	7 Orientation of Ob~	0.495	0.594	1483.	49	4.06
276	##	8 Complex Form Anal~	0.501	0.593	1510.	50	4.13
277	##	9 Size of Object	0.500	0.584	1516.	50	4.15
278	##	10 Number of Feature	0.496	0.577	1545.	51	4.23
279	##	11 Number of Object	0.498	0.577	1545.	51	4.23
280	##	12 Size of Feature	0.500	0.566	1864.	61	5.1
281	##	# i 1 more variable: monthlabels <chr>					

Additional Analyses

possible add-ons - a model including all conditions - comparing difficulty across items
and tasks - evaluating manipulations such as complex/simple; - reaction time analyses

Additional Analyses:

object vs feature - orfe vs orob - sife vs siob - nufe vs nuob

round vs angular - Study One Study1 - cue A = rund, cue B eckig ...if one of them is
easier

Reaction Times just reaction times and perc correct across aged

General Discussion

Overview

Main Finding

Strengths and Implications

Limitations

Conclusion

295

296 Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod
297 tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos
298 et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata
299 sanctus est Lorem ipsum dolor sit amet.

References

- Bohn, M., Kachel, G., & Tomasello, M. (2019). Young children spontaneously recreate core properties of language in a new modality. *Proceedings of the National Academy of Sciences*, 116(51), 26072–26077.



Figure 1. Illustration of setup. Experimenters were sitting behind the children in order to not distract them from the task and supervised data collection.

Appendix A

Participants and Exclusions

Data collection aimed at testing two children per month of age between the third and seventh birthday for a minimum of 96 children per study. For an overview of the sample distribution, please see figure A1.




Figure A1. Illustration of participants across the age range.

The total number of participants in all three studies comprises XX children. In addition, XX children were tested but not included in the data set due to XXXXXXXX. For an overview of how the respective exclusions are distributed across the age range, please see figure A2. Exclusions due to low performance during familiarization occurred almost exclusively between the third and fourth birthday. All other exclusion criteria appear to be randomly distributed across the age range.

```

313 ## Warning: The `size` argument of `element_line()` is deprecated as of ggplot2 3.4.0.
314 ## i Please use the `linewidth` argument instead.
315 ## This warning is displayed once every 8 hours.
316 ## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
317 ## generated.

```




Figure A2. Illustration of exclusions across the age range.

Appendix B
Stimulus Material

318 Additional Tables and illustrations for the convenience of the reader. Add illustrations they
319 said; it will add value they said.

320 **Study 1**

321 Additional Tables and illustrations for the convenience of the reader. Add
322 illustrations they said; it will add value they said.

323 **Some graphic**

324 **Study 2**

325 Additional Tables and illustrations for the convenience of the reader. Add
326 illustrations they said; it will add value they said.

327 **Some graphic**

328 **Study 3**

329 Additional Tables and illustrations for the convenience of the reader. Add
330 illustrations they said; it will add value they said.

331 **Some graphic**



Figure B1. Check this out



Figure B2. Check this out



Figure B3. Check this out

Appendix C
Descriptive Statistics

332 Additional Tables and illustrations for the convenience of the reader. Add illustrations they
333 said; it will add value they said.

[tbp]

Table C1
Descriptive Statistics for Study 1

Condition	Age	N	trials	trials/N	M	SD	p	df	t(N-1)	d
Representation	3-year-olds	26	103	3.96	75.00	22.36	<0.001	25.00	5.70	1.12
	4-year-olds	28	109	3.89	81.25	33.07	<0.001	27.00	5.00	0.94
	5-year-olds	28	112	4.00	87.50	28.46	<0.001	27.00	6.97	1.32
	6-year-olds	24	96	4.00	87.50	20.85	<0.001	23.00	8.81	1.80
Pars Pro Toto	3-year-olds	26	104	4.00	66.35	22.30	<0.001	25.00	3.74	0.73
	4-year-olds	28	112	4.00	75.00	31.91	<0.001	27.00	4.15	0.78
	5-year-olds	28	112	4.00	85.71	21.97	<0.001	27.00	8.60	1.63
	6-year-olds	24	96	4.00	91.67	15.93	<0.001	23.00	12.82	2.62
Simple Form Analogy	3-year-olds	26	104	4.00	53.85	23.12	0.404	25.00	0.85	0.17
	4-year-olds	28	112	4.00	59.82	28.33	0.078	27.00	1.83	0.35
	5-year-olds	28	112	4.00	58.93	28.23	0.106	27.00	1.67	0.32
	6-year-olds	24	96	4.00	69.79	23.29	<0.001	23.00	4.16	0.85
Complex Form Analogy	3-year-olds	25	100	4.00	53.00	25.33	0.559	24.00	0.59	0.12
	4-year-olds	28	112	4.00	54.46	23.62	0.326	27.00	1.00	0.19
	5-year-olds	28	112	4.00	59.82	25.77	0.054	27.00	2.02	0.38
	6-year-olds	24	96	4.00	76.04	18.77	<0.001	23.00	6.80	1.39

[tbp]

Table C2

Descriptive Statistics for Study 2

Condition	Age	N	trials	trials/N	M	SD	p	df	t(N-1)	d
Absolute Position	3-year-olds	20	80	4.00	58.75	18.63	0.049	19.00	2.10	0.47
	4-year-olds	25	100	4.00	62.00	33.17	0.083	24.00	1.81	0.36
	5-year-olds	27	108	4.00	73.15	30.95	<0.001	26.00	3.89	0.75
	6-year-olds	25	100	4.00	81.00	29.12	<0.001	24.00	5.32	1.06
Relative Position	3-year-olds	22	88	4.00	54.55	21.32	0.329	21.00	1.00	0.21
	4-year-olds	24	96	4.00	59.38	26.39	0.095	23.00	1.74	0.36
	5-year-olds	27	108	4.00	68.52	34.39	0.010	26.00	2.80	0.54
	6-year-olds	25	100	4.00	76.00	34.97	0.001	24.00	3.72	0.74
Orientation of Object	3-year-olds	22	85	3.86	48.86	19.64	0.789	21.00	-0.27	0.06
	4-year-olds	25	100	4.00	57.00	25.54	0.183	24.00	1.37	0.27
	5-year-olds	27	108	4.00	75.93	24.50	<0.001	26.00	5.50	1.06
	6-year-olds	25	100	4.00	81.00	25.29	<0.001	24.00	6.13	1.23
Orientation of Feature	3-year-olds	21	80	3.81	55.95	28.40	0.348	20.00	0.96	0.21
	4-year-olds	25	100	4.00	67.00	28.61	0.007	24.00	2.97	0.59
	5-year-olds	27	108	4.00	65.74	34.77	0.027	26.00	2.35	0.45
	6-year-olds	25	100	4.00	79.00	33.60	<0.001	24.00	4.32	0.86

[tbp]

Table C3

Descriptive Statistics for Study 3

Condition	Age	N	trials	trials/N	M	SD	p	df	t(N-1)	d
Size of Object	3-year-olds	21	84	4.00	51.19	23.02	0.815	20.00	0.24	0.05
	4-year-olds	27	105	3.89	54.63	31.80	0.456	26.00	0.76	0.15
	5-year-olds	26	104	4.00	84.62	25.57	<0.001	25.00	6.90	1.35
	6-year-olds	24	96	4.00	78.12	22.50	<0.001	23.00	6.12	1.25
Size of Feature	3-year-olds	21	84	4.00	46.43	19.82	0.419	20.00	-0.83	0.18
	4-year-olds	26	104	4.00	51.92	23.37	0.678	25.00	0.42	0.08
	5-year-olds	26	104	4.00	56.73	32.06	0.295	25.00	1.07	0.21
	6-year-olds	24	96	4.00	62.50	19.50	0.005	23.00	3.14	0.64
Number of Object	3-year-olds	21	84	4.00	42.86	21.13	0.137	20.00	-1.55	0.34
	4-year-olds	27	108	4.00	61.11	30.49	0.069	26.00	1.89	0.36
	5-year-olds	26	104	4.00	72.12	34.88	0.003	25.00	3.23	0.63
	6-year-olds	24	96	4.00	83.33	32.69	<0.001	23.00	4.99	1.02
Number of Feature	3-year-olds	21	82	3.90	50.00	19.36	>0.999	20.00	0.00	0.00
	4-year-olds	27	108	4.00	62.96	24.39	0.010	26.00	2.76	0.53
	5-year-olds	26	104	4.00	65.38	31.68	0.020	25.00	2.48	0.49
	6-year-olds	24	96	4.00	76.04	27.07	<0.001	23.00	4.71	0.96

Appendix D

Model Diagnostics

334 Additional Tables and illustrations for the convenience of the reader. Add illustrations they
335 said; it will add value they said.

336 **Study 1**

337 Model diagnostics were are provided for both full and null model in study 1. Rhat
338 values in both models were equal to one, indicating convergence across all chains. Effective
339 sample sizes for all fixed effects in the full model (Bulk ESS, mean = 2555, range 1760 -
340 3766) and the null model (Bulk ESS, mean = 2253, range 1706 - 3444) were > 1000,
341 indicating reliable posterior estimations.

342 **Study 2**

343 Additional Tables and illustrations for the convenience of the reader. Add
344 illustrations they said; it will add value they said.

345 **Study 3**

346 Additional Tables and illustrations for the convenience of the reader. Add
347 illustrations they said; it will add value they said.

Appendix E

Additional Analyses

348 Additional Tables and illustrations for the convenience of the reader. Add illustrations they
349 said; it will add value they said.

350 Cue Level Models

351 **Study 1**

352 Additional Tables and illustrations for the convenience of the reader. Add
353 illustrations they said; it will add value they said.

354 **Study 2**

355 Additional Tables and illustrations for the convenience of the reader. Add
356 illustrations they said; it will add value they said.

357 **Study 3**

358 Additional Tables and illustrations for the convenience of the reader. Add
359 illustrations they said; it will add value they said.